



SchoolToilets.co.uk

Presented by Cubicle Centre Ltd



Zest Washroom System
See page 06 for further information

Contents:

03	Introduction	14	Vanity and Wall Panel Solutions
04	Pre-School / Junior Washrooms	15	Sanitary Ware for Schools
06	Adult Washrooms - Privacy	16	School Changing Rooms
08	Adult Washrooms - Vandal Resistant	17	Shower Cubicles / Changing Cubicles
10	Cubicle Material Guide	18	Toilet Cubicle Sizes (Guidelines)
11	Pre-School Vanity Units	20	Cubicle Centre FAQ
12	Staff Toilets	23	Disclaimer

Introduction:

Cubicle Centre Ltd is pleased to introduce SchoolToilets.co.uk A website designed to help educational establishments select the most suitable products for washroom projects.

Cubicle Centre Ltd is a leading manufacturer of [toilet cubicles and washroom systems](#) in the UK. A wide range of products developed for environments from Pre-School through to Universities are available on a [manufacture and supply basis](#).

Whether you are considering a new washroom or refurbishing an existing toilet area – Cubicle Centre can supply you with a durable washroom solution.

With a bright colour choice and creative design, our Pre-School / Junior range helps create a fun and safe washroom environment for children (Page 04).

Guidelines for secondary schools upwards are more specific - the following need to be considered:

[Private toilets that lock](#) are preferred to urinals. It is advised that space outside the cubicles is kept to a minimum to combat anti-social behaviour.

[Cubicles must be easy to maintain and clean](#) - compact grade laminate is the preferred material due to its exceptional resistance to impact and water.

[Ambulant Cubicles](#) - every same-sex washroom should have at least one cubicle suitable for ambulant disabled (Page 18).

Should you need help with your product choice, our experienced team can take you through the design and selection process, helping you choose the right products for the job.

To receive a quote, simply fax or email your washroom requirements to us along with a drawing or sketch and we'll do the rest.

Alternatively, complete a [Quotation Form](#) available from the website and fax it to us on Fax: 0845 170 1241

Pre-School / Junior Washrooms:

The Brecon cubicle system is specifically designed for children.

Low height doors allow for supervision, and with added safety features such as **anti-trap hinges and latches**, these cubicles help create a fun and safe school washroom environment.

Standard options include a bright selection of colours and three

door profile designs in melamine faced chipboard (MFC). Brecon cubicles can be manufactured from compact grade laminate (CGL) at extra cost.

The standard Brecon system is manufactured from 18mm thick MFC, with a contrasting 2.0mm solid PVC soft radius edging.

It is recommended that nursery schools and other schools which

have pupils under 5 years old should have one shower for washing pupils for every 40 such pupils.

Only CGL cubicles are impervious to water and therefore suited for use in shower areas (Page 17).

Matching vanity and wall panel systems are available to order with this cubicle range (Page 11).



Further Information
www.schooltoilets.co.uk/pre-school-toilets.html



Further Information
www.schooltoilets.co.uk/privacy-cubicle-system.html

Adult Washrooms - Privacy:

There are many points to consider when specifying an adult cubicle system, such as the overall cubicle height to ensure a sufficient amount of privacy.

A minimal space between floor / ceiling and cubicle system is encouraged for increased user privacy. For hygienic and safety reasons, Cubicle Centre would not recommend using FULL floor-to-ceiling height cubicles. Our toilet cubicles are designed to allow a **reasonable airflow** to prevent a build up of bad smells.

All our cubicle systems allow for **emergency access** should a pupil faint inside the cubicle and become trapped - blocking the door from opening.

The cubicle door hinges can be set to allow doors to open inwards or outwards and have a **lift-off facility** for improved safety.

Cubicle Centre offer an increased privacy system - **Zest WC Cubicles**.

A stylish, yet practical cubicle system, Zest has been developed to meet the demands of modern washrooms.

An overall cubicle height of 2100mm provides **advanced privacy**; whilst the 100mm reduced floor clearance offers users **greater personal security**.

Robust fittings such as **DDA compliant** (Disability Discrimination Act) cubicle

latches keep the design focused on functionality, while high performance panels and edging offer exceptional durability.

Partitions and front panels are Stone Grey with cubicle doors available in four exciting new colours: Blueberry, Kiwifruit, Mango or Dragon Fruit.

With its unique fittings and energetic colour choice, the Zest cubicle system will **add a confident and striking presence** to your school washroom.

Matching vanity and wall panel systems are available to order with this cubicle range (Page 14).



Adult Washrooms - Vandal Resistant:

The preferred material choice for cubicles in school washrooms is Compact Grade Laminate. CGL is totally impervious to water, therefore easily washed down to help maintain **high standards of hygiene**. This material is also vandal resistant.

DDA Regulations (Disability Discrimination Act) must also be

considered when selecting washroom products. Cubicle front panels and doors need to be of **sufficient colour contrast** to enable visually impaired pupils / staff ease of access into cubicles.

The cubicle locking devices should be suitable for use by pupils / staff with impaired

manual dexterity (i.e. **simple single action**).

It is recommended that schools keep spare locks to reduce the time that cubicles are out of action due to lock damage - Cubicle Centre can supply spares at extra cost and only for Cubicle Centre washroom systems.

Cairngorm (below) is the ideal cubicle system for harsh environments and for use in shower areas.

Constructed from compact grade laminate, these cubicles are **extremely resistant to impact** and completely **impervious to water**.

Overall cubicle height is 1955mm with standard partitions 1500mm deep - full height is optional at extra cost. These robust cubicles

arrive pre-drilled allowing rapid on-site installation.

Extra heavy-duty fittings and a wide colour choice as standard.

Cotswold cubicles (left) combine style with outstanding rigidity.

Perfect for areas of high volume usage, the robust build quality is proven to meet everyday demands.

The sleek clean lines and **contemporary design** mean no fixings are visible from the exterior of the cubicle when installed.

The system offers outward opening disabled cubicles if required, along with **single action locking devices** to meet with relevant DDA regulations.

Cotswold also offers a wide colour choice as standard.



Further Information
www.schooltoilets.co.uk/vandal-resistant-cubicles.html



Cubicle Material Guide:




MFC - Melamine Faced Chipboard:

Melamine Faced Chipboard (MFC) incorporates two decorative melamine surfaces bonded to both sides of high density, moisture resistant chipboard under high pressure and temperature.

MFC is a cost effective, hygienic and lightweight solution for all non-wet toilet areas.

All panels have impact resistant, PVC soft radius edging applied.



CGL - Compact Grade Laminate:

High performance, self-supporting Compact Grade Laminate (CGL) with two decorative surfaces and a black core, offering exceptional resistance to impact and moisture.

CGL is particularly suited for use in washrooms and changing areas where hygiene and ease of maintenance is essential.

CGL is totally water proof and vandal resistant.



Further Information
www.schooltoilets.co.uk/vanity-and-wallpanels.html



Further Information
www.schooltoilets.co.uk/staff-toilets.html

Staff Toilets:

Staff washrooms must be adequate for the number of staff.

There are no guidelines to the specific number of staff toilets in a school however, Workplace Regulations suggest the following:

Up to 5 staff:

1 toilet and washstation

6 - 25 staff:

2 toilets and washstations

1 extra toilet and washstation for each subsequent 25 staff.

Staff washrooms must also be separate from pupil washrooms, except certain washrooms for disabled users.

For staff toilets less prone to vandalism and not exposed to a wet environment, Cubicle Centre recommends the **Malvern washroom system** (left).

Malvern consists of durable panels and **tamper proof fittings**.

Partitions and front panels are Speckled Light Grey with a choice of either Speckled Blue or

Anthracite for the doors. This colour system ensures a great enough contrast in LRV (**Light Reflectance Value**) to make the cubicles accessible for visually impaired users.

Malvern cubicles (left) are manufactured from 18mm thick MFC, with a light grey 2.0mm solid PVC edging. Extra colours are available to order at extra cost as Malvern+.

Malvern / Malvern+ is NOT suitable for use in shower areas.

Vanity Units:

Vanity units are made to measure and available as either Inset (550mm deep) or Semi-Recessed (350mm deep) options.

Vanity tops are 20mm thick with a High Pressure Laminate (HPL) finish as standard. CGL vanity tops are available with extended lead times at extra cost.

Under panels are constructed from high performance MFC as standard or CGL panels with a CGL vanity top.

The new, unique design removes the need for a timber frame, saving you both time and money.

Overall vanity height is 850mm (standard) - this can be altered to suit each schools individual requirements.



Wall Panel System:

Full or half height wall panel systems can be supplied to match your cubicle colour configuration.

Panels are Melamine Faced Chipboard (MFC) as standard, with a protective PVC edging.

For areas prone to a wet environment, such as changing rooms, Cubicle Centre can supply CGL wall panel systems.

Panels come flat-packed, complete with all flash-gap material and suspension fitting components.

Overall system height varies according to your ceiling height.



Sanitary Ware for Schools:

For schools where most pupils are under 11 (Y6 and below) there should be at least as many wash basins as the basic number of sanitary fittings.

For schools where most pupils are 11 or older (Y7 and above) washrooms with one sanitary fitting / two sanitary fittings should contain at least one wash basin / two wash basins respectively.

In all other washrooms the number of wash basins should be at least two thirds of the

number of sanitary fittings.

The use of urinals should be avoided in school washrooms. Toilet pans in cubicle enclosures is the preferred option.

With the plumbware.co.uk range Cubicle Centre can now supply your school with a complete range of sanitary ware and washroom accessories.

To purchase these products and more online visit:
www.plumbware.co.uk

Further Information
www.schooltoilets.co.uk/school-sanitary-ware.html



Wash Basins:



Toilet Pans:



Showers:



Accessories:



Further Information
www.schooltoilets.co.uk/changing-rooms.html

School Changing Rooms:

Schools must have accessible changing accommodation, which should include showers, for pupils of 11 years and older (Y7 and above) who take part in physical education.

LEA's and governors may provide such changing

accommodation for younger pupils as they feel appropriate.

Cubicle Centre can supply made to measure changing room systems from shower cubicles to bench seating, all manufactured from compact grade laminate (CGL).

Only CGL is recommended for changing room areas due to the material's robust construction and water-proof quality.

Changing room fittings such as shower trays, wall tiles and coat hooks are available to purchase online from plumbware.co.uk

Shower Cubicles:

Each shower cubicle ideally needs an internal width of 760mm, 800mm or 900mm (between surfaces), with a depth of either 1500mm or 1800mm.

This internal measurement will allow for use of shower trays (sold separately) available from plumbware.co.uk

Standard shower cubicles are manufactured from compact grade laminate (CGL) - Cairngorm range

The option of either a cubicle door or shower curtain / shower rail kit is available.




Changing Cubicles:

The Cairngorm cubicle system (above) is perfect for use in changing room areas.

Constructed from 13mm CGL, Cairngorm cubicles are vandal resistant and can be cleaned down thoroughly to maintain a high standard of hygiene in your school changing area.

Cotswold cubicles (left) offer a fully framed alternative. This cubicle system is also suited for use in shower and changing areas.

Toilet Cubicle Sizes (Universal Access Guidelines):



Enlarged WC Cubicles:

Where 4 or more cubicles are provided in a washroom, one of these must be an enlarged cubicle.

Enlarged cubicles must be a minimum width of 1200mm and include an outward opening door.

A horizontal and vertical grab rail set is required around the WC.

Standard Toilet Cubicles:

All standard toilet cubicles must now have a minimum of 450mm diameter manoeuvring space within the cubicle.


Indicator-bolts must be capable of being operated with a closed fist - and doors must also allow for emergency access should a pupil collapse inside the cubicle - blocking the door from opening.

Ambulant Disabled Cubicles:

Every same-sex washroom must have at least one wc cubicle that is suitable for the ambulant disabled.

If there is only one cubicle in the washroom then this must be suitable for an ambulant disabled person.

The ambulant disabled cubicle must include an outward opening door.



Wheelchair Accessible Cubicle:

The wheelchair accessible layout has been modified to accommodate an overall toilet cubicle length of 2220mm (previously 2000mm).

The door opening needs to be 900mm with a 950mm (wide) outward opening door.

Doc-M Packs are available to purchase online at plumbware.co.uk



Cubicle Centre FAQ:

Hopefully the SchoolToilets.co.uk brochure has already helped answer most of your school washroom questions.

A list of FAQ's has been compiled here as a quick reference to any further questions you may have.

Contact Cubicle Centre on Tel: 0845 170 1240 should you require more product advice.

Do you offer a fit-out service?

Cubicle Centre manufacture and supply only. Our washroom systems are designed to be easily constructed by any competent tradesman.

Can I open an account?

You may apply to open an account with us. Account application forms are available from our website: www.washroomcubicles.co.uk/downloads.html Unless you currently hold an account with us, all made to measure specials and bespoke items are subject to pro-forma prepayment.

We accept: BACS / Cheques or




What is the minimum size for a toilet cubicle?


750mm (wide) x 1500mm (deep)

What is the 'cubicle configuration'?


We need to know which of the following four situations your cubicles will be fitted in:




Enclosed
(between walls)



Corner



In-Line



In-Line with Return

Do you have a price list?

Due to products being made to measure, pricing is on a job-to-job basis.

Simply email (info@schooltoilets.co.uk) your washroom requirements to us along with a drawing or sketch and we'll do the rest.

Alternatively, complete a Quotation Form available from the PDF Downloads sections and fax it to us on - Fax: 0845 170 1241

What is your budget toilet cubicle range?

Pennine toilet cubicles are the lowest priced range Cubicle Centre offer. However, this cubicle system is NOT recommended for student washroom areas.

How quickly can I have my order?

Lead times can vary from 7 working days to 10-15 working days depending on your specific requirements.

NOTE: Lead times may increase during busier periods of the year (i.e. school holidays).

Schools looking to refurbish washrooms during school holidays are advised to place their order several weeks beforehand.

Do you sell replacement / spare parts?

Cubicle Centre can supply spares with your initial order on request, at extra cost. Replacement parts will only be sold for Cubicle Centre washroom systems.

Which product is best suited for shower / changing areas?

The Cairngorm or Cotswold systems are suited for use in shower / changing areas or in areas that are likely to be subject to a wet environment or vandalism.

What should I clean the cubicles with?

For MFC, remove general stains and marks with a proprietary non-abrasive bathroom or kitchen surface cleaning solution on a damp cloth. Do not use excessive amounts of water or solution. CGL cubicles are water proof and can therefore be cleaned more intensely with water and solution. Avoid scrubbing or using anything with sharp edges in contact with the panels.

Do you offer screen printed options for the children's toilet cubicles?

Cubicle Centre now offer three exciting designs for Brecon cubicle doors in a water-resistant, vinyl sticker format. Stickers are sold separately and are to be fixed to the cubicle doors by the customer.



Further Information

www.schooltoilets.co.uk/school-toilets-faq.html



Further Information
www.schooltoilets.co.uk/privacy-cubicle-system.html

Disclaimer:

© 2010 Cubicle Centre Ltd

Whilst every care has been taken to ensure the information included on the website / in this brochure was correct at the time of printing, we reserve the right to change specifications at any time without prior notice. Where specification is critical, please contact Cubicle Centre to ensure you have the latest available information.

The colours in this brochure are within the constraints of the printing process and are NOT to be used for matching purposes.

Disability Discrimination Act - Building Regulations:

The responsibility for washroom compliance with current building regulations lies with the project manager. However, on request, we can offer further advice on this subject.

Cubicle Centre Ltd
Unit 33 Caldervale Business Park
Huddersfield Road
Ravensthorpe
West Yorkshire WF13 3JL

Tel 0845 170 1240
Fax 0845 170 1241

Email info@schooltoilets.co.uk