

**Ultravac® 250 Tabletop
Single Chamber Vacuum
Packaging Machine (with
built-in vacuum pump)**

Description

Ultravac® Model 250 Tabletop Single Chamber Vacuum Packaging Machine with built-in rugged 0.95kW (24m³/h) vacuum pump

- Table top model ideal for small processors, restaurants, supermarkets and labs.

Standard Features:

- Two year warranty
- Rugged, heavy duty 1.5kW (2 horsepower) vacuum pump – 30.6m³/hr
- 20-gauge stainless steel construction
- Patented lid hinge system minimizes stress on lid to eliminate cracking and longer life
- Digital programmable control panel controls all machine functions. Saves up to ten programs
- Heavy duty transformer (200VA)
- High density polyethylene filler boards
- Electrical connection 220/240 volt, single phase
- Heavy duty, transparent, moulded acrylic lid
- IP66 moisture resistant wash down electronic controls designed to safeguard against cold temperatures and high humidity
- Single seam sealing with cut-off
- Quick change, 406mm sealing bar.
- Pozi-Pressure® radius surface sealing element for sealing through contaminants, folds, and wrinkles for a better, more consistent seal
- Large capacity chamber 171mm deep x 422mm wide x 505mm long
- Engineered and manufactured by UltraSource in the USA
- CE Approved



**Ultravac® 250 Tabletop
Single Chamber Vacuum
Packaging Machine (with
built-in vacuum pump)**

Optional Features:

- Gas flush operation
- Dual 406mm seal bars for double seam sealing

Specifications:

- **Machine Dimensions:** 476mm long x 625mm wide x 813mm maximum height
- **Working Height:** 365mm
- **Seal Bar Length:** One 406mm seal bar. Seal bar has one sealing element and one cut-off wire
- **Machine Speed:** Actual speed varies depending on products and desired vacuum levels
- **Chamber Width:** 422mm **Chamber Length:** 505mm **Chamber Depth:** 171mm
- **Between seal bar and back of chamber:** 451mm
- **Between seal bars (double seal bar option):** 416mm
- **Vacuum Pump:** 0.95kW (1.25 horsepower) – 24m³/hr
- **Electrical Requirements:** 220/240V 50Hz 1-ph, 6.5 amps
- **Net Weight:** 81kg
- CE approved

**Ultravac® 250 Tabletop
Single Chamber Vacuum
Packaging Machine (with
built-in vacuum pump)**

Description
OPTIONAL: Product Loader manually opens pouch for easier, more hygienic product loading, 305mm wide x 300mm deep (pictured below) Slant Tray high moisture or liquid products (includes #840 124 and attaching hardware) (pictured below)



Product loader



Slant Tray



Work Table

**Ultravac® 250 Tabletop
Single Chamber Vacuum
Packaging Machine (with
built-in vacuum pump)**

Description
<p>OPTIONAL:</p> <p>Additional 406mm seal bar provides second bar for sealing several small packages simultaneously</p> <p>Double Seal Seal Bar (two sealing elements with no cut-off wire)</p> <p>Gas flush function for modified atmosphere packaging</p> <p>Stainless Steel Work Table heavy duty (pictured below)</p> <ul style="list-style-type: none">• 788mm tall• 508mm x 636mm, 14-gauge stainless top• 44.5mm diameter legs are adjustable to level table and eliminate wobble on uneven floors• Ships fully assembled• Available with levelers <p>Replacement filter elements (three per pack)</p> <p>External filter</p> <p>Recommended spare parts kit</p>