

## Ultravac® 1000 Double Chamber Vacuum Packaging Machine

### Ultravac 1000 Vacuum Packaging Machine

Economical, Automatic Vacuum Packaging Machine.

The powerful and reliable automatic Ultravac 1000 double chamber vacuum packaging machine features simplicity of design and operation. With two 39" (99.06cm) seal bars delivering 10mm robust wide band hermetic seals, the Ultravac 1000 is sure to minimize "leakers" and rework. The chamber size and automatic lid swing offer exceptional packaging flexibility and productivity for a broad variety of meat, poultry, seafood, or dairy products. From individual steaks and chops to tuna loins to large primal cuts, turkeys, and cheese blocks; the economical Ultravac 1000 is designed for efficient operation by a single worker to produce high quality, low cost packaging solutions in daily midrange production environments.



The Ultravac 1000's automatic lid swing function sets the pace for the packaging process maximising single operator productivity as they load product in one chamber while product is being sealed in the chamber at the opposite end. This Chamber Dimensions 45.2" x 43.1" (1148.1mm x 1094.7mm)

Chamber Height 12" (304.8mm)

Seal Bar Length 2 x 39" (990.6mm)

## Ultravac® 1000 Double Chamber Vacuum Packaging Machine

Distance between Seal Bars 36" (914mm)

Outside Dimensions 98"L x 52.2"W x 50.4"H (2490mm x 1325mm x 1280mm)

Working Height 36.6" (930mm)

Vacuum Pump 12-hp (8.95kw)

Weight 2,203 lbs. (1,000kg) automatic feature results in increased output and reduced labour costs.

Built to rigid specifications and designed to perform in cold and wet environments for many years, the Ultravac 1000 is manufactured primarily with stainless steel components; a powerful, dependable, 12-horsepower vacuum pump; a flat deck design for ease of cleaning, and a 'NEMA 4' programmable control panel that stores up to 20 programs for a variety of products, assuring consistency from cycle to cycle.

### Standard Features

- Durable stainless steel construction
- Flat deck design for easy cleaning
- 12" (30.48cm) lid
- 10mm wide band smooth or textured seals
- NEMA 4 programmable control panel
- NEMA 4 electrical enclosures
- Soft air ventilation
- Automatic lid swing with safety guard
- Bladder activated sealing
- Eight high density plastic filler plates
- Pump overload warning indicator
- Oil change indicator
- Vacuum sensor and display
- Heavy duty castors
- One year warranty

### Optional Features

- Bi-Active sealing applies heat from top and bottom; for sealing extra thick materials.
- Gas flush enables modified atmosphere packaging (M.A.P.).

## Ultravac® 1000 Double Chamber Vacuum Packaging Machine

- Pouch perforating knife system. Mechanical cutting device allows pouches to extend beyond the edge of the seal bar for perfect bag / pouch trimming every time.
- Automatic lid.
- Other voltages available (208, 380, 460, 575)

### NEMA 4 Microprocessor Control Panel

The Ultravac 1000's water resistant control panel enables fingertip control of the entire machine's functions. It is simple to operate and easy to read. Up to 20 packaging programs can be stored to ensure consistency for a variety of product packaging needs. The control panel also features a vacuum sensor control and digital readout to ensure desired vacuum levels are met.

Chamber Dimensions 45.2" x 43.1" (1148.1mm x 1094.7mm)

Chamber Height 12" (304.8mm)

Seal Bar Length 2 x 39" (990.6mm)

Distance between Seal Bars 36" (914mm)

Outside Dimensions 98"L x 52.2"W x 50.4"H (2490mm x 1325mm x 1280mm)

Working Height 36.6" (930mm)

Vacuum Pump 12-hp (8.95kw)

Weight 2,203 lbs. (1,000kg)