

Industrial Wide Viewing Angle TFT-Displays

- 4.3" to 27"
- Standard and High Brightness
- Optical Bonding Service
- Embedded



4.3 and 5" TFT-Displays



DATA DISPLAY GROUP

A FORTEC GROUP MEMBER

Panel	AC043NA11	AA050MC01	AA050MG03	AA050MH01
Manufacturer	Mitsubishi	Mitsubishi	Mitsubishi	Mitsubishi
Type / size	IPS / 4.3"	IPS / 5"	IPS / 5"	IPS / 5"
Viewing angle (v/h)	170°/170°	170°/170°	170°/170°	170°/170°
Resolution	480x272	WVGA 800x480	WVGA 800x480	WVGA 800x480
Input	TTL	TTL	TTL	TTL
BLU/Converter integrated	LED/NO	LED/NO	LED/NO	LED/NO
Brightness (cd/m²)	1000	300	900	500
Temperature operating (°C)	-30...+80	-20...+60	-30...+80	-30...+80
	<i>Reverse Scan</i>	<i>Reverse Pin</i>	<i>Reverse Pin</i>	<i>Reverse Pin</i>
		Touch Screen		
Analog Resistive Touch Sensor		integrated in version AA050MC01--T1	integrated in version AA050MG03--T1	
Projected Capacitive Touch Sensor	✓	✓	✓	✓
		Finished design: PCAP Touch - Cover Glass Black Printed		
Projected Capacitive Touch Sensor	✓	✓	✓	✓
		Industrial TFT-Controller		
	Via Interface IF39x	Via Interface IF39x	Via Interface IF392M	Via Interface IF392M
Serial stand alone GUI TFT-Controller	✓	✓	✓	✓
USB-Client to LVDS TFT-Controller	✓	✓	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓	✓	✓
Options: HDMI, DP, Video, Audio	✓	✓	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions



7" TFT-Displays

Panel	LB070WV8-SL02	AA070MC01	AA070MC11	AT070MP11
Manufacturer	LG	Mitsubishi	Mitsubishi	Mitsubishi
Type	IPS	IPS	IPS	IPS
Viewing angle (v/h)	178°/178°	170°/170°	170°/170°	170°/170°
Resolution	WVGA 800x480	WVGA 800x480	WVGA 800x480	WVGA 800x480
Input	LVDS	LVDS	LVDS	LVDS
BLU/Converter integrated	LED/YES	LED/YES	LED/NO*	LED/NO*
Brightness (cd/m²)	450	1000	1300	1100
Temperature operating (°C)	-30...+80	-30...+80	-30...+80	-40...+85
		<i>Reverse Pin</i>	<i>Reverse Pin</i>	<i>Reverse Pin</i>
			<i>*SmartLED Converter available</i>	
	Resistive Touch			
4-wire	✓	✓	✓	✓
4-wire glass/glass	✓	✓	✓	✓
4-wire glass/glass with polarizer		✓	✓	✓
	PCAP Touch			
Projected Capacitive Touch Sensor	✓	✓	✓	✓
	Finished design: PCAP Touch - Cover Glass Black Printed			
Projected Capacitive Touch Sensor	✓	✓	✓	✓
	Industrial TFT-Controller			
Serial stand alone GUI TFT-Controller	✓	✓	✓	✓
USB-Client to LVDS TFT-Controller	✓	✓	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓	✓	✓
Options: HDMI, DP, Video, Audio	✓	✓	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

7" TFT-Displays



DATA DISPLAY GROUP

A FORTEC GROUP MEMBER

Panel	TCG070WVLOGPNN-AN-40	AM-1280800P2TZQW-00H AM-1280800P3TZQW-10H AM-1280800P3TZQW-00H
Manufacturer	Kyocera	AMPIRE
Type	AWV*	SFT*
Viewing angle (v/h)	170°/170°	160°/160°
Resolution	WVGA 800x480	WXGA 1280x800 / 7"
Input	LVDS	LVDS
BLU/Converter integrated	LED/YES	LED/YES
Brightness (cd/m²)	1000	500/1000/1500
Temperature operating (°C)	-30...+80	-20...+70
	* <i>Advanced Wide View</i>	* <i>SuperFineTFT</i>
Resistive Touch		
4-wire	✓	✓
4-wire glass/glass	✓	✓
4-wire glass/glass with polarizer		
PCAP Touch		
Projected Capacitive Touch Sensor	✓	✓
	Finished design: PCAP Touch - Cover Glass Black Printed	
Projected Capacitive Touch Sensor	✓	✓
Industrial TFT-Controller		
Serial stand alone GUI TFT-Controller	✓	✓
USB-Client to LVDS TFT-Controller	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓
Options: HDMI, DP, Video, Audio	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions



7" TFT-Displays

With integrated PCAP Touch

Panel	TCG070WVLRxPCx-GDx118	TCG070WVLRxPCx-GDx117
Manufacturer	Kyocera	Kyocera
Type	AWV*	AWV*
Viewing angle (v/h)	170°/170°	170°/170°
Resolution	WVGA 800x480	WVGA 800x480
Input	LVDS	LVDS
BLU/Converter integrated	LED/YES	LED/YES
Brightness (cd/m²)	500	500
Temperature operating (°C)	-20...+70	-20...+70
Integrated Touchscreen	Projected capacitive USB <i>* Advanced Wide View</i>	Projected capacitive I²C <i>* Advanced Wide View</i>
	Industrial TFT-Controller	
Serial stand alone GUI TFT-Controller	✓	✓
USB-Client to LVDS TFT-Controller	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓
Options: HDMI, DP, Video, Audio	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

8.4" TFT-Displays



DATA DISPLAY GROUP

A FORTEC GROUP MEMBER

Panel	AA084SC01	TCG084SVLQxPNN-ANx32	TCG084SVLQxPNN-ANx33	AA084XD01
Manufacturer	Mitsubishi	Kyocera	Kyocera	Mitsubishi
Type	IPS	AWV*	AWV*	IPS
Viewing angle (v/h)	170°/170°	170°/170°	170°/170°	170°/170°
Resolution	SVGA 800x600	SVGA 800x600	SVGA 800x600	XGA 1024x768
Input	LVDS	LVDS	LVDS	LVDS
BLU/Converter integrated	LED/YES	LED/YES	LED/YES	LED/YES
Brightness (cd/m²)	600	600	1200	600
Temperature operating (°C)	-30...+80	-30...+80	-30...+80	-30...+80
	<i>Reverse Pin</i>	<i>* Advanced Wide View</i>	<i>* Advanced Wide View</i>	<i>Reverse Pin</i>
Touch Screen				
Analog Resistive Touch Sensor	✓	✓	✓	✓
Projected Capacitive Touch Sensor	✓	✓	✓	✓
Industrial TFT-Controller				
Serial stand alone GUI TFT-Controller	✓	✓	✓	✓
USB-Client to LVDS TFT-Controller	✓	✓	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions

9 and 10" TFT-Displays



DATA DISPLAY GROUP
A FORTEC GROUP MEMBER

Panel	AA090TB01	VVX10F087J00
Manufacturer	Mitsubishi	Panasonic
Type / size	IPS / 9"	IPS / 10"
Viewing angle (v/h)	170°/170°	178°/178°
Resolution	WXGA 1280x768	FHD 1920x1080
Input	LVDS	eDP*
BLU/Converter integrated	LED/YES	LED/YES
Brightness (cd/m²)	800	300
Temperature operating (°C)	-30...+80	-20...+70
		* LVDS2eDP interface available
	Touch Screen	
Analog Resistive Touch Sensor	✓	✓
Projected Capacitive Touch Sensor	✓	✓
	Industrial TFT-Controller	
Serial stand alone GUI TFT-Controller		
USB-Client to LVDS TFT-Controller	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions

10.1" TFT-Displays



DATA DISPLAY GROUP

A FORTEC GROUP MEMBER

Panel	G101EVN01.0	G101EVN01.3	TM101JDHG30-00	NL12880AC16-01D
Manufacturer	AUO	AUO	Tianma	NLT
Type	MVA	MVA	SFT	SFT
Viewing angle (v/h)	170°/170°	170°/170°	170°/170°	176°/176°
Resolution	WXGA 1280x800	WXGA 1280x800	WXGA 1280x800	WXGA 1280x800
Input	LVDS	LVDS	LVDS	LVDS
BLU/Converter integrated	LED/YES	LED/YES	LED/YES	LED/YES
Brightness (cd/m²)	300	500	500	400
Temperature operating (°C)	-20...+60	-20...+70	-20...+70	-30...+80
Touch Screen				
Analog Resistive Touch Sensor	✓	✓	✓	✓
Projected Capacitive Touch Sensor	✓	✓	✓	✓
Industrial TFT-Controller				
Serial stand alone GUI TFT-Controller				
USB-Client to LVDS TFT-Controller	✓	✓	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions



10.1" TFT-Displays

High Brightness

Panel	AL101WXL02-N	TM101JDHG32-00	AM-19201200B1TZQW-00	AM-19201200B1TZQW-T51
Manufacturer	AMOLED	Tianma	Ampire	Ampire
Type	IPS	SFT	MVA	MVA
Viewing angle (v/h)	170°/170°	170°/170°	170°/170°	170°/170°
Resolution	WXGA 1280x800	WXGA 1280x800	WUXGA 1920x1200	WUXGA 1920x1200
Input	LVDS	LVDS	LVDS	LVDS
BLU/Converter integrated	LED/NO	LED/YES	LED/YES	LED/YES
Brightness (cd/m ²)	1300	1000	1000	850
Temperature operating (°C)	-20...+70	-20...+70	-20...+70	-20...+70
	<i>*SmartLED Converter available</i>			
	Resistive Touch			
4-wire	✓	✓	✓	
4-wire glass/glass	✓	✓	✓	
	PCAP Touch			
Projected Capacitive Touch Sensor	✓	Version: integrated	✓	integrated
	Finished design: PCAP Touch - Cover Glass Black Printed			
Projected Capacitive Touch Sensor	✓	✓	✓	
	Industrial TFT-Controller			
Serial stand alone GUI TFT-Controller				
USB-Client to LVDS TFT-Controller	✓	✓	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓	✓	✓
Options: HDMI, DP, Video, Audio	✓	✓	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions

10.4" TFT-Displays



DATA DISPLAY GROUP

A FORTEC GROUP MEMBER

Panel	G104V1-T03	G104X1-L03	G104X1-L04	G104XVN01.0	TCG104XGLPAPNN-AN30
Manufacturer	Innolux	Innolux	Innolux	AUO	Kyocera
Type	S-MVA	S-MVA	S-MVA	PSA	AWV*
Viewing angle (v/h)	176°/176°	176°/176°	176°/176°	178°/178°	170°/170°
Resolution	VGA 640x480	XGA 1024x768	XGA 1024x768	XGA 1024x768	XGA 1024x768
Input	TTL	LVDS	LVDS	LVDS	LVDS
BLU/Converter integrated	LED/YES	LED/YES	LED/YES	LED/YES	LED/YES
Brightness (cd/m²)	450	350	500	470	600
Temperature operating (°C)	-30...+80	-30...+70	-30...+70	-30...+80	-30...+80
	<i>Reverse Pin</i>	<i>Reverse Pin</i>	<i>Reverse Pin</i>	<i>Reverse Pin</i>	* <i>Advanced Wide View</i>
	Touch Screen				
Analog Resistive Touch Sensor	✓	✓	✓	✓	✓
Projected Capacitive Touch Sensor	✓	✓	✓	✓	✓
	Finished design: PCAP Touch - Cover Glass Black Printed				
Projected Capacitive Touch Sensor	✓	✓	✓		✓
	Industrial TFT-Controller				
Serial stand alone GUI TFT-Controller	✓	✓	✓	✓	✓
USB-Client to LVDS TFT-Controller	✓	✓	✓	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓	✓	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓	✓	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions



10.4" TFT-Displays

High Brightness

Panel	TCG104XGLPAPNN-AN40	AA104XG12
Manufacturer	Kyocera	Mitsubishi
Type	AWV*	IPS
Viewing angle (v/h)	170°/170°	170°/170°
Resolution	XGA 1024x768	XGA 1024x768
Input	LVDS	LVDS
BLU/Converter integrated	LED/YES	LED/NO
Brightness (cd/m²)	1300	900
Temperature operating (°C)	-30...+80	-30...+80
	<i>* Advanced Wide View</i>	<i>Reverse Pin</i>
	Touch Screen	
Analog Resistive Touch Sensor	✓	✓
Projected Capacitive Touch Sensor	✓	✓
	Finished design: PCAP Touch - Cover Glass Black Printed	
Projected Capacitive Touch Sensor	✓	✓
	Industrial TFT-Controller	
Serial stand alone GUI TFT-Controller	✓	✓
USB-Client to LVDS TFT-Controller	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions

11.6 and 12.1" TFT-Displays



DATA DISPLAY GROUP

A FORTEC GROUP MEMBER

Panel	VVX12F045J00	G121S1-L02	TCG121XGLPAPNN-AN20	AA121XP01
Manufacturer	Panasonic	Innolux	Kyocera	Mitsubishi
Type / size	IPS / 11.6"	S-MVA / 12.1"	AWV / 12.1"	IPS / 12.1"
Viewing angle (v/h)	170°/170°	178°/178°	170°/170°	170°/170°
Resolution	FHD 1920x1080	SVGA 800x600	XGA 1024x768	XGA 1024x768
Input	eDP*	LVDS	LVDS	LVDS
BLU/Converter integrated	LED/YES	LED/YES	LED/YES	LED/YES
Brightness (cd/m²)	280	600	400	500
Temperature operating (°C)	0...+50	-30...+80	-30...+80	-30...+80
	<small>* LVDS2eDP interface available</small>			
	Touch Screen			
Analog Resistive Touch Sensor	✓	✓	✓	✓
Projected Capacitive Touch Sensor	✓	✓	✓	✓
	Industrial TFT-Controller			
Serial stand alone GUI TFT-Controller		✓	✓	✓
USB-Client to LVDS TFT-Controller	✓	✓	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions

12.1" TFT-Displays



DATA DISPLAY GROUP
A FORTEC GROUP MEMBER

Panel	TCG121WXLPxPNN-ANx05	G121I1-L01	G121EAN01.0
Manufacturer	Kyocera	Innolux	AUO
Type / size	AWV	S-MVA / 12.1"	A-MVA / 12.1"
Viewing angle (v/h)	170°/170°	176°/176°	178°/178°
Resolution	WXGA 1280x800	WXGA 1280x800	WXGA 1280x800
Input	LVDS	LVDS	LVDS
BLU/Converter integrated	LED/YES	LED/YES	LED/YES
Brightness (cd/m²)	500	400	500
Temperature operating (°C)	-30...+80	-10...+70	-30...+85
	Touch Screen		
Analog Resistive Touch Sensor	✓	✓	✓
Projected Capacitive Touch Sensor	✓	✓	✓
	Industrial TFT-Controller		
Serial stand alone GUI TFT-Controller	✓		
USB-Client to LVDS TFT-Controller	✓	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions



12.1" TFT-Displays

High Brightness

Panel	TCG121XGLPBPNN-AN40	GKVGC1MNDK2A0
Manufacturer	Kyocera	SGD
Type	AWV*	MVA
Viewing angle (v/h)	170°/170°	176°/176°
Resolution	XGA 1024x768	WXGA 1280x800
Input	LVDS	LVDS
BLU/Converter integrated	LED/YES	LED/NO
Brightness (cd/m²)	1200	1300
Temperature operating (°C)	-30...+80	-30...+80
	Touch Screen	
Analog Resistive Touch Sensor	✓	✓
Projected Capacitive Touch Sensor	✓	✓
	Industrial TFT-Controller	
Serial stand alone GUI TFT-Controller	✓	
USB-Client to LVDS TFT-Controller	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

12.5 to 14" TFT-Displays



DATA DISPLAY GROUP

A FORTEC GROUP MEMBER

Panel	LP125WF-SPB2	G133HAN01.0	B140HAN01.1
Manufacturer	LG	AUO	AUO
Type / size	IPS / 12.5"	AHVA / 13.3"	MVA / 14"
Viewing angle (v/h)	Min. 160°/160°	Min. 178°/178°	178°/178°
Resolution	FHD 1920x1080	FHD 1920x1080	FHD 1920x1080
Input	eDP*	LVDS	eDP*
BLU/Converter integrated	LED/YES	LED/YES	LED/YES
Brightness (cd/m²)	400	400	300
Temperature operating (°C)	0...+50	0...+70	0...+50
	<i>* LVDS2eDP interface available</i>		<i>* LVDS2eDP interface available</i>
	Touch Screen		
Analog Resistive Touch Sensor	✓	✓	✓
Projected Capacitive Touch Sensor	✓	✓	✓
	Industrial TFT-Controller		
Serial stand alone GUI TFT-Controller			
USB-Client to LVDS TFT-Controller	✓	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions



15" TFT-Displays

High Brightness

Panel	AA150XW14*	AA150PD13
Manufacturer	Mitsubishi	Mitsubishi
Type	IPS	IPS
Viewing angle (v/h)	170°/170°	170°/170°
Resolution	XGA 1024x768	SXGA+ 1400x1050
Input	LVDS	LVDS
BLU/Converter integrated	LED/NO*	LED/NO*
Brightness (cd/m ²)	1000	1000
Temperature operating (°C)	-30...+80	-30...+85
	<i>* successor of AA150XW11 Reverse Pin</i>	<i>Reverse Pin</i>
	<i>*SmartLED Converter available</i>	
	Touch Screen	
Analog Resistive Touch Sensor	✓	✓
Projected Capacitive Touch Sensor	✓	✓
	Industrial TFT-Controller	
Serial stand alone GUI TFT-Controller	✓	
USB-Client to LVDS TFT-Controller	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions



15.6" TFT-Displays

with LVDS interface

Panel	NL192108AC18-02D	LQ156M3LW01
Manufacturer	NLT	Sharp
Type	SFT	IPS
Viewing angle (v/h)	176°/176°	170°/170°
Resolution	FHD 1920x1080	FHD 1920x1080
Input	LVDS	LVDS
BLU/Converter integrated	LED/YES	LED/YES
Brightness (cd/m²)	400	400
Temperature operating (°C)	-20...+70	-20...+75
	Touch Screen	
Analog Resistive Touch Sensor	✓	✓
Projected Capacitive Touch Sensor	✓	✓
	Industrial TFT-Controller	
Serial stand alone GUI TFT-Controller		
USB-Client to LVDS TFT-Controller	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓

All combinations are possible.
For more information contact our [Sales](#).



15.6" TFT-Displays

with eDP interface

Panel	LP156WF6-SPB1	G156HAN01.0	NL192108AC18-01D	NL192108BC18-06F
Manufacturer	LG	AUO	NLT	NLT
Type	IPS	IPS	SFT	SFT
Viewing angle (v/h)	min. 160°/160°	170°/170°	176°/176°	176°/176°
Resolution	FHD 1920x1080	FHD 1920x1080	FHD 1920x1080	FHD 1920x1080
Input	eDP*	eDP*	eDP*	eDP*
BLU/Converter integrated	LED/YES	LED/YES	LED/YES	LED/NO*
Brightness (cd/m²)	300	400	400	1500
Temperature operating (°C)	0...+50	0...+50	-20...+70	-30...+85
	<i>*LVDS2eDP interface available</i>			<i>*SmartLED Converter available</i>
	Touch Screen			
Analog Resistive Touch Sensor	✓	✓	✓	✓
Projected Capacitive Touch Sensor	✓	✓	✓	✓
	Industrial TFT-Controller			
Serial stand alone GUI TFT-Controller				
USB-Client to LVDS TFT-Controller	✓	✓	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

17 to 18.5" TFT-Displays



DATA DISPLAY GROUP

A FORTEC GROUP MEMBER

Panel	G170J1-LE1	LB170E01-SL01	LP173WF4-SPF5	G185HAN01.0	NL192108AC21-01
Manufacturer	Innolux	LG	LG	AUO	NLT
Type / Size	S-MVA / 17"	IPS / 17"	IPS / 17,3"	PMVA / 18.5"	SFT / 18.5"
Viewing angle (v/h)	176/176°	178°/178°	min. 160°/160°	178°/178°	176°/176°
Resolution	WUXGA 1920x1200	SXGA 1280x1024	FHD 1920x1080	FHD 1920x1080	FHD 1920x1080
Input	LVDS	LVDS	eDP*	LVDS	eDP*
BLU/Converter integrated	LED/YES	LED/YES	LED/YES	LED/YES	LED/YES
Brightness (cd/m²)	600	400	300	350	400
Temperature operating (°C)	-20...+80	-10...+70	-0...+50	-20...+75	-20...+70
Special Features			Very thin (4.0mm) <i>* LVDS2eDP interface available</i>		<i>* LVDS2eDP interface available</i>
	Touch Screen				
Analog Resistive Touch Sensor	✓	✓	✓	✓	✓
Projected Capacitive Touch Sensor	✓	✓	✓	✓	✓
	Industrial TFT-Controller				
Serial stand alone GUI TFT-Controller					
USB-Client to LVDS TFT-Controller	✓	✓	✓	✓	✓
RGB/DVI to LVDS TFT-Controller	✓	✓	✓	✓	✓
Ask for Options: HDMI, DP, Video, Audio	✓	✓	✓	✓	✓

All combinations are possible.
For more information contact our [Sales](#).

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions



Cover Glass

Professional Bonding **VACUBOND**[®]

Schott Xensation™ (Thin & High Hardness)

Toughened Safety Glass

Ceramic or Organic Silkscreen

Economy Bonding **VACUBOND**[®]

Economy Safety Glass

Touch Screen

Projected Capacitive Touch

Resistive Touch Glass/Glass

Resistive Touch Film/Glass

Analog Matrix Resistive MultiTouch

Visit our website: [Innovative Optical Binding Technology: Vacuum Bonding](#)

Wide Viewing Angle TFT Overview


your specialist for flat screen solutions

Embedded Boards



2,5" Pico-ITX™
3,5" Single Board Computer
PC/104
Slot SBC

Industrial Mainboards



Mini-ITX™
Micro-ATX
Flex-ATX
ATX

Embedded Systems



Embedded Box PCs
Embedded Panel PCs
Embedded Server
Embedded Desktop PCs
Digital Signage Player
Industrial Monitors

Accessories & IoT



Gateways
Switches
Router
Memory, CPUs
Cables
Power Supplies

Available Features & Options:

Designed for Industrial Applications
Extended Temperature -40°C...+85°C
Design-in Support
Kits (Board with OS, Display & Cables)

Long-term Availability
Custom Design
Fixed Bill of Material
EOL / PCN Handling

Wide Viewing Angle TFT Overview

your specialist for flat screen solutions



For more information please contact:

Germany 	Distec GmbH Augsburg Str. 2b 82110 Germering Germany	Phone: +49 89 89 43 63-0 Fax: +49 89 89 43 63-131 E-Mail: info@datadisplay-group.de Internet: www.datadisplay-group.de
	FORTEC Elektronik AG Lechwiesenstr. 9 86899 Landsberg am Lech Germany	Phone: +49 8191 911 72-0 Fax: +49 8191 217 70 E-Mail: sales@fortecag.de Internet: www.fortecag.de
	FORTEC Elektronik AG Office West Hohenstaufenring 55 50674 Köln Germany	Phone: +49 221 272 273-0 Fax: +49 221 272 273-10 E-Mail: west@fortecag.de
Austria 	FORTEC Elektronik AG Office Vienna Nuschinggasse 12 1230 Wien Austria	Phone: +43 1 8673492-0 Fax: +43 1 8673492-26 E-Mail: office@fortec.at
Switzerland 	ALTRAC AG Bahnhofstraße 3 5436 Würenlos Switzerland	Phone: +41 44 7446111 Telefax: +41 44 7446161 E-Mail: info@altrac.ch Internet: www.altrac.ch
United Kingdom 	Display Technology Ltd. 5 The Oaks Business Village Revenge Road, Lordswood Chatham, Kent, ME5 8LF United Kingdom	Phone: +44 1634 67 27 55 Fax: +44 1634 67 27 54 E-Mail: info@displaytechnology.co.uk Internet: www.displaytechnology.co.uk
USA 	Apollo Display Technologies, Corp. 87 Raynor Avenue, Unit 1 Ronkonkoma, NY 11779 United States of America	Phone: +1 631 580-43 60 Fax: +1 631 580-43 70 E-Mail: info@apolloDisplays.com Internet: www.apolloDisplays.com