




**EZ LOADER**

**WOR-LIFTS**





W O R - L I F T S



**EVERYDAY  
WE GO  
THROUGH  
THIS  
SIMPLE  
EXERCISE**

#### IT SUPPORTS OUR NO. 1 POSITION IN THE MARKET PLACE

**More than a third of all 3-day plus injuries reported each year to the Health and Safety Executive, and local authorities are caused by manual handling.**

As estimated 11 working days per sufferer were lost through back injury, costing employers in excess of £350 million a year.

Anyone who ignores these facts is a physical jerk.



Handling these problems is something we know backwards, which is why we bend over backwards to ensure that our lifting equipment is the most advanced available.

The unique EZ loader totally eliminates bending and stretching by automatically raising and lowering pallets during loading or unloading.

Problem solved - it's that EZ!

# EZ Loader

AUTOMATIC PALLET POSITIONER






## THE ULTIMATE ERGONOMIC TOOL

**EZ Loaders are true ergonomic tools in every sense of the word. They are designed to eliminate the worker having to bend down by automatically raising and lowering pallets during loading or unloading without the use of mechanical springs.**

EZ Loaders also allow easy pallet rotation so the worker does not have to reach or strain. As the load weight changes, the EZ Loader automatically adjusts, keeping the top of the load at a convenient working height.

The patented pneumatic operating system found only in the EZ Loader has proven to be the top choice of industry professionals worldwide.






The EZ Loader's automatic self-levelling operation with integral rotator ring provides the ultimate in ergonomics while helping to increase worker productivity.



## DESIGN FEATURES & BENEFITS

- Self-levelling design automatically keeps the top of the load at a convenient working height to help eliminate bending and improve productivity
- Integral rotator ring helps eliminate reaching and stretching
- Captive air operation eliminates cumbersome mechanical springs and gives more controlled (dampened) movement to the platform
- Infinitely adjustable for varied loads by simply adding or bleeding air - no changing of springs required
- Pressure gauge and air valves are protected, yet located for easy access. The custom air gauge indicates pressure in imperial and metric scales
- Secured ball-bearing centre pivot of the 430 diameter rotator ring provides smooth, even rotation
- Pressure relief valve prevents excess pressure build-up
- Heavy duty structural steel construction to handle tough industrial environments
- Surfaces are phosphatised and powder coated with a high quality polyester for a lasting, durable finish
- Rollers are entrapped in the base frame and platform, for added stability
- Safety finger guards under the rotator ring are standard on all EZ Loaders
- EZ Loaders arrive at your premises fully assembled - just add air!
- Easily transported with a fork truck or optional portability packages



## SELECTOR TABLE FOR EZ-1 SERIES

Model	Travel	Capacity		Platform Height		Rotator ring Diameter (A)	Base Frame		Ship weight
		Minimum	Maximum	Lowered (B)	Raised (C)		Length (D)	Width (E)	
EZ-30	539mm	204kg	1350kg	223mm	762mm	1092mm	1283mm	762mm	227kg
EZ-45	539mm	500kg	2000kg	223mm	762mm	1092mm	1283mm	762mm	239kg



## **WORLIFTS Limited**

Guild House,  
Sandy Lane,  
Wildmoor,  
Bromsgrove,  
Worcestershire.  
B61 0QU

Tel: 0121 460 1113

Fax: 0121 460 1116

Email: [sales@worlifts.co.uk](mailto:sales@worlifts.co.uk)

Web: [www.worlifts.co.uk](http://www.worlifts.co.uk)