Euro cabinet system

Strong steel storage cabinet system for tough environments.

The Euro cabinet system is a versatile range of steel work cabinets which combine to form complete working layouts.

Individual cabinets are detailed on the pages 155-158

This page shows 'easy order' popular combinations as examples.

Constructed from 18 and 20swg steel sheet

Lever lock handles with 2 rods locking top and bottom, 2 keys.

Drawers on ball bearing runners, 25kg capacity

Individual drawers in combination units lockable.

7 & 8 drawer cabinets lockable as unit

Powder coated finish, grey cabinets, blue doors and drawer fronts, other colours on request



Popular Combinations

Ref	Cabinet combination
ECA	EC0903; EC0900; WC10; WP05; WTL10
ECB	EC0900; EC0904; WC02; WC10 WTL15
ECC	EC0901; EC0900; EC0904; 2xWC10; WTB20
ECE	EC2005; EC0903; EC0900; WC10; WP05; WTL10
ECH	EC0900; EC0901; EC0920B; EC0917E; EC0905; EC0904; WTB10; WTB20
ECJ	EC0904; EC0900; EC0901; EC0905; WTL20; WTL10
ECK	EC0905; EC0901; EC0900; WTB20
ECL	EC0900F; 2xEC0901; EC0920B; EC0917E; EC0905 EC0900; EC0904; 2xWTB10; WTB20
ECM	EC0904;EC0920B; EC0905; 2xWTB10
ECN	EC0920L; EC0901; EC0900; WTL10
ECO	EC0903; EC0900; EC0910; EC2005; WC01 2xWC05; WP09; WP04; TSO; WTL20
ECP	EC0920B; EC0904; 2xEC0917E; EC0905; EC0901; EC0906; EC0910; WTB10; WTB15; WTB20





ECL

Note: These selected combinations shown here can be varied with alternative worktops or individual units to suit your particular needs. See individual cabinet details on the pages 155-158.





ECO









156

Wall Cupboards

Manual Handling Solutions, 58, Paige Close, The Meadows, Watlington, King's Lynn, Norfolk PE33 0TQ Tel 01553 811977 Fax 01553 811004 sales@manualhandlingsolutions.co.uk www.manualhandlingsolutions.com

Heavy duty wall cupboards manufactured from 1mm steel sheet, with high quality epoxy finish, in a choice

Choice of 4 widths: 400, 500, 800 & 1000mm, 400 and 500mm width units have single lockable door 800 and 1000mm width units have 2 lockable doors

Available with or without internal drawers (not 1000mm), (400 and 500mm single drawer, 800mm 2 drawers) Cabinets grey epoxy, choice of colours for doors Fixing holes provided (no fixings supplied)

Drawers	Door colour	400mm	500mm	800mm	1000mm
Without	Blue	WC01B	WC02B	WC05B	WC10B
drawers	Red	WC01R	WC02R	WC05R	WC10R
	Green	WC01G	WC02G	WC05G	WC10G
	Grey	WC01GY	WC02GY	WC05GY	WC10GY
With	Blue	WC03B	WC04B	WC06B	-
drawers	Red	WC03R	WC04R	WC06R	-
	Green	WC03G	WC04G	WC06G	-
	Grey	WC03GY	WC04GY	WC06GY	-

Euro 900 floor cabinet system

900mm high - 'working height' storage cabinet system.

Range of cabinets constructed from 18 and 20swg steel sheet Lever lock handles with 2 rods locking top and bottom, 2 keys. Drawers on ball bearing runners, 25kg capacity Individual drawers in combination units lockable. 7 & 8 drawer cabinets lockable as unit Powder coated finish, grey cabinets, blue doors and drawer fronts, other colours on request

Euro cabinets can be combined to form comprehensive work / storage layouts. See previous page for 'easy order' example layouts

For individual product details, see next page.



Euro 900 - double - H x D x W: 900 x 500 x 1000mm

Euro 900 - single - H x D x W: 900 x 500 x 500mm

Wall Cabinets

of colours.

Standard H x D: 600 x 300mm 1 fixed shelf in all cabinets

Drawers	Door colour	400mm	500mm	800mm	1000mm
Without	Blue	WC01B	WC02B	WC05B	WC10B
drawers	Red	WC01R	WC02R	WC05R	WC10R
	Green	WC01G	WC02G	WC05G	WC10G
	Grey	WC01GY	WC02GY	WC05GY	WC10GY
With	Blue	WC03B	WC04B	WC06B	-
drawers	Red	WC03R	WC04R	WC06R	-
	Green	WC03G	WC04G	WC06G	-
	Grey	WC03GY	WC04GY	WC06GY	-

Euro 900 Floor Cabinets



EC0900 W x D: 500 x 500mm Cupboard with 2 adjustable shelves



EC0900F W x D: 500 x 500mm Fire resistant cupboard with 1 punched adjustable shelf, 1 removable sump, warning sticker, yellow finish



EC0901 W x D: 500 x 500mm 1 drawer, cupboard with 1 adjustable shelf



EC0902 W x D: 500 x 500mm 2 drawers, cupboard with 1 adjustable shelf



EC0903 W x D: 500 x 500mm 8 drawers (ht:85mm) Ref: EC0903



EC0904 W x D: 1000 x 500mm 2 drawers, cupboard, 1 adjustable shelf



EC0910 W x D: 1000 x 500mm Cupboard, 2 adjustable shelves



EC0905 W x D: 1000 x 500mm 7 drawers (ht: 2x 140, 5x 85mm)



EC0915 W x D: 1000 x 500mm Sliding door cupboard, 2 adjustable shelves Ref: EC0915



EC0906 W x D: 1000 x 500mm 5 adjustable shelves, 39 assorted containers Ref: EC0906



EC0920 W x D: 1000 x 500mm Workbench with 1 drawer, 1 shelf, adjustable feet

and choice of worktops (worktop height to match 900mm high Euro unit with worktop

Laminate worktop. Ref: EC0920L Worktop with rear upstand. Ref: EC0920B



EC0916/17 W x D: 575 x 575mm Corner unit to join runs at right angles, with worktop and 3 single power sockets Laminate worktop. Ref: EC0916

with rear upstand. Ref: EC0917



W: 500mm Ref: WTL05 W: 1000mm Ref: WTL10 W: 1500mm Ref: WTL15 W: 2000mm Ref: WTL20

Laminate with rear upstand			
W: 500mm	Ref: WTB05		
W: 1000mm	Ref: WTB10		
W: 1500mm	Ref: WTB15		
W: 2000mm	Ref: WTB20		

Manual Handling

Wall Cupboards **Euro 900**


Euro Tall - Easy Order

Tall Cabinet System - 1500, 1800, 2000mm

Euro Tall - Easy Order

Note: Only items listed are included, not photographic props

A selection of cabinet and extras combinations that provide single reference ordering.



- hinged or sliding doors - with a range of accessories to create just the storage solution you need.

Quarter rear louvre panel (option)

Quarter rear tool panel (option)

Tool panel reinforced door (louvre panel doors option) Tool clips (option)

Leverlock handle with 2 rod locking top and bottom, 2 keys

Drawer unit (option)

Full width robust doors for maximum aperture

Adjustable shelves - 50mm pitch - shelf capacity 45kg

Base pre-drilled for floor fixing - recommended (fixings not supplied)




*** 2:2:

Euro Tall Cabinets

complete cabinet (as illustrated) with: 1 drawer (at 1010mm) 2 adjustable shelves Quarter louvre panel back Quarter tool panel back Tool panel doors with 10 tool hooks 1800mm high Ref: EC1837 2000mm high Ref: EC2037

Optional Extras



Drawer unit Internal W x D: 910 x 410mm Front height: 95mm Available at 50mm pitch (min 100mm between drawers) - please state height when ordering. Max 12 drawers to cabinet Only one drawer to be opened at a time



Quarter rear tool panel Please state position height when ordering. Max 4 per cabinet. Ref: ECA022



Sliding door Euro cabinet W x D: 1000 x 500mm

Height	Shelves	Ref
1500mm	3	EC1515
1800mm	4	EC1815
2000mm	4	EC2015
Extra shelf	ECA025	

Adjustable shelf - Capacity 45kg

1000mm wide shelf Ref: ECA025

500mm wide shelf Ref: ECA024

Quarter rear louvre panel

Please state position height

Ref: ECA023

when ordering. Max 4 per cabinet



Double door Euro cabinet W x D: 1000 x 500mm

Height	Shelves	Ref
1500mm	3	EC1510
1800mm	4	EC1810
2000mm	4	EC2010
1800mm	0	EC1800
2000mm	0	EC2000





Louvre panel doors

Replaces standard tool panel doors (factory fitted) Accepts size 2 & 3 bins (see page 136 for container bin packs) Ref: ECA021



Single door Euro cabinet

W x D: 500 x 500mm

1500mm 2

1800mm 2

2000mm 2 Extra shelf ECA024

3 single hooks, 3 double hooks, 2 snap-in hooks, 1 Hammer hook. 1 pliers hook (For additional hooks see page 142) Ref: ECA009



Cabinet with 8 drawers, half tool panel back, 1 shelf, tool panel doors and 1 pack of assorted tool clips 1800mm high Ref: EC1831 2000mm high Ref: EC2031



Cabinet with 4 drawers (base, 460, 760 & 860mm), 2 shelves, half tool panel back, tool panel doors and 1 pack of assorted tool clips 1800mm high Ref: EC1833 2000mm high Ref: EC2033



Cabinet with full louvre panel back, tool panel doors and 1 pack of assorted tool clips 1800mm high Ref: EC1835 2000mm high Ref: EC2035



Cabinet with 2 drawers (base & 560mm) 1 shelf, half louvre panel back, 24 x No.2 bins, 12 x No.3 bins tool panel doors and 1 pack of assorted tool clips 1800mm high Ref: EC1832 2000mm high Ref: EC2032



Cabinet with 4 drawers (from base) 2 shelves, half louvre panel back, 16 x No.2 bins, 18 x No.3 bins tool panel doors and 1 pack of assorted tool clips 1800mm high Ref: EC1834 2000mm high Ref: EC2034



Cabinet with full tool panel panel back, tool panel doors and 1 pack of assorted tool clips 1800mm high Ref: EC1836 2000mm high Ref: EC2036

Manual Handling

Euro Tall Cabinets

Bin Cabinets

Tel 01553 811977 Fax 01553 811004 sales@manualhandlingsolutions.co.uk www.manualhandlingsolutions.com

Bin Cabinets - Louvre support

Robust, heavy duty steel cupboards with plastic bin combinations with louvre or shelf bin support systems.

Heavy duty steel cupboard with full louvre back to accept plastic storage bins. H x W x D: 2000 x 1000 x 500mm Lockable doors (2 keys) Finish: epoxy grey cabinet, blue doors

Empty cupboard to accept your own bins, or choice of units complete with bins



Manual Handling Solutions, 58, Paige Close, The Meadows, Watlington, King's Lynn, Norfolk PE33 0TQ

Empty unit Cupboard with Louvre back (no bins) Ref: BCL01



Cupboard with steel

adjustable shelves

to accept your own

bins, or choice of units complete with bins.

(25mm pitch)





Cupboard with 30 x Cupboard with Cupboard with No 3 bins; 24 No 4 bins 60 x No 3 bins 126 x No 2 bins Ref: BCL126 Ref: BCI 54 Ref: BCL60

Empty unit

Cupboard with

Shelves Ref:

shelves (no bins)

4 Shelves BCS04

8 Shelves BCS08

10 Shelves BCS10

12 Shelves BCS12 Extra shelf BCSES

Bin Cabinets - Shelf support

Mobile drawer cabinets

Fully welded mobile drawer cabinets, mounted on 4 swivel 125mm castors (2 braked) with blue resilex wheels and roller bearings. Drawers on roller bearing runners with 25kg capacity Drawer sizes internal W x D: 425 x 450mmm

Drawer heights: 90mm and 185mm

All drawers ready equipped to accept adjustable small parts divider storage system (dividers optional extra - see below)

Drawers lockable as a unit, 2 keys provided

Fitted with 3 sided lipped tool tray top with cushioned matting (laminate top available as optional extra - see below)

Finish: Grey epoxy body (BS00A05)), Blue epoxy drawers (BS18E53)

Other colours available on request

O/A H x W x D mm	Cabinet W x D mm	Drawers		
		90 mm	185 mm	
780 x 500 x 615	500 x 500	3	1	MDC601
780 x 500 x 615	500 x 500	1	2	MDC602
980 x 500 x 615	500 x 500	5	1	MDC801
980 x 500 x 615	500 x 500	3	2	MDC802

Mobile maintenance cabinets

Fully welded mobile drawer cabinets, mounted on 2 fixed, 2 braked swivel 125mm castors with blue resilex wheels and roller bearings.

Drawers on roller bearing runners with 25kg capacity

Drawer sizes internal W x D: 425 x 450mmm

Drawer heights: 90mm and 185mm

All drawers ready equipped to accept adjustable small parts divider storage system (dividers optional extra - see below)

Drawers lockable as a unit, 2 keys provided

Cupboard door fitted with recessed handle with integral lock with

2 rods locking top and bottom, tool panel and 1 adjustable shelf.


Fitted with 3 sided lipped tool tray top with cushioned matting (laminate top available as optional extra - see below)

Finish: Grey epoxy body (BS00A05), Blue epoxy drawers (BS18E53)

Other colours available on request

O/A H x W x D mm	Cabinet W x D mm	Drawers		Ref
		90 mm		
980 x 1120 x 500	1000 x 500	5	1	MDC811
980 x 1120 x 500	1000 x 500	3	2	MDC812

Optional extras



18mm Laminate top with plasic edging (replaces lipped tray) Drawer trolley top Ref: LWT01 Maintenance trolley top Ref: LWT02



Drawer divider pack complete with 2 vertical and 9 horizontal dividers for 90mm deep Ref: DDP01 for 185mm deep Ref: DDP02

600 Series



MDC601

800 Series



MDC801

MDC602

Mobile Maintenance Trolleys



MDC811



MDC812

Ref: BCL78

Cupboard with 42 x No 2 bins;

20 No 3 bins; 16 No 4 bins

78 bin unit



48 bin unit Cupboard with 11 shelves and 48 No 4 bins Ref: BCS48



72 bin unit Cupboard with 11 shelves; 72 No 3 bins Ref: BCS72



72 bin unit Cupboard with 12 shelves; 24 x No 2; 24 No 3 bins; 24 No 4 bins Ref: BCS72C



60 bin unit Cupboard with 9 shelves; 24 x No 2; 24 No 3 bins; 12 No 4 bins; 4 drawer unit Ref: BCS60



Bin Cabinets

162

Polycarbonate / Mesh Door Cabinets

0

0

Manual Handling Solutions, 58, Paige Close, The Meadows, Watlington, King's Lynn, Norfolk PE33 0TQ Tel 01553 811977 Fax 01553 811004 sales@manualhandlingsolutions.co.uk www.manualhandlingsolutions.com

First Aid Cabinets

Storage cabinets for First Aid supplies and equipment

- Instantly recognisable
- Clear identification labelling
- · Clean, durable white powder coated finish

Wall-fixing Cabinets

Strong welded 20swg steel construction

Fixed shelf and internal drawer tray(s)

Lock with 2 keys

Cabinets pre-drilled for fixing (fixings not included)

Powder coated finish

Identification labelling

Floor-standing Cabinets

Strong welded 20swg steel construction.

Shelves adjustable to 25mm pitch

Lever lock handles with 2 rods locking top and

bottom, 2 keys.

Powder coated finish

Identification labelling



First Aid Cabinets - White BS00E55

0

H x W x D mm	H x W x D mm	Shelves	Drawer Trays	Ref
Floor Cabinet	915 x 457 x 457	1	-	FAC10
	915 x 915 x 457	2	-	FAC60
	1220 x 915 x 457	2	-	FAC65
	1830 x 915 x 457	3	-	FAC70
Wall Cabinet	600 x 400 x 300	1	1	FAWC3
	600 x 500 x 300	1	1	FAWC4
	600 x 800 x 300	1	2	FAWC6
Extra shelf	457 x 457		ES1	
	915 x 457			ES2

PPE Cabinets

Storage cabinets for Personal Protective equipment.

Designed and manufactured to meet the requirements of The Personal Protective Equipment at Work Regulations 1994

Strong welded 20swg steel construction.

Shelves adjustable to 25mm pitch

Lever lock handles with 2 rods locking top and bottom, 2 keys.

Powder coated finish

Identification labelling

PPE Cabinets

Cabinet Grey BS00A05 Doors BS18E53

Cabinets

H x W x D mm	Shelves	Ref
915 x 457 x 457	1	PPE10
915 x 915 x 457	2	PPE60
1220 x 915 x 457	2	PPE65
1830 x 915 x 457	3	PPE70
1830 x 915 x 457	*	PPF71

Extra Shelves

H x W x D mm	
457 x 457	ES1
915 x 457	ES2

*PPE71 complete with centre divider,

Polycarbonate Door Cabinets

Strong welded construction with polycarbonate door panels for enclosed visibility whilst maintaining security.

Wall-fixing Cabinets

Strong welded 20swg steel construction

Fixed shelf

Lock with 2 keys

Cabinets pre-drilled for wall fixing (fixings not in-

cluded)

Powder coated finish

Body: Grey (BS00A05)

Doors: Blue, grey, green, yellow or red

(Blue supplied if not specified)

Floor-standing Cabinets

Strong welded 20swg steel construction.

Shelves adjustable to 25mm pitch

Lever lock handles with 2 rods locking top and

bottom, 2 keys.

Powder coated finish

Body: Grey (BS00A05)

Doors / shelves: Blue, grey, green, yellow or

red (Blue supplied if not specified)



Туре	H x W x D mm	Shelves	Ref
Floor Cabinet	915 x 457 x 457	1	CBP11
	915 x 915 x 457	1	CBP60
	1220 x 915 x 457	2	CBP65
	1830 x 915 x 457	3	CBP70
Wall Cabinet	600 x 1000 x 300	1	WCP10
Extra shelf	457 x 457		ES1
	915 x 457		ES2

Mesh Door Cabinets

Strong welded construction with mesh door panels for visibility and ventilation whilst maintaining security.

Strong welded 20swg steel construction

Shelves adjustable to 25mm pitch

Leverlock handles with 2 rod locking top and bottom, 2 keys

Powder coated finish Body: Grey (BS00A05)

Doors / shelves: Blue, grey, green, yellow or red

(Blue supplied if not specified)



	H x W x D mm	Shelves	Ref
Cabinet	915 x 457 x 457	1	CBM11
	915 x 915 x 457	1	CBM60
	1220 x 915 x 457	2	CBM65
	1830 x 457 x 457	3	CBM29
	1830 x 915 x 457	3	CBM70
	1830 x 915 x 457	*	CBM71
Extra shelf	457 x 457		ES1
	015 v 457		ESO

Extra Shelves

H x W x D mm	
457 x 457	ES1
915 x 457	ES2

*CBM71 complete with centre divider,



CBM71









164

CB Cupboards

Imperial size storage cupboards.

Range of steel cabinets constructed to imperial sizes, designed to combine with existing imperial size cabinets.

Lever lock handles with 2 rods locking top and bottom, 2 keys.

Powder coated finish in grey as standard, blue doors on request

Size H x W x D	(Imperial)	Shelves	Ref
915 x 915 x 457mm	(36" x 36" x 18")	2 adjustable shelves	CB 60
1220 x 915 x 457mm	(48" x 36" x 18")	2 adjustable shelves	CB 65
1830 x 915 x 457mm	(72" x 36" x 18")	3 adjustable shelves	CB 70
1830 x 915 x 305mm	(72" x 36" x 12")	3 adjustable shelves	CB 80



Extra Shelves

Size	(Imperial)	Ref
457 x 457mm	(18" x 18")	ES1
915 x 457mm	(36" x 18")	ES2
915 x 305mm	(36" x 12")	ES4

Stainless Steel Cupboard Bench



All stainless steel construction,

1.2mm stainless steel top with edges turned up to form lip (standard), or down for flush top (option -please specify) with welded corners.
Fully boxed with sliding doors with lock and fixed half depth shelf
Height 840mm

Size L x D mm	(Imperial)
1200 x 750	SSCB4
1500 x 750	SSCB5
1800 x 750	SSCB6

Stainless steel cabinets

A range of stainless steel cabinets manufactured from 304 grade stainless. Ideal for clean and hygenic work environments.

Stainless Steel CB Cupboards are supplied complete with adjsutable shelves, leverlock handle with 2 rods locking top and bottom and 2 keys.

	Size (H x W x D) mm	Shelves	Ref
Cabinet	915 x 457 x 457	1	CB11SS
	915 x 915 x 457	1	CB60SS
	1220 x 915 x 457	2	CB65SS
	1830 x 915 x 457	3	CB70SS
Extra Shelf	457 x 457		ES1SS
	915 x 457		ES2SS



Stainless Steel Hazardous FB Cabinets are supplied complete with punched adjsutable shelf trays, removable sump, leverlock handle with 2 rods locking top and bottom and 2 keys.

	Size (H x W x D) mm		Sump Cap. Ltrs	
Cabinet	915 x 457 x 457	1	14.5	FB10SS
	915 x 915 x 457	1	27	FB20SS
	1220 x 915 x 457	2	27	FB25SS
	1830 x 915 x 457	3	27	FB30SS
Extra Shelf	457 x 457			ES1SS
	915 x 457			ES2SS
			PLANMARKE LICH	



Hazardous Cabinets

Manual Handling Solutions, 58, Paige Close, The Meadows, Watlington, King's Lynn, Norfolk PE33 0TQ Tel 01553 811977 Fax 01553 811004 sales@manualhandlingsolutions.co.uk www.manualhandlingsolutions.com

Hazardous cabinets

Storage cabinets for hazardous materials.




Strong welded 20swg steel construction.

Lever lock handles with 2 rods locking top and bottom, 2 keys.

Pesticide/chemical cabinets have door vents to prevent fume build-up

Adjustable punched trays to contain spills and allow them to drain into removable sump

Adjustable puriciled trays to contain spills and
allow them to drain into removable sump
Removable sump for convenient removal of spil
Powder coated finish
Warning stickers






Door vents in pesticide/ chemical cabinets prevent build-up of fumes

Lever handles and two rod locking and 2 keys

Shelf trays have punched drain holes to allow any spillages to drain into base sump

Shelf trays are adjustable to a 25mm pitch

Removable sump collects any spillages and permits convenient removal.





Flammable Cabinet
Yellow BS08E51



Flammable Cabinet D. Grey BS632



Acid Cabinet White BS00E55



Pesticide / Chemical Cabinet Red BS04E53 Green RAL6029



Coshh Cabinet L. Grey BS00A05

Item	H x W x D mm		Sump Cap. Ltrs			Coshh			
					D. Grey				
Cabinet	457 x 457 x 457	1	14.5	FB2	FB2G	CFB2	AFB2	PFB2	PFB2G
	610 x 457 x 457	1	14.5	FB4	FB4G	CFB4	AFB4	PFB4	PFB4G
	712 x 355 x 305	2	4.0	FB5	FB5G	CFB5	AFB5	PFB5	PFB5G
	915 x 457 x 457	1	14.5	FB10	FB10G	CFB10	AFB10	PFB10	PFB10G
	712 x 915 x 457	1	27.0	FB15	FB15G	CFB15	AFB15	PFB15	PFB15G
	915 x 915 x 457	1	27.0	FB20	FB20G	CFB20	AFB20	PFB20	PFB20G
	900 x 1200 x 500	1	42.5	FB22	FB22G	CFB22	AFB22	PFB22	PFB22G
	1220 x 915 x 457	2	27.0	FB25	FB25G	CFB25	AFB25	PFB25	PFB25G
	1525 x 915 x 457	3	27.0	FB26	FB26G	CFB26	AFB26	PFB26	PFB26G
	1830 x 457 x 457	3	14.5	FB29	FB29G	CFB29	AFB29	PFB29	PFB29G
	1830 x 915 x 457	3	27.0	FB30	FB30G	CFB30	AFB30	PFB30	PFB30G
	1800 x 1200 x 500	3	42.5	FB40	FB40G	CFB40	AFB40	PFB40	PFB40G
Extra shelf	457 x 457			ES1	ES1	ES1	ES1	ES1	ES1
	915 x 457			ES2	ES2	ES2	ES2	ES2	ES2
	1200 x 500			ES5	ES5	ES5	ES5	ES5	ES5
Stand	460 x 355 x 305			SS10	SS10G	CSS10	ASS10	PSS10	PSS10G
	460 x 915 x 457			SS11	SS11G	CSS11	ASS11	PSS11	PSS11G

Stands

460mm high stand 355 x 305mm suitable for FB5 915 x 457mm suitable for FB15 and FB20



Flamable Liquids Storage

All cabinets meet the requirements of the Highly Flamable and Liquefied Petroleum Gases Regulations 1972 (Section 5 Part D), The Health and Safety Executive Guide HS(G)51 1990 and the Factory Inspectorate Certificate of Approval No 1 Parts 3 and 4. The maximum volume of any flamable liquid with a flashpoint below 32°C that may be stored in a flame resistant cabinet within a workroom is 50 litres (regardless of the total capacity of the storage cabinet).



Flammable Cabinets Yellow BS08E51



Hazardous Bins

Manual Handling Solutions, 58, Paige Close, The Meadows, Watlington, King's Lynn, Norfolk PE33 0TQ Tel 01553 811977 Fax 01553 811004 sales@manualhandlingsolutions.co.uk www.manualhandlingsolutions.com

Hazardous bins





Flat top or sloping top bins

Strong 14swg steel construction Hinged lid with restraining arm,

hasp and staple

Welded seams

Drain plug

Powder coated finish Colour choice: red, yellow, grey, white

Warning stickers

Oily rag bins

Oily rag bin

Strong 16swg steel construction Hinged lid with tubular lift handle

Available with or without removable steel liner

Powder coated finish red

H x W x D mm			
Flat top bin	500 x 600 x 350		FTB01
	600 x 600 x 600		FTB02
	600 x 1200 x 600		FTB03
Sloping top bin	900/500 x 900 x 750		STB04
	900/500 x 1200 x 750)	STB05

680 x 410 x 410

830 x 600 x 450

680 x 410 x 410

830 x 600 x 450



田田山田田田



Wall Mounted Cigarette Disposal Bins

No No

Yes

Yes

Stainless steel or powder coated steel Range of stylish options - will look good and provide

for convenient and efficient cigarette disposal

Stainless steel liner - fitted as standard

Internal removable, long-lasting, zintec steel liner, collects the cigarettes and provides for easy removal for emptying.

Wall mounted cigarette bin Small 370 x 200 x 70mm

Powder coated steel Ref: CD001 Stainless steel Ref: CD002

Large 445 x 245 x 70mm

Powder coated steel

Ref: CD003 Stainless steel Ref: CD004

Floor Standing Cigarette Disposal Bins

Finish - options - all bins

All bins are available in a choice of stainless steel

for long-lasting weather protection,

or powder coated steel with option of two tone grey

or black finish please specify when ordering.

Stand mounted cigarette bins

Stand mounted cigarette bin

Stand base drilled for floor fixing (fixings not supplied)

Cigarette bin H x L x W: 445 x 245 x 70mm

O/a height:1400mm

Powder coated steel Ref: CD005 Stainless steel Ref: CD006

Stand mounted cigarette bin + litter bin Cigarette bin H x W x L: 445 x 245 x 70mm

Litter bin H x L x W: 500 x 300 x 200mm O/a height:1400mm

Powder coated steel Ref: CD007

Stainless steel Ref: CD008

Litter bin separate

H x L x W: 500 x 300 x 200mm

Powder coated steel Ref: CD010 Stainless steel

Floor standing cigarette bins

Floor standing cigarette bin

D x W: 200 x 200mm

Pyramid top - H: 800mm

Ref: CD011 Powder coated steel Ref: CD012 Stainless steel

Flat top - H: 690mm

Ref: CD013 Powder coated steel Stainless steel Ref: CD014

Hooded top - H: 850mm

Powder coated steel Ref: CD015 Stainless steel Ref: CD016

Butt catcher box

Makes emptying cigarette bins convenient and quick H x L x W: 270 x 230 x 110mm Hinged lid and carry handle

Powder coated steel. Ref: CD019



Floor standing combined cigarette bin / litter bin H x D x W: 1130 x 340 x 340mm

Pyramid top

.......

Powder coated steel Ref: CD017 Stainless steel Ref: CD018





Hazardous Bins

167

Steel Bin Cabinets

170

Steel Bin Cabinets

All units supplied complete and fully assembled ready for immediate use.

Doors

Height

1820mm

937mm

for all units

Doors are available as an option

Twin steel doors, lock and 2 keys

Ref

SBC6D

SBC3D



Bin sizes Shelf capacity Widths: 148mm (6 bins across) 10kg 60kg 222mm (4 bins across) 12.5kg 50kg 296mm (3 bins across) 15kg 45kg 445mm (2 bins across) 20kg 40kg 900mm (1 bin across) 30kg 30kg

148mm (12 bins down) 220mm (8 bins down) 293mm (6 bins down) 440mm (4 bins down)

Depths

Cabinet: 377, 427, 532mm 305, 355, 460mm Internal: 253, 304, 409mm

Shelf Profiles

Dished D

"F" Flush shelves supplied Flush F unless other specified Lipped L

Cabinet heights

Cabinet width All cabinets: 942mm

Full height: 1820mm Half height: 937mm

Finish

Powder coated finish in a choice of colours:

Grey (as standard)



222 x 148mm

1820mm high 48 bins 937mm high 24 bins Bin size w x h:

36 bins

937mm high

Bin size w x h:

1820mm high 296 x 148mm

24 bins 937mm high Bin size w x h: 445 x 148mm

Depth mm	Ref: 1820mm high units
305	SBC601
355	SBC602
460	SBC603
Depth mm	
Depth mm	Ref: 937mm high units SBC301
	· ·
305	SBC301

Depth mm	Ref: 1820mm high units
305	SBC604
355	SBC605
460	SBC606
Depth mm	
305	SBC304
355	SBC305
460	SBC306

S 11	D (1000 11 1 1	_
Depth mm	Ref: 1820mm high units	D
305	SBC607	3
355	SBC608	3
460	SBC609	4
Depth mm	Ref: 937mm high units	D
305	SBC307	3
355	SBC308	3
460	SBC309	4


	Depth mm	Ref: 1820mm high units
	305	SBC610
	355	SBC611
	460	SBC612
	Depth mm	
	305	SBC310
	355	SBC311
	460	SBC312
_		











epth mm	Ref: 1820mm high units	
05	SBC613	1
155	SBC614	1
60	SBC615	ı
805	SBC313	ı
355	SBC314	ı
60	SBC315	ĺ

n high units	Depth mm	Ref: 1820mm high un
	305	SBC616
	355	SBC617
	460	SBC618
high units	Depth mm	Ref: 937mm high units
	305	SBC316
	355	SBC317
	460	SBC318

Depth mm	Ref: 1820mm high units
305	SBC619
355	SBC620
460	SBC621
Depth mm	Ref: 937mm high units
305	SBC319
355	SBC320

,	Depth mm	Ref: 1820mm high units
	305	SBC622
	355	SBC623
	460	SBC624
	Depth mm	Ref: 937mm high units
	305	SBC322
	355	SBC323
	460	SBC324
_		











Depth mm	Ref: 1820mm high units
305	SBC625
355	SBC626
460	SBC627
Depth mm	Ref: 937mm high units
305	SBC325
355	SBC326
460	SBC327

Depth mm	Ref: 1820mm high u
305	SBC646
355	SBC647
460	SBC648
Depth mm	Ref: 937mm high un
Depth mm 305	Ref: 937mm high un SBC346
	ı
305	SBC346

Depth mm	Ref: 1820mm high units
305	SBC631
355	SBC632
460	SBC633
Depth mm	Ref: 937mm high units
Depth mm 305	Ref: 937mm high units SBC331
_	
305	SBC331

its	Depth mm	Ref: 1820mm high units
	305	SBC634
	355	SBC635
	460	SBC636
8	Depth mm	Ref: 937mm high units
	305	SBC334
	355	SBC335
	460	SBC336



Steel Bin Cabinets

Steel Bin Cabinets

System 'B' Drawer Cabinets

High density small parts storage system with optional locks and doors for security



Ref: DCB10

Ref: DCB04

Ref: DCB09 with extras: floor stand, double doors, lockable drawers and sloping top

Steel construction throughout. Standard cabinet H x W: 940 x 920mm 3 depths: 270, 370 and 470mm (external)

Complete with self adhesive label holder. Available with or without lockable doors.

178, 278 and 378mm (internal)

Drawers slide on angle runners. 6 drawer sizes (H x W):

140 x 414mm

140 x 273mm

93 x 273mm

93 x 133mm

57 x 133mm 57 x 98 mm


Individual drawer locks available as extra

Finish: powder coated -

Cabinets: grey


Drawers in choice of: grey, red, blue or green (grey supplied if not specified)






140mm high x 414mm wide

Depth mm	Without doors
178	DCB01
278	DCB02
378	DCB03
Depth mm	
178	DCB01D
278	DCB02D
378	DCB03D




93mm high x 273mm wide

ŭ	
Depth mm	Without doors
178	DCB07
278	DCB08
378	DCB09
Depth mm	
178	DCB07D
278	DCB08D
378	DCB09D



57mm high x 133mm wide


Depth mm	
178	DCB13
278	DCB14
378	DCB15
Depth mm	
178	DCB13D
278	DCB14D
378	DCB15D



15 drawers


140mm high x 273mm wide

DCB04
DCB05
DCB06
DCB04D
DCB05D
DCB06D



42 drawers

93mm high x 133mm wide			
Depth mm	Without doors		
178	DCB10		
278	DCB11		
378	DCB12		
Depth mm			
178	DCB10D		
278	DCB11D		
378	DCB12D		



80 drawers

57mm high x 98mm wide

Without doors			
DCB16			
DCB17			
DCB18			
DCB16D			
DCB17D			
DCB18D			

Sloping tops

135mm high D mm Ref: 270 370 DCB20 DCB21 470

Floor Stands

150mm high D mm Ref: 270 370 470 DCB24



Drawer lock per drawer DCB29

Divider positions per drawer

Drawer dividers				
W mm Ref:				
98	DCB25			
133	DCB26			
273	DCB27			
414	DCB28			

Drawer divider positions and locks must be factory fitted at time of original order.

Worktops 1000mm wide D mm Ref:

Varnished 18mm MDF with wood edge lipping

270 DCB30 370 DCB31 470 DCB32

Grey Laminate on 18mm MDF with wood edge lipping

270 370 DCB34 470 DCB35




Steel Bin Cabinets

Steel Bin Cabinets

Manual Handling Solutions, 58, Paige Close, The Meadows, Watlington, King's Lynn, Norfolk PE33 0TQ Tel 01553 811977 Fax 01553 811004 sales@manualhandlingsolutions.co.uk www.manualhandlingsolutions.com

System 'D' Drawer Cabinets







32 drawers (combination) 1070mm high WxH 135 x 75mm

280 x 75mm 6 drawers: 205 x 180mm

Depth mm	Without doors	
305	DCD33	
460	DCD34	
Depth mm		
305	DCD33D	
460	DCD34D	










Drawer W x H: 135 x 75mm Drawer D: 285 or 440mm Divider slots at 20mm centres

Drawer W x H: 280 x 75mm Drawer D: 285 or 440mm Divider slots at 20mm centres

Drawer W x H: 205 x 180mm Drawer D: 285 or 440mm



Depth mm	Without doors
305	DCD00
460	DCD01



15 drawers - 535mm high


8 drawers - 535mm high






30 drawers - 1070mm high		
Depth mm	Without doors	
305	DCD21	
460	DCD22	
Depth mm		
305	DCD21D	
460	DCD22D	









28 drawers - 1500mm high		
Depth mm	Without doors	
305	DCD29	
460	DCD30	
Depth mm		
305	DCD29D	
460	DCD30D	

Packs of drawers and dividers

135mm wide x 75mm high

Steel drawers Pack

Dmm Ref 285 DCD12 440 DCD13 Dividers

DCD15

Packs of drawers and dividers

280mm wide x 75mm high

Steel drawers Pack Dmm Ref 285 DCD16 DCD17 3 440 Dividers DCD18 50

Packs of drawers 205mm wide x 180mm high

Steel drawers Pack Dmm Ref 285 DCD31



440 DCD32

Shelving Units

176

Zamba light Duty Bolted Shelving

Zamba Bolted Shelving

Shelving for Office Workshop or Home

Made in the UK, this product is basic but high quality. Legs benefit from rolled, safe edges, as do the front edges of the shelves.

- 27Kg UDL per level
- Strong Bolted steel construction
- Made with carbon neutral electricity
- · Choice of galvanised or black powder coated finish
- 4 and 5 tier have 2 piece uprights
- Other sizes available

Zamba Medium Duty Bolted Shelving

Zamba Supreme, medium duty shelving is a quality shelving system offering 75Kg UDL capacity per level. The system has rolled safety edges and corner braces for stability. Grey powder coated finish (other colours by special order)

Zamba Heavy Duty Bolted Shelving

Zamba Medway, heavy duty shelving offers 100Kg per level with traditional bracing and uprights. Grey powder coated finish (other colours by special order)



Depth	Width	Height	No. of Shelves	Ref			
Light Duty E	Light Duty Bolted Shelving Painted						
300	700	780	3	TRAB3BK			
300	700	1500	4	TRAB4BK			
300	700	1500	5	TRAB5BK			
Light Duty E	Bolted Shelv	ing Galvanis	ed				
300	700	780	3	TRAB3GV			
300	700	1500	4	TRAB4GV			
300	700	1500	5	TRAB5GV			
Medium Duty Bolted Shelving							
310	900	1900	6	TRAMDBL6			
400	900	1900	5	TRAMDBL5			
Heavy Duty Bolted Shelving							
500	1000	2000	5	TRAHDBL55			
600	1000	2000	5	TRAHDBL56			

Zamba Light Duty Boltless Shelving

Zamba Boltless Shelving

This boltless steel shelving is ideal for offices and is assembled with a tap from a rubber mallet to create a stable bay . Video assembly instructions available on line. Shelf capacity 55Kg UDL

Light Duty Boltless Shelving Painted

Depth	Width	Height	No. of Shelves	Ref
300	700	760	3	TRAL3BK
300	700	1400	4	TRAL4BK
300	700	1500	5	TRAL5BK

Zamba Twin Slot Shelving

Zamba Twin Slot Shelving

Zamba twin slot follows a tradition of making robust wall mounted shelving in the UK. These packs come complete with 2 uprights, 3 shelves, 6 adjustable brackets and 6 spring rod book ends. Standard units are painted white, with black and grey available to order. Special lengths of shelf and upright are also available as are a variety of accessories, including presentation shelves and board fixing clips. Just ask your dealer for Zamba twin slot shelving.

Zamba Twinslot Shelving

Depth	Width	Height	No. of Shelves	Cap. per level	Ref
170	1000	1000	3	166kg	TRATS3KIT170
220	1000	1000	3	150kg	TRATS3KIT220
270	1000	1000	3	120kg	TRATS3KIT270
320	1000	1000	3	100kg	TRATS3KIT320
370	1000	1000	3	100kg	TRATS3KIT370

Twin slot shelving components will take a minimum load of 100Kg per shelf level.

Medium / Heavy Duty Boltless Frame Units

Mighty Shelving Units

These easy build units are ideal for offices and stock rooms and come flat packed with two piece legs. They can be built without tools but a rubber mallet can be used when required. Medium duty units use strong 8mm thick high density shelves and heavy duty units use 12mm shelf boards for additional strength.

Medium Duty Bench Unit

This low cost bench is suitable for packing and light assembly tasks. The unit is flat packed and can be assembled in minutes with just a few bolts if you wish to use the stability bracing.

Essential Office Lever Arch Unit

This powder coated unit is ideal for storage of standard lever arch filing boxes and has deeper beams at the rear to prevent boxes pushing through. A 5 tier unit is assembled from a 2 and a 3 tier unit for flexibility. The units should either be bolted back to back or against a suitable wall.

Medium Duty Packing Bench

epth	Width	Height	No. of Shelves	Cap. per level	Ref	
00	1320	938	2	100kg	TRAMDBU	

Medium Duty Frame Unit 5 Tier Pack - Painted

Depth	Width	Height	No. of Shelves	Cap. per level	Ref
354	850	1690	5	80kg	TRAMDFU5
Lever Ard	ch Unit				

Depth	Width	Height	No. of Shelves	Cap. per level	Ref
305	1065	980	2	100kg	TRABFU2
305	1065	1020	3	100kg	TRABFU3
305	1065	2000	5	100kg	TRABFU5

Boltless Archive Frame Unit 4 Tier

Depth	Width	Height	No. of Shelves	Cap. per level	Ref
450	1320	1315	4	100kg	TRAHDA4

Zamba Light Industrial Shelving

Ideal for stock rooms, office archives and other light duty, industrial applications, this shelving comes in 450 and 600mm deep bays as standard and can be supplied 1.2m, 1.5m and 1.8m long. Specials can be manufactured to order as required.

Zamba light industrial is available in grey as standard but can also be supplied in black and white by special order and depending on quantity. Developed from our standard Mighty frame units, this product has new patent applied for features to enable much higher loads to be carried. The product is supplied in component form and is most economical for small to medium sized projects, where light goods such as shoes and clothing are stored away from mechanical handling equipment.

The shelving is easy to build and can be assembled with a tap from a rubber mallet to create a stable bay. Always ask for the best price on Zamba Light Industrial Shelving.



Heavy Duty Boltless Frame Unit

	Depth				Cap. per level	
	450	950	940	2	150kg	TRAHDF2
ſ	450	950	940	3	150kg	TRAHDF3
ſ	450	950	1880	5	150kg	TRAHDF5



Index

Special Services