Super Service Trolley

Capacity: 150kg UDL

Construction:

Formed and welded rectangular steel tube frame.

Overall H x W x L: 1035 x 525 x 1035mm

Writing trans W v D: 2000 v 2000 res

Writing tray W x D: 390 x 200mm

Removable basket sizes

H x W x L:

290 x 385 x 585mm (x2)

100 x 250 x 385mm (x1)

Castors: 4 swivel castors fitted with 125mm dia wheels, and grey non marking rubber tyres. Trolley fitted with 4 protective revolving corner buffers. Finish: Red epoxy framework. Baskets white epoxy Weight: 28kg

Ref: BT 100

Many uses including Stores Offices Warehouses Schools and Mail Centres



Distribution Trolley

Capacity: 200kg UDL

Construction: Formed and welded steel tube frame.

Overall H x W x L: 1070 x 535 x 1170mm

Removable basket sizes

H x W x L:

320 x 520 x 1055mm

190 x 520 x 1055mm

Diamond balanced wheel configuration for total manoeuvrability.

Castors: 2 fixed, 2 swivel castors fitted with 160mm dia bright zinc plated wheels with rubber tyres and roller bearings.

Finish: Red epoxy framework. Baskets white epoxy

Weight: 43kg Ref: BT 106

Optional Extra:

Hook-on end basket H x W x L: 320 x 115 x 320mm Ref: B71







Basket and Tray Trolleys

Manual Handling Solutions, 58, Paige Close, The Meadows, Watlington, King's Lynn, Norfolk PE33 0TQ Tel 01553 811977 Fax 01553 811004 sales@manualhandlingsolutions.co.uk www.manualhandlingsolutions.com

Basket and tray trolleys - 3 tier

Capacity 100kg UDL

Ideal trolley for small item handling 3 tier trolley, with bottom parcel grid supplied with choice of: 2 removable baskets or 2 steel trays. (extra baskets or trays available).



Model BT109

Model BT110

Construction: Formed and welded steel tube. Overall L x W x H: 855 x 430 x 1055mm Shelf heights without containers: 170; 455; 810mm

Model BT109: 2 removable baskets H x W x L: 240 x 305 x 450mm with 10mm dia top rim. Model BT110: 2 removable steel trays H x W x L: 70 x 310 x 465mm

Castors: 4 swivel castors fitted with 100mm dia wheels, threadguards and grey non marking rubber tyres. Finish: Red epoxy framework. Baskets and trays white epoxy. Weight: BT109 - 18kg; BT110 - 22kg

Ref: BT 109 Ref: BT 110 Accessories:

Extra baskets

H x W x L: 240 x 305 x 450mm Ref: B107 (each)

Extra trays

H x W x L: 70 x 310 x 465mm Ref: T108 (each)

DESPATCH

Total stop brakes Ref: B086









Capacity 100kg UDL

Construction: Formed and welded steel tube. Overall L x W x H: 700 x 435 x 920mm Shelf heights without containers: 180; 605mm

Basket and tray trolleys - 2 tier

Model BT107: 2 removable baskets H x W x L: 240 x 305 x 450mm with 10mm dia top rim. Model BT108:

2 removable steel trays

H x W x L: 70 x 310 x 465mm

Castors: 4 swivel castors fitted with 100mm dia wheels, threadguards and grey non marking rubber tyres. Finish: Red epoxy framework Baskets and trays white epoxy.

Weight: BT107 - 15kg; BT108 - 19kg

Ref: BT 107 Ref: BT 108 Accessories:

Extra baskets

H x W x L: 240 x 305 x 450mm Ref: B107 (each) Extra trays

H x W x L: 70 x 310 x 465mm Ref: T108 (each)

Total stop brakes Ref: B086

Mailroom stairclimber

Tubular steel framework with 2 wire mesh removable baskets.

Frame finished in red epoxy, baskets in white epoxy.

3 x 160mm dia wheels set in star configuration for stairclimbing.

O/a H x W x D: 1085 x 470 x 610mm Basket int. W x D x H: 400 x 245 x 215mm

Top of basket heights from floor: 320 & 805mm

Weight 15kg Ref SM25



Mailroom Trolleys

Ideal for mailroom or office

Smart, durable Postal red frame and white baskets Capacity: 75 kg

Wheels: 2 x 200 mm dia rear wheels, 2 x 75 mm dia. swivel front castors with grey non marking tyres. Finish: Red epoxy frame, white epoxy baskets

Baskets can be fitted with rails to accept suspension files Ref: BTFR

Model	O/all L x W x H mm	Weight	Ref
1	680 x 500 x 1070	17 kg	BT619
2	500 x 590 x 1050	14 kg	BT620
3	680 x 510 x 1085	19 kg	BT621
4	800 x 565 x 1040	21 kg	BT622



Two baskets and sheet steel base Baskets L x W x H: 305 x 450 x 290 mm Clearance between baskets: 275 mm



Model 2

Two baskets each L x W x H: 305 x 450 x 290 mm Clearance between baskets: 210 mm



Two baskets and base tray Top basket L x W x H: 305 x 450 x 295 mm Lower basket L x W x H: 305x 450x 240 mm Clearance between baskets: 130 mm

Model 3



Model 4

Three baskets Top basket L x W x H: 510 x 435 x 295 mm Lower basket L x W x H: 510x 435 x 250 mm Clearance between baskets 175 mm Rear basket L x W x H: 155 x 280 x 415 mm Front revolving corner buffers.





Basket and Tray Trolleys

Mini Turntable Trailers

Ideal for office and mailroom

Mini Turntable Trailers / Basket Trucks

102

Post Room Trolley

Capacity 150kg UDL

Tubular steel frame with three steel trays.

Back and sides infilled with varnished MDF panels.

4 x 100mm swivel castors with grey

non-marking tyres and thread guards. Overall L x W x H: 825 x 555 x 1050 mm

Shelf L x W: 750 x 500mm

Shelf heights: 200; 550; 895mm

Total weight: 38kg

Red handle Ref: TT20R Green handle Ref: TT20G Yellow handle Ref: TT20Y Blue handle Ref: TT20B



Available in 2 box heights Capacity 150kg UDL

Greased turntable plate with T bar tow handle.

Fixed rear axle.

Manual Handling Solutions, 58, Paige Close, The Meadows, Watlington, King's Lynn, Norfolk PE33 0TQ

Tel 01553 811977 Fax 01553 811004 sales@manualhandlingsolutions.co.uk www.manualhandlingsolutions.com

Welded steel angle frame chassis.

Finish: Blue epoxy steelwork

Basket Trucks

1. Single basket truck

2. Double basket truck

3. Single basket dolly truck

4. Triple basket truck

brakes as standard.

Blue epoxy frame and handle fitted with

Blue epoxy frame and handle fitted with

dia. rubber tyred wheels. Roller bearings.

2 swivel 2 fixed castors 125 mm dia. rubber tyred wheels.

2 swivel 2 fixed castors 160 mm dia. rubber tyred wheels.

2 removable baskets L x W x H: 680 x 480 x 450 mm

Blue epoxy frame fitted with 4 swivel castors 125 mm

Removable basket L x W x H: 680 x 480 x 450 mm

Grey epoxy tubular frame fitted with 4 swivel castors with 100 mm dia. grey non-marking tyred wheels with thread guards. Two castors supplied with total stop

Removable baskets L x W x H: 815 x 550 x 180 mm

Removable basket L x W x H: 805 x 535 x 555 mm

Wheels: 160 mm dia. rubber tyred roller bearing wheels.

Fixed timber box body mounted into protective steel angle frame.

950 x 500 215 145 24 M	MW20
950 x 500 215 250 26 M	MW21



Mini Basket Turntable Trailer

Capacity 150kg UDL with removable basket

Fixed rear axle.

Welded steel angle frame chassis.

Overall L x W: 950 x 500mm

Wheels: 160mm dia rubber tyred roller bearings

Mesh 25 x 25mm 12swg

Basket Height mm	Basket L x W mm	Deck height mm	Weight kg	Ref
160	935 x 490	215	23	MW22
250	935 x 490	215	24	MW23

Additional baskets B22 250 B23

Greased turntable plate steering with T bar tow handle.

Finish: Blue epoxy trailer, white epoxy baskets.

Baskets: Angle infilled frame with solid rod rim.

Choice of 2 basket heights

Mini Turntable Trailer

Capacity 150kg UDL Office, factory and general use

Tubular steel chassis with plywood deck.

Deck height: 215mm

Turntable steering, fixed rear axle.

Wheels: 160mm dia rubber tyred roller bearings.

Finish: Blue epoxy

O/all L x W: 950 x 500 mm

Ref: MW25









Specification for all baskets: Angle frame with solid rod top rim.

Mesh size 25 x 25 mm 12 swg

Finish: Durable white epoxy

Truck	Baskets Supplied	O/all L x W x H mm	Basket L x W x H mm	Capacity Kg	Castor dia. mm	Weight Kg	Trucks with baskets	Additional baskets (each)	Total stop brake (pair)
1	1	895 x 550 x 900	805 x 535 x 555	150	125	30	BT81 48	B81	B032
2	2	1090 x 705 x 985	680 x 480 x 450	250	160	50	BT82	B83	B024
3	1	490 x 460 x 600	680 x 480 x 450	150	125	28	BT83	B83	B032
4	3	900 x 600 x 1115	815 x 550 x 180	150	125	27	BT84	B84	fitted as standard





Easily transported

Weighs only 19kg

