



Model 1



Model 2

Model 3

Mobile Tray Racks

Capacity 200kg UDL

Complete with specified Euro container box trays
600 x 400 external L x W.

Rack construction: Welded square section steel tube construction with formed tray supports and steel top cover.
Metal strap prevents trays being pushed through when loading
Wheels: 4 swivel castors with 100 mm dia. nylon wheels.
Finish: Blue epoxy, with red epoxy handles.

3 Shallow Tray Models, 105mm internal tray height.

Full tray specifications and prices for extra trays: See Euro Containers panel, bottom of page.

7 Model Range

Versatile mobile steel racks
Uniform overall L x W 700 x 525mm
Complete with specified container box trays

Optional extra

Total stop brakes
Ref: B103

Model	No of trays	Internal tray ht.	Weight kg	O/all rack ht.	Ref
1	6 x PC005	105mm	38	1100mm	CT206
2	8 x PC005	105mm	46	1405mm	CT208
3	10 x PC005	105mm	53	1710mm	CT210

Euro Containers

Tray specification

Solid base/sides - hand grips 4 sides.
Thermal resistance -30°C to +60°C
washable up to 110°C Non toxic polyethylene

External L x W: 600 x 400 mm
Internal L x W: 555 x 355 mm

These trays are NOT suitable for food and medical storage etc.

Racks also available for PC022 containers (int ht 300mm).
Prices on application

Capacity Litres	Internal Height	External Height	Weight Kgs	Minimum Order	Ref
21	105 mm	118 mm	1.5	6	PC005
33	164 mm	175 mm	1.87	6	PC020
45	220 mm	235 mm	2.25	4	PC021
60	300 mm	319 mm	2.73	4	PC022



Mobile Tray Racks

Capacity 200kg UDL

Complete with specified Euro container box trays
600 x 400 external L x W.

Rack construction: Welded square section steel tube construction with formed tray supports and steel top cover.
Metal strap prevents trays being pushed through when loading
Wheels: 4 swivel castors with 100 mm dia. nylon wheels.
Finish: Blue epoxy, with red epoxy handles.

4 Deep Tray Models, 164mm and 220mm internal tray heights.

Full tray specifications and prices for extra trays:
See Euro Containers panel, bottom of left hand page.

Optional extra

Total stop brakes
Ref: B103

Model	No of trays	Internal tray ht.	O/all rack ht.	Weight kg	Ref
4	6 x PC020	164mm	1420mm	42	CT506
5	8 x PC020	164mm	1830mm	51	CT508
6	4 x PC021	220mm	1250mm	37	CT604
7	6 x PC021	220mm	1780mm	49	CT606



Model 5



Mod

Mobile Tray Racks

A versatile range of mobile steel racks

Welded square section steel tube construction with formed tray supports.
Wheels: All swivel castors with 100mm dia nylon wheels
Finish: Red epoxy.
Supplied complete with grey European 600 x 400mm plastic containers.
Trays: 21 litre solid grey containers Ref PC005
(for full specification see left hand page)

Optional extra

Total stop brakes
Ref: B103

No. of Trays	Overall size L x W x H mm	Weight Kg	Uniform load total capacity	Ref
2 x 5	955 x 650 x 945	50	200 kg	CT405
6	525 x 650 x 1100	33	200 kg	CT406
8	525 x 650 x 1405	41	200 kg	CT408
10	525 x 650 x 1710	48	200 kg	CT410





Designed to carry European 600 x 400mm range of containers in any combination of heights



Euro Dolly / Trolley

Euro Dolly with optional tug handle

Maximum total capacity: 250 Kgs.
Finish: Blue epoxy.
Wheels: 2 fixed, 2 swivel castors with 125mm dia. wheels, solid rubber tyres and roller bearings.

Optional Extra

Total stop brakes (extra)
Ref: B032

Containers are NOT included. For containers, please see below.

Type	Overall dimensions L x W x H mm	Max Load Kgs	Weight Kgs	Ref
Euro Dolly	640 x 415 x 195	250	12	CT64
Handle (optional)	920 x 305 x 30		1.5	TD804

Euro Trolley

Maximum total capacity: 350 Kgs.
Finish: Blue epoxy.
Wheels: 2 fixed, 2 swivel castors with 160mm dia. wheels, solid rubber tyres and roller bearings.

Optional Extra

Total stop brakes (extra)
Ref: B024

Type	Overall dimensions L x W x H mm	Max Load Kgs	Weight Kgs	Ref
Euro Trolley	950 x 615 x 985	350	24	CT81

Euro Containers

Tray specification
Solid base/sides - hand grips 4 sides.
Thermal resistance -30°C to +60°C
washable up to 110°C Non toxic polyethylene

External L x W: 600 x 400 mm
Internal L x W: 555 x 355 mm

These trays are NOT suitable for food and medical storage etc.

Capacity Litres	Internal Height	External Height	Weight Kgs	Minimum Order	Ref
21	105 mm	118 mm	1.5	6	PC005
33	164 mm	175 mm	1.87	6	PC020
45	220 mm	235 mm	2.25	4	PC021
60	300 mm	319 mm	2.73	4	PC022

Mobile Tray Racks

Food Grade

With white non-toxic polyethylene trays
Capacity 200kg UDL all models

All welded angle construction. Finished in red epoxy.
Plastic trays slide onto fixed metal tray supports. Metal strap prevents trays being pushed through when loading. Optional steel top cover.
Wheels: 4 swivel castors, white nylon 100mm dia wheels

Tray specification

All round grip. Solid base and sides
External H x W x L: 80 x 450 x 754 mm
Internal H x W x L: 68 x 412 x 717 mm
Thermal resistance: -30°C to +60°C
washable up to 110°C

Alternative sizes or models to suit customers own containers available on request.

Optional Extras:

Top Cover sheet steel (factory fitted)
weight: 5 kg
Ref: CT3
Additional Trays
Ref: PC004 (single tray)
Brakes: Total stop
Ref: B103

No. of Trays	Overall floor area mm	Overall height mm	Weight Kg	Ref
6	780 x 530	890	36	CT306
8	780 x 530	1120	45	CT308
10	780 x 530	1320	53	CT310
12	780 x 530	1580	62	CT312
16	780 x 530	2000	74	CT316

Container Trolley

Capacity 150 kg UDL
with white food trays.

Ideal trolley for food processing industry.
Also suitable for many other applications.
Containers recessed in open angle frame.

Overall dimensions:
H x W x L: 1050 x 515 x 770 mm
Finish: Grey epoxy
Wheels: 4 swivel castors 125mm dia. wheels with grey non marking tyres.
Weight: 29 kg
Ref: CT101

Container specification:
Non toxic Polyethylene. Washable up to 110°C
Thermal resistance -30°C to +60°C
External H x W x L: 80 x 450 x 754 mm
Internal H x W x L: 68 x 412 x 717 mm



CT316



CT306

CT310

Food Grade



Optional extras

Brakes: Total stop
Ref: B047
Additional trays
Ref: PC004 (single tray)



Model CT05
3 fixed tiers

Stock Trolleys

Capacity 150 kg UDL
with drop-in ply shelves or Euro trays

Welded tubular and angle frame construction,
O/a H x L x W : 1200 x 915 x 470 mm
2 fixed – 2 swivel castors with 125mm dia. rubber tyred wheels.
Roller bearings.
Finish: Blue epoxy

Optional extras

Brakes: Total stop
Ref: B032

Swivel tiers can be
tilted 15° or 30° in
either direction

Frame levels: 200; 650; 1200 mm

Equipment supplied	Construction	Weight	Ref
3 x drop-in ply shelves	3 fixed tiers	24 kg	CT04
3 x drop-in grey trays (PC005)	3 fixed tiers	28 kg	CT05
3 x drop-in grey trays (PC005)	1 fixed, 2 swivel tiers	30 kg	CT06

Tray specification (Stock Trolleys and Container Trolleys)

Solid base/sides - Hand grips 4 sides
External H x W x L: 118 x 400 x 600 mm
Internal H x W x L: 105 x 355 x 554 mm
Thermal resistance -30°C to +60°C
washable up to 110°C Non toxic polyethylene
Not suitable for food or medical etc.

Additional Grey Trays
Ref: PC005



Model CT06
1 fixed, 2 swivel tiers



Container Trolleys

With plastic trays

For industrial, office and processing operations
Literally hundreds of applications.
Supplied with general purpose grey non toxic trays PC005.
Superbly finished all welded rigid construction in tube and angle.
Trays recessed within the open angle frames.
Finish: Grey epoxy throughout.

Note: Special trolley models can be quoted on request to suit your own tray containers.

For tray specification please see above.



Model CT08

Model CT09

No. of trays	O/all H x W x L mm	Frame Levels mm	Gap mm	Castors	Wheel Dia. mm	Weight Kg	Ref	Brake Ref (extra)
3	1020 x 465 x 615	300 x 600 x 900	165	Stem fixing - 4 swivel	100	31	CT08	B051
6	1050 x 615 x 875	220 x 520 x 820	165	Plate fixing-2 fixed 2 swivel	160	42	CT09	B028

Plastic Container Systems

Food Grade

All containers are removable and manufactured in polyethylene with smooth snag free interiors and therefore suitable for general products including clothing and textiles as well as food product use.

Container colour NATURAL - Food quality - Suitable for all food products Also suitable for bulk products in granular, powder and liquid form. All steelwork finished blue epoxy.

Container Trucks

Welded steel chassis and tubular container supports.

Model	Internal L x W x H mm	Overall L x W x H mm	Cap. Ltrs	Wheel equipment	Wt. Kg	Ref
CT83	760 x 560 x 610	840 x 635 x 808	250	125 mm RT 4 swivel	27	CT83
CT84	915 x 575 x 610	990 x 665 x 777	320	125 mm RT 4 swivel	35	CT84

	Cap Cu ft	Wt	Ref
For CT83	9	10kg	PC002
For CT84	12	17kg	PC001

Lightweight Container Trucks

Welded steel chassis and tubular container supports.
Stem fixing swivel castors for maximum mobility.
2 container sizes. Choice of brakes and lids.

Model	Internal L x W x H mm	Overall L x W x H mm	Cap. Ltrs	Wheel equipment	Wt. Kg	Ref
CT85	760 x 560 x 610	1140 x 635 x 877	250	4 x stem fix swivel RT	25	CT85
CT86	915 x 575 x 610	1290 x 665 x 872	320	non marking	33	CT86

	Cap Cu ft	Wt	Ref
For CT83	9	10kg	PC002
For CT84	12	17kg	PC001

Mobile Tanks

Welded angle base with 4 nylon plate fixing castors.
2 container sizes.

Model	Internal L x W x H mm	Overall L x W x H mm	Cap. Ltrs	Wheel equipment	Wt. Kg	Ref
CT62	760 x 560 x 610	840 x 635 x 782	250	4 x nylon swivel	23	CT62
CT63	915 x 575 x 610	990 x 665 x 777	320	castors	31	CT63

	Cap Cu ft	Wt	Ref
For CT83	9	10kg	PC002
For CT84	12	17kg	PC001

Optional Extras:

Total stop brakes extra (pair)
for CT83 & CT84:
Ref: B032

Loose fit lids
for CT83: Ref: PC026
for CT84: Ref: PC027



Model CT84

Optional Extras:

Total stop brakes extra
Ref: B047

Loose fit lids
or CT85 Ref: PC026
for CT86 Ref: PC027



Model CT85

Optional Extras:

Total stop brakes extra (pair)
Ref: B105

Loose fit lids
for CT62: Ref: PC026
for CT63: Ref: PC027



Model CT62 + PC026 lid



Standard Model CT82

Plastic Container Trucks

Capacity 360 ltrs

Welded steel angle construction with removable steel tube side bars to hold containers
Overall L x W x H: 1025 x 730 x 810mm

Finish: Blue or red epoxy (to match container colour)

Wheels:

Standard: 2 fixed and 2 swivel castors with 160mm dia rubber tyred wheels with roller bearings.

Balance Configuration: (highly manoeuvrable): 2 fixed and 2 swivel castors with 160mm dia rubber tyred wheels with roller bearings.

Container Bins:

Red or blue, polyethelene, non-food quality with smooth snag-free interiors; suitable for general products including clothing and textiles.

Containers are removable and stackable when empty.

Containers are also available separately.

Capacity: 360 litres


Temperature range -10° to +60° c

Internal L x W x H: 930 x 640 x 610mm

External L x W x H: 1040 x 730 x 845mm

Wheel type	Colour	Wt	Ref
Standard wheels	Blue	32kg	CT82
	Red	32kg	CT88
Optional total stop brakes (pair)			B024
Balance wheels	Blue	32kg	CT87
	Red	32kg	CT89
Brakes not available on balance wheel models			
Bin Options	Colour	Wt	Ref
Spare bin	Blue	10kg	PC003
	Red	10kg	PC032
Loose lid	Blue	4kg	PC028
	Red	4kg	PC029

48



For food grade container trucks, see previous page.



Standard Model CT88



Loose fitting lid



Balance wheel configuration Model CT89

Multi-Trip Container Trolley

Capacity: 50kg UDL

To carry 2 x 54ltr Multi-trip containers (containers extra).

Welded tubular steel construction

O/A H x L x W: 1010 x 952 x 420mm

Blue epoxy finish

Wheels: 4 x 125mm dia castors fitted with grey non-marking tyres.

Weight: 12kg

Ref (without containers): CT03

Multi-Trip Containers

Capacity: 54ltr

L x W x H:

Internal: 508 x 335 x 285mm

External: 600 x 400 x 320mm

Green body with green lid

Ref: PC019



Container Carrier Trolley

Capacity: 50kg UDL

To carry 2 x 50ltr containers without lids (containers extra)

Model CT07

Welded tubular steel construction

Blue epoxy finish

O/A H x L x W: 940 x 1180 x 440mm

Castors: 4 x 125mm dia swivel castors fitted with grey non-marking tyres.

Weight: 14kg

Ref (without containers): CT07

Optional Extra

Steel clipboard (factory fitted)

Blue epoxy finish

Ref: T07



Containers

	50 Ltr
lids	without
internal H x L x W	270 x 460 x 340mm
external H x L x W	300 x 600 x 400mm
weight	2.3kg
colour	grey/ L.grey
Ref	PC070



Store and Distribution Trolleys

Store and Distribution Trolleys

Supplied complete with containers
This versatile mobile range offers good capacity and flexibility. Removable tote style, open fronted, red plastic containers for storage and distribution of a wide range of goods.
Finish: grey epoxy.

Supplied complete with containers
Finish: Grey epoxy.
All the trolleys on this and opposite page are fitted with 100 mm dia. swivel castors with grey rubber non-marking tyres and thread guards

Wheels: 4 x 100 mm dia. swivel castors fitted with grey non-marking rubber tyres and thread guards.

Choice of tops:
Flush sheet steel or recessed tray lined with ribbed rubber.

Optional extra:
Total stop brakes
Ref: B051 (pair)

Optional extra:
Total stop brakes
Ref: B051 (pair)



Model CT20



Model CT28



Model CT19



Model CT29



Model CT25



Model CT23



Model CT26

No. and type of containers	Containers H x W x L mm (ext.)	Overall H x W x L mm	Load cap. kg	Weight kg	Ref
2 x tote	295 x 415 x 455	890 x 520 x 610	150	19	CT28
4 x tote	295 x 415 x 455	890 x 540 x 1130	150	22	CT29
2 x box	320 x 400 x 600	890 x 510 x 800	150	25	CT19

Additional Containers

Note: Tote bins PC007/PC008 will stack.

Container Type	Container H x W x L mm	Ref
Box	320 x 400 x 600	PC006
Tote	180 x 415 x 375	PC007
Tote	295 x 415 x 455	PC008



Model	Top Surface	No. of tote containers Ext. H x W x L (mm)		O/all H x W x L mm	Load Cap. Kg	Weight Kg	Ref
		180 x 415 x 375	290 x 415 x 455				
CT20	sheet steel	4	-	1010 x 510 x 590	150	27	CT20
CT21	lined tray	4	-	1010 x 510 x 590	150	27	CT21
CT22	sheet steel	2	1	1010 x 510 x 590	150	26	CT22
CT23	lined tray	2	1	1010 x 510 x 590	150	26	CT23
CT24	sheet steel	8	-	1010 x 510 x 1050	150	47	CT24
CT25	lined tray	8	-	1010 x 510 x 1050	150	47	CT25
CT26	sheet steel	2	4	1010 x 510 x 1050	150	45	CT26
CT27	lined tray	2	4	1010 x 510 x 1050	150	45	CT27



Model CT47



Model CT49

CT48

Capacity: 350kg UDL

Accepts 3 standard 600 x 400 Euro containers per shelf (containers not included)

Overall L x W x H: 1280 x 650 x 1410 mm

Shelf heights: 245; 520; 805; 1090 mm

Shelf L x W: 1250 x 600 mm

Castors: 2 fixed and 2 swivel, 160mm dia rubber tyred grey non marking wheels with roller bearings.

Finish: Red epoxy with varnished plywood shelves.

Container Shelf Trolleys

A versatile range designed for 600 x 400 Euro containers and/or open fronted yellow stock boxes.

Containers

Use your own containers or choose from the selection below.

General trolley specification:

Welded steel tube and angle construction

Model	Overall size L x W x H mm	Capacity Kg	Weight kg	Ref
CT47	1730 x 615 x 1315	400	75	CT47
CT48	1280 x 650 x 1410	350	63	CT48
CT49	1280 x 450 x 1410	400	51	CT49

CT47

Capacity: 400kg UDL

Accepts 4 standard 600 x 400 Euro containers per shelf (containers not included).

Overall L x W x H: 1730 x 615 x 1315 mm

Shelf heights: 235; 595; 955; 1315 mm

Castors: 2 fixed and 2 swivel, 160mm dia rubber tyred wheels with roller bearings.

Finish: Blue epoxy.

CT49

Capacity: 400kg UDL

Accepts 2 standard 600 x 400 Euro containers, or 6 yellow stock boxes per shelf (containers not included)

Overall L x W x H: 1280 x 450 x 1410 mm

Shelf heights: 245; 520; 805; 1090 mm

Shelf L x W: 1250 x 405 mm

Castors: 2 fixed and 2 swivel, 160mm dia rubber tyred grey non marking wheels with roller bearings.

Finish: Red epoxy with varnished plywood shelves.



Euro Containers



Euro Red Box

Yellow Stock Boxes

Containers

Plastic containers, available in packs, suitable for trolleys on these pages.

Suit models: CT46; CT47; CT48 & CT49

Capacity Litres	Internal height	External Height	Weight Kgs	Min. Order	Ref
Dark Grey Euro Containers - solid - L x W: 600 x 400mm					
21	105 mm	118 mm	1.5	6	PC005
33	164 mm	175 mm	1.87	6	PC020
45	220 mm	235 mm	2.25	4	PC021
60	300 mm	319 mm	2.73	4	PC022

Suit models: CT46; CT47; CT48 & CT49

Euro Red Boxes - solid - L x W: 600 x 400mm					
60	300 mm	320 mm	2.73	4	PC006

Suit models: CT49 & CT50

Yellow Stock Boxes - solid - L x W: 455 x 210mm					
10	215 mm	230 mm	1.5	3	PC018