SUPPLIERS OF CABLE TIES, ACCESSORIES, AND TENSIONING TOOLS.

DISTRIBUTORS OF THE 'UNIVERSEAL' AND ABRIC RANGES OF SECURITY SEALS.

J W PRODUCTS LTD

PO BOX 220

EGHAM

SURREY

TW20 9WH


Tel: 08454 301155

Fax: 01784 470170

Mobile: 07931 684330

Email: sales@jwproducts.co.uk

Website:www.jwproducts.co.uk



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk


ALL METAL CABLE SEALS



The Cable Lock is an all metal alternative to the Flexigrip range of cable seals.

- Strong Metal construction.
 Steel cable and rust proof aluminium body.
- Laser marking of company name/logo and sequential numbering.
- US Customs approved & UK Customs accepted.
- Range of colours available.

Available in three sizes, 2.5mm, 3mm and 5mm, Cable Lock is ideal for transportation security applications. Simple to apply, simply pull the wire through and tighten to minimise the loop for an extremely strong and secure tamper proof seal.



P O Box 220, Egham, Surrey, TW20 9WH

Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

NYLON CABLE TIES




A comprehensive range of Nylon cable ties. Manufactured to meet the requirements of MIL-S-23190.

- Manufactured from self extinguishing (UL94V2) Nylon 66.
- Sizes available from 80mm to 1220mm long in varying widths.
- Standard colours are Black or Natural but a full range of colours are available.
- Tensioning tools available for most sizes of tie.

One piece Nylon cable ties offer a quick and easily applied solution to most binding applications. A full range of cable tie accessories are available from stock.

Nylon ties can be hot foil stamped with Company names and a sequential serial number if traceability is required.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk


SPECIAL PURPOSE SEALS



A useful small seal particularly suited to Utility Meters and other applications requiring a small diameter seal.

- **Moulded in polycarbonate** with two sets of locking arrows.
- Comes fitted with 150mm or 300mm length of wire, other lengths can be supplied to order.
- This seal can be applied without the need of tools.
- Sequentially numbered as standard.
- **Suitable for temperatures** from -20°C to 90°C.

The Clicklock's compact body size, only 20mm x 16.5mm make it ideal for those applications where normal seal tag sizes are not appropriate.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

PLASTIC PULL TIGHT SECURITY SEALS



Secure and simple to apply pull tight seals


- Unique dual locking system for added security.
- Integral label carrier allows easy label attachment after seal is fitted.
- Available in 300mm tail lengths.
- Supplied with tear-off groove.
- Can be customised with logo, name plus serial number.

This economically priced range of seals are easily applied and removed by hand with an easy tear-off groove. The tail has a unique dual entry sealing action. Available sequentially numbering as standard.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 08454 301155 Fax: 01784 470170 Email: sales@jwproducts.co.uk


FIRE EXTINGUISHER SEALS



A one piece seal designed for fire extinguishers.


- The Fire Seal is a general purpose seal suitable for Fire Extinguishers or any application with a small aperture.
- Available in 220mm & 170mm lengths.
- Can be personalised with your Company name and unique permanently printed serial number.
- Available in a wide variety of colours.

The Fire Seal is suitable for many applications where small diameter seals are necessary, including key and pharmacy cabinets, airline bar boxes etc.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

'FLEXIGRIP' CABLE SEALS



The Universeal 'Flexigrip' Series represents the ultimate in high security cable seals.

- Patented extra strong steel gripping mechanism.
- High quality Stainless Steel wire.
- High-Tech plastic bodies
- Can be bar-coded.
- Security numbers secure inside plastic body.
- Five sizes available.

These seals are available with varying cable diameters to accomodate all applications. They are virtually impossible to replicate and are extremely <u>'Tamper Evident'</u>. Company identification and security numbers remain secure inside the high tech plastic case which is then ultasonically welded for <u>'Total Security'</u>.




P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

THE FORKSEAL




A robust seal designed for Container doors.

- The FORKSEAL can only be removed by cutting the Fork Bar.
- The sequence of holes in the Fork Bar ensure the seal can fit any situation.
- Security number replicated on both the Pin and the Fork Bar.
- The seal Pin and Barrel are Carbonitrated making them impossible to cut.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk


THE GLOBE SEAL



Sure protection of shipments in transit


- Immediate and reliable indicator that goods are received exactly as shipped.
- Globe heads can be supplied in five colours.
- Strap can be embossed with your company name.
- Accepted by both UK and US Customs.

The Patented Globe Seal is a tough strong seal providing sure protection for shipments in transit. Once the two Spring Rings click shut the Globe seal cannot be resealed.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk


PLASTIC PULL THROUGH **SEALS**



A user-friendly small diameter pull tight seal, ideal for small sealing apertures.

- Average break strength of 12.5kg (27.5lbs)
- Smooth strap is more user friendly than conventional designs.
- This seal can be applied and removed without the need of tools
- There are two lengths available, 200mm and 250mm in a full range of colours
- Seal can be customised. Minimum quantities apply.

The JAWLOCK's unique and tamper-proof metal locking mechanism ensures proper and reliable locking during application. Application is simple with unidirectional insertion by hand and no tools are required to break the seal, thanks to the easy tear-off groove.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

JWP LABORATORY TAPES




Laboratory Tapes are suitable for sealing packages and boxes to give added security to biohazardous waste and other high risk materials.

- Made from high grade PVC (BS 5378)
- Manufactured using only the latest Flexographic Technology and EU approved lead free inks.
- Can be custom printed with your Laboratory name, logo or reference number.
- Can be supplied in either 25mm, 50mm or 75mm widths x 50m lengths.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 08454 301155 Fax: 01784 470170 Email: sales@jwproducts.co.uk


LIGHTLOCK SEALS



A one piece seal designed for fire extinguishers.

- The Lightlock is a general purpose seal suitable for Fire Extinguishers or any application with a small aperture.
- Available in 170mm & 220mm lengths.
- Can be personalised with your Company name and unique permanently printed serial number.
- Available in a wide variety of colours.

The Lightlock Seal is an inexpensive option suitable for many applications where small diameter seals are necessary, including ballot boxes, key and pharmacy cabinets, airline bar boxes etc.



P O Box 220, Egham, Surrey, TW20 9WH

Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

BOLT SECURITY SEAL




The Universeal 'Locktainer' series - a real quantum leap in Cargo Security.

- All identity markings and numbers are displayed INSIDE the seal body, and thus cannot be altered.
- Designed by leading cargo security professionals.
- Steel locking mechanism, pulling resistance over 1.5 metric tonnes.
- Unique traceability of each manufactured unit.
- Accepted by UK Customs Group 1/US Customs

The choice of the world's foremost shipping and manufacturing companies, exclusively specified for use through EUROTUNNEL. The LOCKTAINER'S security features resist illegal Manipulation, Substitution and Replication.

EVERYTHING A REAL SECURITY SEAL SHOULD BE!!!!!!!



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk


PLASTIC PULL THROUGH **SEALS**



A user-friendly small diameter pull tight seal, ideal for small sealing apertures.

- Average break strength of 15kg (33lbs) in polypropylene or 24kg(52.92lbs) in nylon
- **Smooth strap is more user** friendly than conventional designs.
- This seal can be applied and removed without the need of tools
- There are two lengths available, 150mm and 200mm in a full range of colours
- Seal can be customised. Minimum quantities apply.

The MINI- JAWLOCK's unique and tamper-proof metal locking mechanism ensures proper and reliable locking during application. Application is simple with unidirectional insertion by hand and no tools are required to break the seal, thanks to the easy tear-off groove.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk


'NAVALOCK' CONTAINER **SECURITY SYSTEMS**



A revolutionary High Security locking and anti-theft system for truck and container doors.


- Navalock provides the highest degree of anti theft security available today.
- Breaking load of over 5 tons as certified by the American **Bureau of Shipping** Classification Society. (07.10.94)
- Resists cutting by double lever shears, breaking by hammer, crowbar or other crude tools.
- Easy to fit, no special skills or tools required.
- Simple robust design fits most standard type containers.

If you are shipping or storing freight containers in high risk zones, you cannot afford **NOT** to fit NAVALOCK.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk


PLASTIC PADLOCK SEAL



A versatile compact seal for numerous diverse applications.

- Polyethylene body with galv steel wire hasp.
- Available in a wide range of body colours which are all UV protected.
- Hasp can be scored for easy removal.
- Custom printing of Company names and logos on seal body.
- Available with write-on pad on one or both sides.

The Universeal Padlock Seal is the ideal product for a wide variety of applications including Utility Meters, Drums, Valves, Medical Cabinets and Airline Bar Boxes. A Stainless Steel hasp is available for use in the Food Industry. Available sequentially numbered up to seven digits.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

THE PREMIER SEAL



The original Flat Strip Seal.

- Tested and approved as standard by leading shippers, underwriters and Government agencies.
- The sturdy crimped sides and strong spring snap resists tampering.
- Seals quickly and easily and requires no punches or presses.
- Positive indication that a shipment has been delivered intact as loaded.

The Premier Seal is the original flat type metal strip seal giving protection at penny cost.



POBox 220, Egham, Surrey, TW20 9WH Tel: 08454 301155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

PRINTED TAPES



Versatile custom printed tapes for all purposes.

- Can be printed in one or two colours.
- Available in two widths, 25mm & 50mm
- Can be personalised with your Company name or initials.
- Available in a wide variety of colours.

The J W Products range of printed tapes are an economical and versatile way of presenting your Company image to your customers. Available printed in one or two colours Company logos can be faithfully reproduced.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

.....


PLASTIC PULL TIGHT SEALS



Economical and simple to apply pull tight seals


- Available in three lengths, 200mm, 250mm and 300mm.
- Can be supplied with or without tear-off groove.
- Supplied in mats of 5, available in polypropylene or nylon.
- Can be customised with logo, name plus serial number.

This economically priced range of seals are easily applied and removed by hand with an easy tear-off groove. The strap section has teeth on both sides thus preventing incorrect insertion. Available in a wide range of colours and sequential numbering as standard.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

'PRS' PLASTIC RING SEAL



The Universeal Ring Lock Seal is a low cost one piece plastic seal.

- User friendly with no sharp edges
- The Ring Lock is made of non corrosive polypropylene
- This seal can be applied and removed without the need of tools
- There are three lengths available, 217mm, 165mm and 127mm in a full range of colours

Seal can be customised. Minimum quantities apply.

The Ring Lock has an easy engagement and the opposed but offset double locking mechanism, totally concealed within the case, makes tampering virtually impossible. It also has a large flange to ensure tools cannot be inserted for manipulation purposes. The quality of the plastic is superb and the large clear printing makes reading, often done in poor light, easy.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 08454 301155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

TAMPER EVIDENT **TAPE & LABELS**



Self Voiding Security Tape.

- Provides physical evidence of tampering by revealing a hidden message if the tape or label is peeled.
- Can be personalised with your logo and a custom language or copy as a hidden message.
- Sequentially numbered and perforated every 150mm.
- Available in a range of colours.
- Can be used in any hand held dispenser or made in longer rolls suitable for automatic application.
- Available in 3 widths, 36mm, 45mm & 50mm in standard rolls of 66metres.


Self-Voiding Security Tape and Labels provide an excellent deterrent to theft while sealing your cartons and afford you the luxury of a silent sentry on duty to protect your cargo while it is at it's most vulnerable, during transit.



P O Box 220, Egham, Surrey, TW20 9WH

Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

PACKLOCK SEALS




Available in 170mm, 250mm, 300mm and 350mm lengths, with or without tear-off feature.

A versatile and economical seal.

- The 'Packlock' Seal is suitable for Bags and Roll Cages etc.
- Unique 'tear-off' feature allowing no-tool removal.
- Can be personalised with your logo and unique permanently printed serial number.
- Available in a wide range of colours.
- Seals can be bar-coded.

The Packlock Seal is produced from engineering plastics and is manufactured to ISO9000. The unique 'tear-off' feature results in reduced damage to seals and avoids the use of sharp instruments to remove the seal.





Secure by Design

P O Box 220, Egham, Surrey, TW20 9WH
Tel: 01784 471155 Fax: 01784 470170 Mobile: 07931 684330 Email: sales@jwproducts.co.uk

DATA SHEET

SECURITY BAGS, ENVELOPES & POUCHES

Applications

- Carrying coin and paper currency, credit cards, cheques etc.
- Delivery of mail and confidential documents.
- Securing criminal evidence, records and personal property.

Features

- Multi trip
- The pouch material is a heavy duty, flame retardant pvc and polyester sandwich
- A clear seal housing.
- All pouch stitching is inside.
- Seal housing is secured internally.
- The zip teeth are internal.

Benefits

- Reduces the cost per trip.
- Extensive pouch life and fire protection.
- The seal can be viewed to ensure that the pouch has not been tampered with.
- Prevents the pouch being compromised.
- The seal cannot be removed without breaking it.
- Enhanced security.

Colour Options

- Available in 4 standard colours light blue, dark blue, green and red.
- Special colours can be supplied on request.

Print Options

• Customer name and logo can be printed onto each design.

Material

• All designs can be supplied in special materials, e.g. clear plastic, reinforced plastic etc.

Sizes

- Each design is available in standard sizes refer to table below.
- Other sizes and specifications can be produced to customers own requirements.

Ziplock Seals

- Supplied plain or with a sequential number.
- Available in five standard colours red, blue, yellow, green and black.
- Supplied in strips of 10, in trays of 250, inside cartons of 5000.

POUCH DIMENSIONS. (mm)

TYPE	HEIGHT	WIDTH	DEPTH	ZIP LENGTH	
JW/B01	250	300	55		Bag
JW/B02	250	350	75		Bag
JW/B03	300	400	100		Bag
JW/B04	350	460	100		Bag
JW/B05	300	400	200		Bag
JW/P01	250	300	55		Pouch
JW/P02	250	350	75		Pouch
JW/P03	300	400	100		Pouch
JW/E01	200	250		200	Envelope
JW/E02	250	300		250	Envelope
JW/E03	300	400		350	Envelope

P O Box 220, Egham, Surrey, TW20 9WH

Tel: 08454 301155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

Security Envelopes, Pouches and Bags



Re-usable tamper evident pouches and bags designed for secure storage and handling of valuables, cash, documents etc.


- Can be re-used time and time again.
- Tamper evident sealing using 'Ziplock' security seals identifies unauthorised access should it occur.
- Long lasting, extremely economical and durable.
- Low cost numbered inserts for maximum security.
- Available in a range of colours.
- 3 standard sizes of flat zipped envelopes.
- 3 standard sizes of gussetted zipped pouches.
- 5 standard sizes of zipped bags with handles.

These Security Pouches and Bags offer a long lasting, economical solution for the secure handling of cash or documents whilst in transit



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

THE 'SET' HANGER SEAL




Available in 102mm, 145mm and 205mm lengths, for both wire hook and all plastic hangers.

The SET seal is designed to secure a complete set of hanging garments.

- Avoids hangers 'bunching'.
- Helps eliminate creasing or garment damage.
- Retains lightweight garments on their hangers during transit.
- Two versions available for wire hook or plastic hangers.
- A reusable transit carrier also available to make handling of complete sets easier.

The Universeal SET seal is the ideal product for those companies involved in the transit of garments on clothing rails.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 08454 301155 Fax: 01784 470170 Email: sales@jwproducts.co.uk


Smart Band Flexible Banding System



Smart Band is a flexible banding system that combines an easy method of fitting with the ability to cut the length you need.

- Available in four widths, 4mm, 7mm, 10mm and 25mm
- 4mm and 7mm available with non-releasable heads.
- 7mm, 10mm and 25mm available with semi-releasable heads.
- Minimal wastage, simply cut the band to the length you want.
- Can be supplied in a range of colours and in pre-cut lengths.
- Reduced inventory.

No waste. No Problem. Smart Band is the ultimate fit and forget banding system.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk


PLASTIC PULL TIGHT **SEALS**



Simple to apply pull tight seals with a smooth strap section for a more user friendly application.

- Available in three lengths, 200mm, 250mm and 300mm.
- Can be supplied with or without tear-off groove.
- Supplied in mats of 5, available in polypropylene or nylon.
- Can be customised with logo, name plus serial number.
- 300mm long version can also be supplied with large tag to accept labels etc.

This seal has a unique and tamper proof locking mechanism ensuring proper and reliable locking during application. Application is easy with uni-directional insertion by hand and no tools are required for removal thanks to the easy tear-off groove.



POBox 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk


SPIDERLOCK & **SPIDERBOX**



Special purpose container and security seal for Gaming applications

- **Spiderbox manufactured** from polycarbonate.
- Spiderbox holds 8 sets of playing cards.
- Spiderlock seals in ABS material with seq. serial number as standard.
- Spiderlock seals available in a wide range of colours.
- Seal and contents totally visible at all times.

Spiderbox is a clear strong seethrough plastic container for playing cards etc, easily sealed in transit with the Spiderlock hand-removable seal.



P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

STAINLESS STEEL CABLE TIES




A comprehensive range of Stainless Steel cable ties with exceptional resistance to both weathering and ageing.

- Manufactured from Marine Grade 316 Stainless Steel.
- Sizes available from 100mm to 1400mm long in varying widths.
- Available in 4.6mm and 7.9mm tie widths.
- Tensioning tools available for most sizes of tie.

316 Stainless Steel cable ties have a high resistance to corrosion and chemical attack, with special durability against salt water and spray.


The A.I.S.I. 316 Stainless material can achieve very high working temperatures, uncoated material have a working temperature of 540° Celsius.



P O Box 220, Egham, Surrey, TW20 9WH

Fax: 01784 470170 Email: sales@jwproducts.co.uk Tel: 01784 471155


THE 'TWISTER'



Lead free wire seal designed for general purpose meter sealing.

- **Tamper Resistant and Environmentally safe**
- No tools required for installation.
- **Body and Insert made in PET** and Polystyrene for long term durability and maximum weather resistance.
- Insert available in five colours, others optional.
- Clear body as standard reveals any tampering attempts.
- Shipped fully assembled, ready to install.

The TWISTER meter seal has an internal ratchet system which allows the insert to turn in only one direction. The seal body can be printed with Company name and serial number. Wire is available in 150mm lengths up to 450mm in increments of 50mm.



Secure by Design

P O Box 220. Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Mobile: 07931 684330 Email: sales@jwproducts.co.uk

UNOLOCK BOLT SEALS



Dimension

Locking distance – maximum 48mm (1.89in) Locking diameter – 9.0mm to 19.0mm (0.35in to 0.75in) Barrier diameter – 25.0mm (0.98in) Pin diameter – 6.0mm (0.24in)

Specifications

Certified by the HM Customs of the United Kingdom.

Can withstand pull load of minimum 1,000 (2,200lb).

Available plain or with name and sequential serial number as standard.

Customer name / logo can be printed.

Suitable for temperature ranging from -40 to 80 degree Celsius.

Available in standard colour of red, orange, yellow, blue and green. Other colours available upon request.

Key features

Total seal encapsulation with unidirectional or rotatable pin insertion prevents tampering. Matching seal number on pin and barrel for tighter security control.

The entire plastic enclosure for the barrel and pin is made of hard durable plastic to provide evidence of any attempts of tampering.

Applications


Shipping Container, Trucking, Railway

Packing details

quantity - 200 pieces per carton weight (kgs) – 10.51 dimension (LxWxH) (mm) – 434 x 314 x 288

P O Box 220, Egham, Surrey, TW20 9WH Tel: 01784 471155 Fax: 01784 470170 Email: sales@jwproducts.co.uk

PLASTIC PULL TIGHT SEALS



UV002 = 285mm Length UV002-32 = 325mm Length

Our most versatile and economically priced seal.

- The Baglock Seal is a general purpose seal suitable for Waste Bags and Roll Cages etc.
- Available in two lengths, 240mm & 290mm
- Can be personalised with your Company name or initials and unique permanently printed serial number.
- Available in a wide variety of colours.

The Baglock Seal is produced from Polypropylene and is manufactured to ISO9000. The simple pull through action ensures an easy to apply but extremely secure seal.

