## J B SYSTEMS

Hazardous Area Electrical Products
Flame Monitoring Systems
High Energy Igniters








With 25 years of experience in the supply of hazardous area products to the petro/chemical sector, J.B.Systems is able to offer a range of Ex products, technical support and design capability for control panels and customised systems.

All products are certified to international standards (ATEX &IECex)



EExe PORTABLE
TRANSFORMER UNITS &
SPLITTER BOXES
400/240/110v INPUT SUPPLY
110/240V OUTPUTS

EExd ISOLATORS 16 - 630 AMPS





EExe ALUMINIUM CONTROL STATIONS FITTED WITH LAMPS, PUSHBUTTONS OR SWITCHES

EExe 316 STAINLESS STEEL TERMINAL ENCLOSURES IP66





EExd DISTRIBUTION BOARDS

1 OR 3 PHASE 240/440V



EExe GRP TERMINAL ENCLOSURES IP66






With 25 years of experience in the supply of hazardous area products to the petro/chemical sector, J.B.Systems is able to offer a range of Ex products, technical support and design capability for control panels and customised systems.

All products are certified to international standards (ATEX &IECex)



EExe PORTABLE
TRANSFORMER UNITS &
SPLITTER BOXES
400/240/110v INPUT SUPPLY
110/240V OUTPUTS

EExd ISOLATORS 16 - 630 AMPS





EExe ALUMINIUM CONTROL STATIONS FITTED WITH LAMPS, PUSHBUTTONS OR SWITCHES

EExe 316 STAINLESS STEEL TERMINAL ENCLOSURES IP66





EExd DISTRIBUTION BOARDS 1 OR 3 PHASE 240/440V

EExe GRP TERMINAL ENCLOSURES IP66




## J B SYSTEMS





EExe GRP CONTROL STATIONS FITTED WITH LAMPS, PUSHBUTTONS OR SWITCHES




EExe 316 STAINLESS STEEL LOCAL CONTROL STATIONS








LARGE EExd CONTROL PANELS UP TO 1500 x 800 x 400mm IN SIZE



**EExd MONITORING STATION** 








EExd DOL & STAR DELTA STARTERS 0.25 - 150kW



EExe GRP
DISTRIBUTION BOARDS







EExd IGNITION DETECTION PANELS FOR PILOT FLAME MONITORING



HIGH ENERGY IGNITERS







EExd FLOODLIGHTS 70 - 1000 WATT

FEXT WELLGLASS LUMINAIRES

70 - 200 WATT





EEXT SELF CONTAINED EMERGENCY LIGHTING WITH SELF TEST

EEXT SINGLE OR TWIN CYLINDRICAL FLUORESCENT LUMINAIRES 18 - 58 WATT





EExe NORMAL & EMERGENCY FLUORESCENT LIGHTING 18 - 58 WATT




EExd FLASHING & ROTATING BEACONS







EExe SURFACE MOUNT & MOBILE PLUGS & SOCKETS 24 - 690V 16 - 25 AMP






## J B SYSTEMS

**EExd KLAXONS & SIRENS** 





HIGH ENERGY IGNITERS



