

Locinox - Standard Gate Lock (for residential and commercial gates)

This well proven lock range suits both residential and commercial gate applications.

The Locinox standard lock is easy to install and requires no welding of any parts. Its aluminium lock case and stainless steel lock parts ensure a rust free life - not rusting from the inside, or outside.

A strong tamper proof construction provides superior levels of security and decreases the likelihood of damage to the lock. All fixing screws are only accessible when gate is open, discouraging theft of the lock. Both latch bolt and deadbolt projection are adjustable without removing the lock case making final adjustment really easy.

It is available in three colours, silver, black or green. Three models are offered to fit gate frame profiles: 10-20 mm solid bar, 30-50mm box section and 40-60mm box section. The next page gives full details for ordering.

Each lock comes with two handles, a lock keep, fixing screws and three keys. We also provide a drawing giving drilling hole sizes and hole positions.



Technical Overview

Latch rotates 180° for left or right handing

25 mm deadbolt throw with 1 turn of key

20 mm latch bolt adjustment

20 mm deadbolt adjustment

When deadbolt engaged latch bolt ineffective

Available in silver, black or green

Supplied with handles, lock keep and three keys

Stainless steel chassis and lock parts

Painted aluminium lock box

Models for 10 mm solid up to 60 mm box section

Locinox - Standard Gate Lock Ordering Detail

Standard Black Lock

GATELOCK009 - LAPQ10 for 10-20mm solid profiles

GATELOCK008 - LAKQ30 for 30-50mm box section

GATELOCK020 - LAKQ40 for 40-60mm box section



Standard Silver Lock

GATELOCK011 - LAPQ10 for 10-20mm solid profiles

GATELOCK010 - LAKQ30 for 30-50mm box section

GATELOCK021 - LAKQ40 for 40-60mm box section

Standard Green Lock

GATELOCK013 - LAPQ10 for 10-20mm solid profiles

GATELOCK012 - LAKQ30 for 30-50mm box section

GATELOCK022 - LAKQ40 for 40-60mm box section



Locinox - Standard Gate Lock Dimensions and Fitting Detail

