

S-250HA/250HB



S-300HA/300HB

Model		S-250HA	S-250HB	S-300HA	S-300HB
Capacity	● ■	250 mm. (10") 300 x 200 mm. (12"W x 8"H)		300 mm. (12") 300 x 250 mm. (12"W x 10"H)	
Bundle Cutting	Width Height	145 to 190 mm. (5.7" to 7.5") 30 to 120 mm. (1.2" to 4.5")		145 to 230 mm. (5.7" to 9") 30 to 130 mm. (1.2" to 5")	
Blade Speed	50Hz 60Hz	16 to 90 m/min. (53 to 300 fpm)	20 to 100 m/min. (65 to 330 fpm) (INVERTER)	16 to 90 m/min. (53 to 300 fpm) 20 to 100 m/min. (65 to 330 fpm)	20 to 100 m/min. (65 to 330 fpm) (INVERTER)
Blade Motor		2.2 kw (3 HP)	3.7 kw (5 HP)	2.2 kw (3 HP)	3.7 kw (5 HP)
Blade Size		3505 x 27 x 0.9 mm. (138" x 1" x 0.035")	3505 x 34 x 1.1 mm. (138" x 1.3" x 0.042")	3820 x 27 x 0.9 mm. (150" x 1" x 0.035")	3820 x 34 x 1.1 mm. (150" x 1.3" x 0.042")
Blade Tension		Spring loaded-manual		Hydraulic	
Index Length		400 mm. (16") 400 mm. x 9 times (16" x 9)			
Machine Weight		1250 kg (2750 lb)	1300 kg (2860 lb)	1650kg (3630 lb)	1700 kg (3740 lb)
Floor Space (L x W)		2100 x 2000 mm. (82" x 79")		2200 x 2050 mm. (87" x 81")	

Provides Many Various Choices For Sawing Machine



S-400HA/HB



S-460HB

Model		S-400HA	S-400HB	S-460HB
Capacity	●	420 mm. (16.5")		460 mm. (18")
	■	420 x 420 mm. (16.5"W x 16.5"H)		460 x 460 mm. (18"W x 18"H)
Bundle Cutting	Width	195 to 300 mm. (8" to 12")		195 to 350 mm. (8" to 14")
	Height	90 to 200 mm. (3.5" to 8")		125 to 230 mm. (5" to 9")
Blade Speed		20 to 100 m/min. (65 to 330 fpm) (INVERTER)		
Blade Motor		5.5 kw (7.5 HP)		
Blade Size		4570 x 34 x 1.1 mm. (180" x 1.3" x 0.042")	4570 x 41 x 1.3mm. (180" x 1.6" x 0.05")	4670 x 41 x 1.3 mm. (184" x 1.6" x 0.05")
Blade Tension		Hydraulic		
Index Length		500 mm. (20") 500 mm. x 9 times (20" x 9)		
Machine Weight		2300 kg (5060 lb)	2360 kg (5190 lb)	2400kg (5260 lb)
Floor Space (L x W)		2550 x 2320 mm. (100" x 91")		2600 x 2170 mm. (102" x 85.5")



H-260HB



H-360HA

Model		H-260HB	H-360HA
Capacity	● ■	260 mm. (10") 310 x 260 mm. (12" W x 10" H)	360 mm. (14") 360 x 360 mm. (14" W x 14" H)
Bundle Cutting	Width	145 to 190 mm. (6" to 8")	180 to 280 mm. (7" to 11")
	Height	30 to 130 mm. (1.2" to 5")	50 to 160 mm. (2" to 6")
Blade Speed		20 to 100 m/min. (65 to 330 fpm) (INVERTER)	
Blade Motor		3.7 kw (5 HP)	
Blade Size		3920 x 34 x 1.1 mm. (155" x 1.3" x 0.042")	4420 x 34 x 1.1 mm. (174" x 1.3" x 0.042")
Index Length		400 mm. (16") 400 mm. x 9 times (16"x 9)	500 mm. (20") 500 mm. x 9 times (20"x 9)
Machine Weight		1750 kg (3860 lb)	2000 kg (4410 lb)
Floor Space (L x W)		2170 x 2100 mm. (85" x 83")	2500 x 2200 mm. (98" x 87")

Provides Many Various Choices For Sawing Machine




H-460HA



H-560HA

Model		H-460HA	H-560HA
Capacity	● ■	460 mm. (18") 500 x 460 mm. (20" W x 18" H)	560 mm. (22") 615 x 560 mm. (24.2" W x 22" H)
Bundle Cutting	Width Height	195 to 310 mm. (8" to 12") 120 to 230 mm. (5" to 9")	-
Blade Speed		20 to 100 m/min. (65 to 330 fpm) (INVERTER)	18 to 90 m/min. (60 to 300 fpm) (INVERTER)
Blade Motor		5.5kw (7.5 HP)	7.5 kw (10 HP)
Blade Size		5450 x 41 x 1.3 mm. (215" x 1.6" x 0.05")	6600 x 54 x 1.6 mm. (260" x 2.1" x 0.063")
Index Length		500 mm. (20") 500 mm. x 9 times (20" x 9)	400 mm. (16") 400 mm. x 9 times (16" x 9)
Machine Weight		3600kg (8000 lb)	4500kg (9920 lb)
Floor Space (L x W)		2820 x 2190 mm. (111" x 86")	3400 x 2190 mm. (134" x 86")



H-7065HANC



H-700HANC

Model	H-7065HANC	H-700HANC	H-1100HANC
Capacity	650 mm. (25.6") 700 x 650 mm. (28" W x 25.6" H) min. clamp width 190 mm. (7.5")	700 mm. (28") 800 x 700 mm. (32" W x 28" H) min. clamp width 285 mm. (11.2")	1000 mm. (40") 1100 x 1000 mm. (43.3" W x 40" H) min. clamp width 400 mm. (15.7")
Blade Speed	15 to 75 m/min. (50 to 250 fpm) (INVERTER)		
Blade Motor	7.5 kw (10 HP)		11.2 kw (15 HP)
Blade Size	7600 x 54 x 1.6 mm. (300" x 2.1" x 0.063")	8000 x 54 x 1.6 mm. (315" x 2.1" x 0.063")	11100 x 80 x 1.6 mm. (437" x 3" x 0.063")
Index Length	500 mm. (20") Controlled by NC		
Machine Weight	6000 kg (13200 lb)	7000 kg (15400 lb)	14000 kg (30800 lb)
Floor Space (L x W)	3700 x 2100 mm. (146" x 82.7")	3900 x 2300 mm. (156" x 84")	5080 x 2715 mm. (200" x 107")

Provides Many Various Choices For Sawing Machine



NC-460HA

Model	NC- 460HA	NC- 460HB
Capacity	460 mm. (18") 460 x 460 mm. (18" W x 18" H)	
Blade Speed	15 to 75 m/min. (50 to 250 fpm) (INVERTER)	15 to 90 m/min. (50 to 300 fpm) (INVERTER)
Blade Motor	7.5 kw (10 HP)	
Blade Size	5450 x 41 x 1.3 mm. (215" x 1.6" x 0.05")	5850 x 54 x 1.6 mm. (230" x 2.1" x 0.063")
Index Length	500 mm. (20") Controlled by NC	
Machine Weight	4800 kg (10560 lb)	5300 kg (11660 lb)
Floor Space (L x W)	3250 x 2300 mm. (128" x 90")	3250 x 1850 mm. (128" x 73")



EVERISING
EVERISING MACHINE CO.

23, 8th Rd., Taichung Industrial Park Taichung 407, Taiwan.

Tel: +886-4-2350-5300 / 2359-3178

Fax: +886-4-2350-5420

E-mail: evrs@everising.com.tw

[http:// www.everising.com](http://www.everising.com)

www.everising.com

EVERISING
EVERISING MACHINE CO.

- ▶ Provides Many Various Choices For Sawing Machine.
- ▶ High Efficiency, NC Control Rigid Dual Column Type And Pivot Type Band Sawing Machine.



FULLY AUTOMATIC BAND SAWS

CE ISO9001