



T: 01922 701922


www.handrailingclamps.co.uk

TUBE CLAMP FITTINGS



- > Galvanised finish
- > All sizes held in stock
- > Range includes slope fittings for disabled handrails
- > All fittings TÜV approved

PRODUCT GUIDE




101
SIZES
1
2
3
4
5




104
SIZES
1
2
3
4
5



116
SIZES
1
2
3
4
5




119
SIZES
1
2
3
4
5




119
SIZES
3
/
4



123
SIZES
4



124
[224]
SIZES
2
3
4



125
SIZES



126
SIZES
2
3
4



127
SIZES
2
3
4



128
SIZES
1
2
3
4
5



129
SIZES
2
3
4



130
SIZES
2
3
4



131
SIZES
1
2
3
4
5



132
SIZES
1
2
3
4
5



133
SIZES
1
2
3
4
5



134
SIZES
2
3
4



135
SIZES
1
2
4
5



138
SIZES
1
2
3
4




140
SIZES
1
2
3
4



143
SIZES
1
2
3
4




144
SIZES
2
3
4



145
SIZES
2
2
4



146
SIZES
2
3
4



147
SIZES
2
3
4



148
SIZES
1
2
3
4
5




149
SIZES
1
2
3
4
5



150
SIZES
2
2
4



152
[232]
SIZES
2
3
4



153
[201]
SIZES
2
3
4



154
[225]
SIZES
2
3
4




155
[204]
SIZES
2
3
4




156
[219]
SIZES
2
2
4



158
SIZES
1
2
3
4
5



160
SIZES
1
2
3
4
5



TÜV RHEINLAND
 PRODUCT SAFETY
 TYPE APPROVAL
 CERTIFICATE NO: B 06 11 61671 001




*Image shows 2 fittings

GALVANISED TUBE SUPPLIED IN 3 METRE LENGTHS

Galvanised blackheart malleable iron fittings to BS6681, grade B32-10 with galvanising to BS EN 1461:1999

TABLE OF SIZES		
	TUBE DIA MM O/D	NOMINAL BORE
1	26	3/8"
2	34	1"
3	42	1 1/4"
4	48	1 1/2"
5	60	2"

