

Printing date 18.01.2012 Revision: 02.03.2010

### 1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Acetone

· Article number: 0103

• EC number: 200-662-2

• Index number: 606-001-00-8

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the preparation

Chemical for research, development, manufacturing and analysis

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Biosolve B.V.

Leenderweg 78, 5555 CE Valkenswaard, the Netherlands.

Tel: +31-(0)40-2071300 Fax:+31-(0)40-2048537

Email: info@biosolve-chemicals.com

Biosolve Chimie 20 Rue Roger Husson, 57260 Dieuze, France info@biosolvechimie.com

Bio-Lab Ltd.

POB 34038, Jerusalem 91340, Israel

Tel: + 972 -2- 584 1111 Fax: + 972 -2- 584 1110

Email: info@biolab-chemicals.com

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number: During normal opening times: +972 2 584 1111

### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

R36: Irritating to eyes.



F; Highly flammable

R11: Highly flammable.

(Contd. on page 2)

Printing date 18.01.2012 Revision: 02.03.2010

Trade name: Acetone

(Contd. of page 1)

R66-67: Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

· Information concerning particular hazards for human and environment:

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

S02 GHS0

- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

H319+EUH066 Causes serious eye irritation. Repeated exposure may cause skin dryness or cracking.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### 3 Composition/information on ingredients

- · 3.1 Chemical characterization: Substances
- · CAS No. Description

Acetone

- · Identification number(s)
- EC number: 200-662-2
- · Index number: 606-001-00-8

### 4 First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 18.01.2012 Revision: 02.03.2010

Trade name: Acetone

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

Acetone

IOELV 1210 mg/m³, 500 ppm

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 18.01.2012 Revision: 02.03.2010

Trade name: Acetone

(Contd. of page 3)

- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection: Not required.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

9.1 Information on basic physical and c	hemical properties
· General Information · Appearance:	
Form:	Fluid
Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	94,7°C
Boiling point/Boiling range:	55,8-56,6°C
· Flash point:	<-18°C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	465°C
· Decomposition temperature:	Not determined.
· Self-igniting:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	2,6 Vol %
Upper:	13 Vol %

(Contd. on page 5)

Printing date 18.01.2012 Revision: 02.03.2010

Trade name: Acetone

		(Contd. of page 4)
· Vapour pressure at 20°C:	233 hPa	
Density at 20°C:	$0,79 \text{ g/cm}^3$	
· Relative density	Not determined.	
Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Segregation coefficient (n-octanol/w	<b>ater):</b> Not determined.	
· Viscosity:		

Dynamic at 25°C: 32 mPas
Kinematic: Not determined.

• 9.2 Other information No further relevant information available.

### 10 Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

		es relevant for classification:
Oral	LD50	5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.

### 12 Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

Printing date 18.01.2012 Revision: 02.03.2010

Trade name: Acetone

(Contd. of page 5)

· 12.6 Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

Transport information		
14.1 UN-Number ADR, IMDG, IATA	UN1090	
14.2 UN proper shipping name ADR IMDG, IATA	1090 ACETONE ACETONE	
14.3 Transport hazard class(es)		
ADR		
Class Label	3 (F1) Flammable liquids. 3	
IMDG, IATA		
Class Label	3 Flammable liquids. 3	
14.4 Packing group ADR, IMDG, IATA	II	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user Danger code (Kemler): EMS Number:	Warning: Flammable liquids. 33 F-E,S-D	
14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.	
Transport/Additional information:		
ADR Tunnel restriction code	D/E	
UN "Model Regulation":	UN1090, ACETONE, 3, II	

Printing date 18.01.2012 Revision: 02.03.2010

Trade name: Acetone

(Contd. of page 6)

### 15 Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Product safety department
- · Contact: Product safety department
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

- FII



www.greyhoundchrom.com

### Supplied By:

Greyhound Chromatography and Allied Chemicals 6 Kelvin Park Birkenhead Merseyside CH41 1LT UK

Tel: +44 (0) 151 649 4000 Fax: +44 (0) 151 649 4001