

Uniclass L412	EPIC
CI/SfB (35.3)	X



Easi-Klix Access Panels

Love the space you're in.

Access Panels

Breaking away from traditional construction, Komfort manufactures a range of access panels to meet demanding ceiling and wall applications. Our access panels meet customer specified needs to provide an effective and unobtrusive solution. They are designed to allow easy access to voids and cavities where services, controls, piping, electronics etc, need to be accessible for maintenance or emergency work. Many of our standard panel range are fire rated to EN 1634-1:2008 60 minutes integrity performance.

Standard Range



EK1 BD 

Metal Door and Beaded Frame

Supplied with a beaded frame and a fully removable door this product has been designed to fit into a pre-cut opening in a variety of wall or ceiling systems. The beaded frame allows for wet finishes to be applied on site to give a seamless finish.



EK1 PC 

Metal Door and Picture Frame

Supplied with a 25mm picture frame and a fully removable door this product has been designed to fit into a pre-cut opening in a variety of wall or ceiling systems. This picture frame panel is ideal for retro-fit applications.




EK2

Entry Level Panel

The EK2 is an entry level panel and is available only in the following sizes:

- 200mm x 200mm • 300mm x 300mm
- 450mm x 450mm • 600mm x 600mm


Supplied with a coin slotted lock.



EK3 

Plasterboard Door and Beaded Frame

Supplied with a beaded frame and a fully removable plasterboard door this product can be fitted into a pre-cut opening in a variety of wall or ceiling systems. This is ideal for a seamless finish which conceals both door and frame.



EK10TD

Tiled Door

The EK10TD is a wall access panel which accepts tiles up to 10mm thick and are manufactured to suit specified tile module size. Operated using a budget lock or push catch.



EK40

The EK40 is available in a variety of designs that can provide up to two hours fire resistance into jointless plaster/plasterboard and masonry walls and partitions. Used widely in service shafts, corridors and protected zones where access to mechanical and electrical services is required without compromising aesthetics and fire safety.



EK90

Acoustic

The EK90 acoustic panel is ideal for installation in ceiling and wall linings that are constructed to achieve minimum air leakage but where access is still required, i.e. clean rooms, hospitals and food production areas.

Standard Dimensions

300mm x 300mm	600mm x 600mm
450mm x 450mm	900mm x 600mm (hinged on long side) limited availability
550mm x 550mm limited availability	1200mm x 600mm (hinged on long side) limited availability
Other sizes are available upon request	



All standard Komfort panels are coated in DuPont Alesta® AM Powder Coatings. This effectively inhibits the growth of bacteria such as Staphylococcus Aureus, (MRSA strain) and E-coli; independent tests show a reduction of 99.9% in these micro-organisms after contact with Alesta® AM coated surfaces. This highly protective coating means the Komfort range of standard panels are suitable for environments such as hospitals and healthcare establishments, education facilities, and food service and packaging areas.



Plastic Access Panels Available

The Komfort plastic access panel is a simple solution that saves the need for expensive repairs. It is ideal where the need for security is not required, thanks to its simple push fit door. Manufactured using UV stabilised plastic, it will not fade or corrode. Available in the following sizes:

- 102mm x 152mm
- 152mm x 228mm
- 203mm x 203mm
- 300mm x 300mm



Panel Locks

Komfort offer a range of specialist locks, these include:

- Suited tamper proof lock
- Unsuit tamper proof lock
- Suited key lock
- Unsuit key lock
- Triangle insert lock
- Square insert lock
- 5mm double barb insert lock

Love the space you're in.

Sales Offices

Head Office – Horsham

Ashurst
Broadlands Business Campus
Langhurstwood Road
Horsham
West Sussex
RH12 4QP
Tel: 01403 390300
Fax: 01403 218828
E-mail: general@komfort.com

Leeds

Unit 2
Intermezzo Drive
Stourton Link
Leeds
West Yorkshire
LS10 1DF
Tel: 0113 395 6565
Fax: 0113 395 6566
E-mail: northern-sales@komfort.com

Birmingham

Unit 2
Rabone Park
Rabone Lane
Smethwick
Birmingham
B66 2NN
Tel: 0121 555 0300
Fax: 0121 555 0301
E-mail: midland-sales@komfort.com

Sales Office - Republic of Ireland

Tel: 01 620 5616
Fax: 01 620 4380
Email: dublin-sales@komfort.com

Southern Sales Counter

Unit 10
Gatwick Distribution Centre
Whittle Way
Crawley
West Sussex
RH10 9RT
Tel: 01293 577890
(for stock/sales counter enquiries only)

Internet

www.komfort.com

Showrooms

London

14 Bonhill Street
London
EC2A 4BX
Tel: 0207 256 5701
Fax: 0207 374 8649
E-mail: london.showsuite@komfort.com

Leeds

Unit 2
Intermezzo Drive
Stourton Link
Leeds
West Yorkshire
LS10 1DF
Tel: 0113 395 6565
Fax: 0113 395 6566
E-mail: leeds.showsuite@komfort.com

Scotland

The Skyhouse
18 Elliot Place
Glasgow
G3 8EP
Tel: 0113 395 6565
Fax: 0113 395 6566
E-mail: scotland.showsuite@komfort.com



Scan the QR code to automatically download Komfort's Head Office contact details direct to your smart device. To download a QR scanner visit the relevant app store to correspond with your device.

ID Number: KOMACCESS03/12

Find us on:

Facebook  Twitter  YouTube 

Part of the Laidlaw Interiors Group

