

**pewag**

**WORLD'S  
STRONGEST  
CHAIN**  
[www.pewag.com](http://www.pewag.com)

# Snow chains passenger cars, 4x4, SUV & transporter

valid from 2010





# **pewag snow chains – the strongest chains for each area of application.**

The strongest chains for each area of application pewag offers the right product for every situation. With our determination to innovate, we at pewag design snow chains that guarantee maximum safety and comfort in every situation.

pewag snow chains cannot only be used in wintery conditions. Our products can be used on all different types of grounds – mud, pebble and sand: In impassable terrain military and ambulance drivers rely on pewag quality.

**pewag** **snox** PRO

## s(nox)olution! Naturally by pewag. pewag snox is the only snow chain, that is not mounted but snoxed.

Another innovation by pewag engineers: s(nox)olution! is the new chain's slogan and gets to point: pewag snox makes the mounting of your snow chain as easy as putting on a hat.

### Product description

pewag snox combines all the positive characteristics of a full-size snow chain with unmatched mounting comfort and the smoothest ride. The correct tensioning of the chain is regulated fully automatically. The chain mesh out of square links in 3.2 mm diameter guarantees a long life span.

No rings, no hooks, no re-tensioning – snow chain mounting has never been so easy, how is that possible? The solution lies in the unique technology which is placed in the pewag snox-box. At a certain speed, the pewag snox-system locks the ring – the ideal tensioning of the chain is regulated fully automatically. When the vehicle stops, the ring is released again and you can simply pull the chain off the tire.

Ideal for drivers who want to be prepared for all wintery conditions. The new pewag snox is packed in the hip pewag snox-case. Always on board, always prepared.

NEW





## Athletic. Thrilling. Fast. High quality chain with servo technology.


Specifically developed for vehicles with high powered engines pewag servo offers the comfort of stationary mounting and high reliability under all conditions: a snow chain, that will satisfy frequent drivers.

### Product description

Due to its tight chain mesh in material thickness 3.2 mm pewag servo allows for perfect grip and a long file span. For the first time the patented servo-technology is used in the automatic tightening elements, which guarantee an even more exact and better chain tension. Manual tensioning is no longer necessary. The new change-over switch of the tightening element makes mounting easier and the scratch-resistant design even makes a snow chain look good! For rim protection, the outer parts of the chain are made from plastic or equipped with pewag-rim-protection.

The self-opening lock on the inside chain allows the demounting to be accomplished comfortably. pewag servo is especially recommended for sports cars with tight wheel wells.

NEW




# pewag brenta 9

Proven technology. Reliable in use.  
The 9 mm chain for vehicles with tight  
wheel wells.

pewag brenta 9 was developed for vehicles, on which only chains with small links may be used according to the vehicle manufacturer specifications.

## Product description

For pewag brenta 9 square links in material thickness 3 mm made of high quality fine grain alloy steel are used. The approved ratchet system from the pewag brenta-c range and an easy manageable inside lock (height 9 mm) make pewag brenta 9 a popular product worldwide.



## pewag ring automatik

Recommended for cars with rear wheel drive.  
The hoop chain which is easy to mount in tight wheel wells.

The handy hoop system makes mounting of the pewag ring automatic very easy, especially for cars with rear wheel drive.

### Product description

pewag ring automatik shows it's advantages especially with tight wheel wells: The preformed spring steel hoop facilitates mounting especially for cars with rear wheel drive. Cumbersome handling of the inside chain in tight wheel wells is no longer necessary. The chain links are made of square steel in material thickness 3.55 mm (up to size 74) and 3.7 mm (from size 75) and guarantee a long life span when in professional use.



**pewag** **snox** <sup>SUV</sup>

## s(nox)olution! Naturally by pewag. pewag snox is the only snow chain, that is not mounted but snoxed.

s(nox)olution! is the new chain's slogan and gets to point: pewag snox suv makes the mounting of your snow chain as easy as putting on a hat. The innovative snox®-technology is now available for SUVs.

### Product description

pewag snox suv combines all the positive characteristics of a full-size snow chain with unmatched mounting comfort and the smoothest ride available. The correct tensioning of the chain is regulated fully automatically. The chain mesh out of square links in 3.7 mm diameter guarantees a long life span.

Perfect for drivers, who want to be prepared for all wintery conditions.

For off-road use we recommend pewag austro super and pewag austro super verstaerkt chains respectively and for driving over both rough and smooth roads we recommend pewag Forstmeister. Please consider the specifications of the vehicle manufacturer regarding the clearance in the wheel well.





## Sportive. Exciting. Fast. High-quality stationary mounting chain for SUV's .

The sport-utility version of pewag servo was developed especially for SUV's.

### Product description

Developed for SUVs pewag servo SUV is fit for the job. The resistant ball lock on the inside chain allows the chain to be closed easily in the wheel well. The automatic tensioning ratchets guarantee optimal chain tension during the ride at the push of a button. Manual tensioning of the chain is no longer necessary. All parts on the outside chain, which might touch the rim, are made from plastics to avoid any damage.

Strong detail: The chain mesh links in 3.55 mm are perfectly suited for the use on snow-covered roads and also on dirt tracks. For off-road use we recommend pewag austro super and pewag austro super verstaerkt chains respectively and for driving over both rough and smooth roads we recommend pewag Forstmeister. Please consider the specifications of the vehicle manufacturer regarding the clearance in the wheel well.



**pewag brenta-c<sup>4x4</sup>**


## Simply strong. The reliable stationary mounting chain for 4x4 use.

The tried and tested pewag brenta-c is pewag's most popular snow chain: the chain was strengthened for 4x4 use. With this product you are well-equipped for off-road driving.

### **Product description**

pewag brenta-c 4x4 is a stationary mounting chain for 4x4 use. The square links with a material thickness of 4.5 mm are suited for hardest requirements. The inside chain is closed with a heavy-duty hook.

For off-road use we recommend pewag austro super and pewag austro super verstaerkt chains respectively and for driving over both rough and smooth roads we recommend pewag Forstmeister. Please consider the specifications of the vehicle manufacturer regarding the clearance in the wheel well.



## pewag Forstmeister

**Powerful and persistent without limits.  
Versatile 4x4 chain for extreme  
off-road use.**


Where the road ends pewag Forstmeister knows no limits and gets you over any terrain in the woods and to the highest peaks safely.

### Product description

Exclusive traction chain by pewag, which comes in a handy, reusable wooden box for rangers and outdoor lovers. The tight chain grid of pewag Forstmeister does not only ensure a perfect grip, but also a smooth ride and a safe journey over forest grounds, no root or mud can stop this chain!

The resistant chain in material thickness 4.5 mm is made of TitanGrip®. The welded links ensure a stable connection of the chain mesh with the side chain and provide high durability and a long life span.

NEU



TITANGrip®





Please consider the recommendations  
of the vehicle manufacturer!

## **pewag Schneeketten GmbH & Co KG**

A-8020 Graz, Bahnhofgürtel 59, Phone: +43 (0) 316 / 60 70-0, Fax: +43 (0) 316 / 60 70-142

[schneeketten@pewag.com](mailto:schneeketten@pewag.com), [www.pewag.com](http://www.pewag.com)



P1.522-10 9 100254614259731

