

Brindley




Shackles

Black Pin[®]
U.S. Fed. Spec.
RR-C-271

■ Screw Pin Shackles

In accordance with U.S. Fed. Spec. RR-C-271
Type IV

Bow Type. Class 1.



| Stock Code | WLL kg | Body dia. mm | Pin dia. mm | a mm | c mm | r mm | Weight kg |
|------------|--------|--------------|-------------|------|------|------|-----------|
| BS033A | 330 | 5 | 6 | 10 | 22 | 8 | 0.02 |
| BS050A | 500 | 6 | 8 | 13 | 28.5 | 10 | 0.05 |
| BS075A | 750 | 8 | 10 | 14 | 31 | 10.5 | 0.08 |
| BS100A | 1000 | 10 | 11 | 17 | 37 | 13 | 0.14 |
| BS150A | 1500 | 11 | 13 | 18 | 43 | 14.5 | 0.17 |
| BS200A | 2000 | 13 | 16 | 21 | 48 | 16.5 | 0.28 |
| BS325A | 3250 | 16 | 19 | 27 | 60 | 21.5 | 0.62 |
| BS475A | 4750 | 19 | 22 | 32 | 71 | 25.5 | 1.02 |
| BS650A | 6500 | 22 | 25 | 37 | 84 | 29 | 1.53 |
| BS850A | 8500 | 25 | 28 | 43 | 95 | 34 | 2.41 |
| BS950A | 9500 | 28 | 32 | 46 | 108 | 37 | 3.08 |
| BS1200A | 12000 | 32 | 35 | 51 | 119 | 41 | 4.30 |
| BS1350A | 13500 | 35 | 38 | 57 | 132 | 45 | 6.01 |
| BS1700A | 17000 | 38 | 41 | 60 | 146 | 49 | 8.02 |
| BS2500A | 25000 | 45 | 50 | 73 | 178 | 63.5 | 13.78 |
| BS3500A | 35000 | 50 | 57 | 83 | 197 | 73 | 20.41 |

OTHER SIZES AVAILABLE ON REQUEST

D Type. Class 2.



| Stock Code | WLL kg | Body dia. mm | Pin dia. mm | a mm | c mm | Weight kg |
|------------|--------|--------------|-------------|------|------|-----------|
| DS033A | 330 | 5 | 6 | 10 | 19 | 0.02 |
| DS050A | 500 | 6 | 8 | 13 | 22 | 0.05 |
| DS075A | 750 | 8 | 10 | 14 | 26 | 0.07 |
| DS100A | 1000 | 10 | 11 | 17 | 32 | 0.10 |
| DS150A | 1500 | 11 | 13 | 18 | 36.5 | 0.18 |
| DS200A | 2000 | 13 | 16 | 21 | 41.5 | 0.26 |
| DS325A | 3250 | 16 | 19 | 27 | 51 | 0.54 |
| DS475A | 4750 | 19 | 22 | 32 | 60.5 | 1.02 |
| DS650A | 6500 | 22 | 25 | 37 | 71.5 | 1.43 |
| DS850A | 8500 | 25 | 28 | 43 | 81 | 2.15 |
| DS950A | 9500 | 28 | 32 | 46 | 90 | 3.06 |
| DS1200A | 12000 | 32 | 35 | 51 | 100 | 4.11 |
| DS1350A | 13500 | 35 | 38 | 57 | 111 | 5.26 |
| DS1700A | 17000 | 38 | 41 | 60 | 122 | 7.23 |
| DS2500A | 25000 | 45 | 50 | 73 | 146 | 12.13 |
| DS3500A | 35000 | 50 | 57 | 83 | 172 | 19.19 |


OTHER SIZES AVAILABLE ON REQUEST

All shackle pins and bodies are galvanized. Pins finished with black paint.

Safety Pin Shackles


In accordance with U.S. Fed. Spec. RR-C-271
Type IV

Bow Type. Class 6.



| Stock Code | WLL kg | Body dia. mm | Pin dia. mm | a mm | c mm | r mm | Weight kg |
|----------------------------------|--------|--------------|-------------|------|------|------|-----------|
| BS050E | 500 | 6 | 8 | 13 | 28.5 | 10 | 0.06 |
| BS075E | 750 | 8 | 10 | 14 | 31 | 10.5 | 0.10 |
| BS100E | 1000 | 10 | 11 | 17 | 37 | 13 | 0.16 |
| BS150E | 1500 | 11 | 13 | 18 | 43 | 14.5 | 0.20 |
| BS200E | 2000 | 13 | 16 | 21 | 48 | 16.5 | 0.35 |
| BS325E | 3250 | 16 | 19 | 27 | 60 | 21.5 | 0.76 |
| BS475E | 4750 | 19 | 22 | 32 | 71 | 25.5 | 1.23 |
| BS650E | 6500 | 22 | 25 | 37 | 84 | 29 | 1.79 |
| BS850E | 8500 | 25 | 28 | 43 | 95 | 34 | 2.77 |
| BS950E | 9500 | 28 | 32 | 46 | 108 | 37 | 3.75 |
| BS1200E | 12000 | 32 | 35 | 51 | 119 | 41 | 5.31 |
| BS1350E | 13500 | 35 | 38 | 57 | 132 | 45 | 6.97 |
| BS1700E | 17000 | 38 | 41 | 60 | 146 | 49 | 9.43 |
| BS2500E | 25000 | 45 | 50 | 73 | 178 | 63.5 | 15.38 |
| BS3500E | 35000 | 50 | 57 | 83 | 197 | 73 | 23.70 |
| BS5500E | 55000 | 65 | 70 | 105 | 260 | 90 | 40.00 |
| BS8500E | 85000 | 75 | 80 | 127 | 330 | 95 | 61.00 |
| OTHER SIZES AVAILABLE ON REQUEST | | | | | | | |

D Type. Class 7.



| Stock Code | WLL kg | Body dia. mm | Pin dia. mm | a mm | c mm | Weight kg |
|----------------------------------|--------|--------------|-------------|------|------|-----------|
| DS050E | 500 | 6 | 8 | 13 | 22 | 0.06 |
| DS075E | 750 | 8 | 10 | 14 | 26 | 0.09 |
| DS100E | 1000 | 10 | 11 | 17 | 32 | 0.13 |
| DS150E | 1500 | 11 | 13 | 18 | 36.5 | 0.21 |
| DS200E | 2000 | 13 | 16 | 21 | 41.5 | 0.34 |
| DS325E | 3250 | 16 | 19 | 27 | 51 | 0.66 |
| DS475E | 4750 | 19 | 22 | 32 | 60.5 | 1.14 |
| DS650E | 6500 | 22 | 25 | 37 | 71.5 | 1.74 |
| DS850E | 8500 | 25 | 28 | 43 | 81 | 2.51 |
| DS950E | 9500 | 28 | 32 | 46 | 90 | 3.44 |
| DS1200E | 12000 | 32 | 35 | 51 | 100 | 4.90 |
| DS1350E | 13500 | 35 | 38 | 57 | 111 | 6.23 |
| DS1700E | 17000 | 38 | 41 | 60 | 122 | 8.39 |
| DS2500E | 25000 | 45 | 50 | 73 | 146 | 14.24 |
| DS3500E | 35000 | 50 | 57 | 83 | 172 | 21.20 |
| OTHER SIZES AVAILABLE ON REQUEST | | | | | | |

All shackle pins and bodies are galvanized. Pins finished with black paint.

Other products available from

Brindley


pewäg
austria

- WINNER Grade 100 chain slings
- G50 Stainless steel chain slings
- Hoistchains and Handchains
- Conveyor and elevator chains and components
- Tyre protection chains
- Snowchains for cars, 4x4 and commercial vehicles
- Lashing and Security chains
- Forestry chains
- Stainless steel pump lifting chains & shackles

Brindley Chains Ltd

1 Tatton Court, Kingsland Grange, Warrington, WA1 4RR

Tel: 01925 825555 Fax: 01925 825338

email: sales@brindley-chains.co.uk

website: www.brindley-chains.co.uk

