



All products are industrial grade safe and supplied with 1 Year warranty

Manual Syringe Guns TS700 Series

syringe size	gun only	gun with full kit
10cc	TS710SG	TS710SG-KIT
30cc	TS730SG	TS730SG-KIT
55cc	TS755SG	TS755SG-KIT

Guns are supplied with a single syringe barrel, wiper piston and dispense tip. Guns with kits are supplied with packs of syringe barrels, wiper pistons, cap seals and assorted tips.

Use with RTV silicones, epoxies, sealants, greases, gels, solder pastes, fluxes, adhesives, roach gels, PVA glue and most other liquids.



Manual Cartridge Guns TS16 Series



cartridge size	gun only	gun with full kit
2.5oz	TS16-25	TS16-25-KIT
6oz	TS16-60	TS16-60-KIT
8oz	TS16-80	TS16-80-KIT
12oz	TS16-120	TS16-120-KIT

Guns are supplied with a single high density cartridge, wiper plunger and dispense nozzle. Guns with kits are supplied with packs of cartridges, plungers, end cap seals, tip cap seals and assorted nozzles.

Use with RTV silicones, epoxies, sealants, greases, gels, solder pastes, fluxes, adhesives, roach gels, PVA glue and most other liquids.

Manual Cartridge Guns 850 Series

cartridge size	gun only	gun with full kit
10oz	230273	230273-KIT
20oz	230274	230274-KIT
3207	230254	230254-KIT

Guns are supplied with a single high density cartridge, wiper plunger and dispense nozzle. Guns with kits are supplied with packs of cartridges, plungers, end cap seals, tip cap seals and assorted nozzles.

Use with RTV silicones, epoxies, sealants, greases, gels, solder pastes, fluxes, adhesives, roach gels, PVA glue and most other liquids.



Pneumatic Cartridge Guns TS950 Series



cartridge size	gun only	gun with full kit
2.5oz	TS950-25-HA	TS950-25-HA-KIT
6oz	TS950-60-HA	TS950-60-HA-KIT
8oz	TS950-80-HA	TS950-80-HA-KIT
12oz	TS950-120-HA	TS950-120-HA-KIT
1000-12	Airline hose 10ft long	with 1/4" threaded connector

Guns are supplied with a single high density cartridge, wiper plunger and dispense nozzle. Guns with kits are supplied with packs of cartridges, plungers, end cap seals, tip cap seals and assorted nozzles.

Use with RTV silicones, epoxies, sealants, greases, gels, solder pastes, fluxes, adhesives, roach gels, PVA glue and most other liquids.

Cartridge sizes - 2.5oz (60ml), 6oz (180ml), 8oz (230ml), 10oz (310ml), 12oz (360ml), 20oz (600ml), 32oz (960ml).





All products are industrial grade safe and supplied with 1 Year warranty

Pneumatic Cartridge Guns 250A Series

cartridge size	gun only	gun with full kit
2.5oz	250255	250255-KIT
6oz	250065	250065-KIT
8oz	250085	250085-KIT
12oz	250125	250125-KIT

Guns are supplied with a single syringe barrel, wiper piston and dispense tip. Guns with kits are supplied with packs of syringe barrels, wiper pistons, cap seals and assorted tips.

Use with RTV silicones, epoxies, sealants, greases, gels, solder pastes, fluxes, adhesives, roach gels, PVA glue and most other liquids.



Pneumatic Cartridge Guns 550 Series

cartridge size	gun only	gun with full kit
10oz	231551	231551-KIT
20oz	G110-20	G110-20-KIT
32oz	233688	233688-KIT

Guns are supplied with a single high density cartridge, wiper plunger and dispense nozzle. Guns with kits are supplied with packs of cartridges, plungers, end cap seals, tip cap seals and assorted nozzles.

Use with RTV silicones, epoxies, sealants, greases, gels, solder pastes, fluxes, adhesives, roach gels, PVA glue and most other liquids.

Pneumatic Cartridge Gun C-110 Series

cartridge size	gun only	gun with full kit
1007	C-110CXO	C-110CXO-KIT

Guns are supplied with a single high density cartridge, wiper plunger and dispense nozzle. Guns with kits are supplied with packs of cartridges, plungers, end cap seals, tip cap seals and assorted nozzles. This gun features built-in adjustable air regulator.

Use with RTV silicones, epoxies, sealants, greases, gels, solder pastes, fluxes, adhesives, roach gels, PVA glue and most other liquids.



Manual 50ml Dual Cartridge Guns ABM Series



Ratio	gun only	gun with full kit
1:1	ABM-25M1	ABM125-KIT
2:1	ABM-25M2	ABM225-KIT
4:1	ABM25-M4	ABM425-KIT
10:1	ABM-25M10	ABM1025-KIT

50ml guns with kits are supplied with packs of empty dual cartridges, plungers, tip cap seals, and assorted static mixer nozzles.

Use with two-component 50ml cartridges containing epoxies, silicones and other adhesives.

Cartridge sizes - 2.5oz (60ml), 6oz (180ml), 8oz (230ml), 10oz (310ml), 12oz (360ml), 20oz (600ml), 32oz (960ml).





All products are industrial grade safe and supplied with 1 Year warranty

Manual 200ml Dual Cartridge Gun MG Series

Ratio gun only gun with full kit 1:1/2:1 MG200-1 MG200-1-KIT

200ml guns with kits are supplied with packs of empty dual cartridges, plungers, tip cap seals, and assorted static mixer nozzles.

Use with all two-component 200ml cartridges (1:1 and 2:1 ratio only) containing epoxies, silicones and other adhesives.



Manual 200ml Dual Cartridge Gun BG Series

gun with full kit gun only 1:1/ 2:1/4:1/10:1 BG200-1 BG200-1-KIT

200ml guns with kits are supplied with packs of empty dual cartridges, plungers, tip cap seals, and assorted static mixer nozzles.

Use with all two-component 200ml cartridges (1:1, 2:1, 4:1 and 10:1 ratio) containing epoxies, silicones and other adhesives. Supplied with all fittings for different cartridges.

Manual 400ml Dual Cartridge Gun BG Series

Ratio gun with full kit gun only 1:1/ 2:1/4:1/10:1 BG400-1 BG400-1-KIT

400ml guns with kits are supplied with packs of empty dual cartridges, plungers, tip cap seals, and assorted static mixer nozzles.

Use with all two-component 400ml cartridges (1:1, 2:1, 4:1 and 10:1 ratio) containing epoxies, silicones and other adhesives. Supplied with all fittings for different cartridges.





Pneumatic 50ml Dual Cartridge Gun AD Series

Ratio gun only gun with full kit 1:1 ADCBA-25D **ADCBA-KIT**

50ml guns with kits are supplied with packs of empty dual cartridges, plungers, tip cap seals, and assorted static mixer nozzles.

Use with all two-component 50ml cartridges (1:1 ratio only) containing epoxies, silicones and other adhesives.

Pneumatic 50ml Dual Cartridge Gun ED Series

gun only gun with full kit 1:1/ 2:1/ 4:1/ 10:1 EDS408M EDS408-KIT

50ml guns with kits are supplied with packs of empty dual cartridges, plungers, tip cap seals, and assorted static mixer nozzles.

Use with all two-component 50ml cartridges (1:1, 2:1, 4:1 and 10:1 ratio) containing epoxies, silicones and other adhesives. Supplied with all fittings for different cartridges.







All products are industrial grade safe and supplied with 1 Year warranty

Pneumatic 200ml Dual Cartridge Gun CG Series

gun only gun with full kit CG200-1-KIT 1:1/2:1 CG200-1

200ml guns with kits are supplied with packs of empty dual cartridges, plungers, tip cap seals, and assorted static mixer nozzles.

Use with all two-component 200ml cartridges (1:1 and 2:1 ratio only) containing epoxies, silicones and other adhesives.





Pneumatic 400ml Dual Cartridge Gun CG Series

Ratio	gun only	gun with full kit
1:1/ 2:1	CG400-1	CG400-1-KIT

200ml guns with kits are supplied with packs of empty dual cartridges, plungers, tip cap seals, and assorted static mixer nozzles.

Use with all two-component 400ml cartridges (1:1 and 2:1 ratio only) containing epoxies, silicones and other adhesives.

50ml Dual Component Cartridge Sets

Size	Ratio	Part Number	Pack Size
50ml	1:1	451000	50
50ml	2:1	452013	50
50ml	4:1	454000	50
50ml	10:1	454010	50

Sets include dual cartridges with plungers and tip caps (pre-attached). Cartridges are high density and safe for use to 100 psi. All cartridge components are silicone-free plastics.





200ml Dual Component Cartridge Sets

Size	Ratio	Part Number	Pack Size
200ml	1:1	422026	50
200ml	2:1	422001	50
200ml	4:1	422401	50
200ml	10:1	422033	50

Sets include dual cartridges with plungers and tip caps (pre-attached). Cartridges are high density and safe for use to 100 psi. All cartridge components are silicone-free plastics.

400ml Dual Component Cartridge Sets

Size	Ratio	Part Number	Pack Size
400ml	1:1	400011	50
400ml	2:1	400021	50
400ml	4:1	400041	50
400ml	10:1	400101	50

Sets include dual cartridges with plungers and tip caps (pre-attached). Cartridges are high density and safe for use to 100 psi. All cartridge components are silicone-free plastics.







Static Mixer Nozzles

All products are industrial grade safe and supplied with 1 Year warranty

Nozzles for 50ml and 75ml Dual Component Cartridges

Part No.	No Elements	Internal Diameter	Nozzle Length	Pack Quantity
MA3.0-07S	7	3.0 mm	3.33 cm	100
MA3.0-13S	13	3.0 mm	5.08cm	100
MA3.0-17S	17	3.0 mm	6.26cm	100
MA4.0-13S	13	4.0 mm	6.60cm	100
MA4.0-17S	17	4.0 mm	8.16 cm	100
MA5.4-07S	7	5.4 mm	5.57 cm	100
MA5.4-13S	13	5.4 mm	8.46 cm	100
MA6.3-12S	12	6.3 mm	9.70 cm	100
MA6.3-17S	17	6.3 mm	12.80 cm	100
MA6.3-21S	21	6.3 mm	14.30 cm	100

Bayonet inlet, helical static mixer for 50ml and 75ml cartridges. Stepped outlet that can be cut back to increase orifice size and increase flow rates. These mixer nozzles are suitable for all two-component materials. They have white elements and are constructed of high grade polypropylene. High quality mixer nozzles for use with twin cartridges.





Nozzles for 200ml and 400ml Dual Component Cartridges

Part No.	No Elements	Internal Diameter	Pack Quantity
MC06-18	18	6.0 mm	100
MC06-24	24	6.0 mm	100
MC06-32	32	6.0 mm	100
MC08-18	18	8.0 mm	100
MC08-24	24	8.0 mm	100
MC08-32	32	8.0 mm	100
MC10-18	18	10.0 mm	100
MC10-24	24	10.0 mm	100
MC10-32	32	10.0 mm	100
MC13-18	18	13.0 mm	100
MC13-24	24	13.0 mm	100

Bell mouth inlet, helical static mixer for 200ml and 400ml cartridges. Stepped outlet that can be cut back to increase orifice size and increase flow rates. These mixer nozzles are suitable for all two-component materials. They have white elements and are constructed of high grade polypropylene. High quality mixer nozzles for use with twin cartridges.





Mixer Nozzle Luer Lock Tip Adapters

Diameter	Colour	Part Number	Pack Size
5mm	White	LA05-00	10
6-8mm	Grey	LA06-08	10
10mm	Black	LA10-00	10

Adapter fittings for up to 5mm OD, 8mm OD and 10mm OD static mixer nozzles. Allows standard needle tips to be used with cartridge mixer nozzles for higher levels of precision and control. Thread fit on nozzle to male luer lock tip attachment.





Single Part Cartridges

All products are industrial grade safe and supplied with 1 Year warranty

High Density Industrial Cartridges

Part No.	Size (oz)	Size (ml)	Length	Diameter	Pack Quantity
TS25C	2.5oz	75ml	4.0"	1.69"	10
TS60C	6oz	180ml	7.14"	1.69"	10
TS80C	8oz	230ml	8.82"	1.69"	10
TS110C	10oz	310ml	8.99"	1.85"	10
TS120C	12oz	360ml	12.25"	1.69"	10
TS20C	20oz	600ml	9.82"	2.67"	10
TS32C	32oz	960ml	13.75"	2.67"	10

Cartridge reservoir in high density polyethylene. 32 ounce/ 960cc ml size. Suitable for handling most materials including solvent based fluids. 2.67" outer diameter by 13.75" long. Suitable for use in cartridge guns or pressurised cartridge retainers and caps. Supplied in sealed packs of 10 or bulk packs for larger quantities. Disposable plastic cartridges are available in 2.5, 6, 8, 12, 20, 32 oz. (approximate metric value 60, 180, 230, 360, 600, 960cc) and 310ml capacities. In high-density natural polyethylene. All sizes feature a 1/4" NPT (6mm) female thread dispensing orifice for secure attachment of nozzles or 1/4" threaded fittings.

Cartridge Wiper Plungers



for cartridge sizes	colour	part number	pack quantity
2.5, 6, 8, 12oz	blue	TS1P	10
2.5, 6, 8, 12oz	black	TS1PB	10
2.5, 6, 8, 12oz	natural	TS1WP	10
2.5, 6, 8, 12oz	natural	TS3WP	10
10oz	white	TS2P	10
20, 32oz	white	TS20P	10

Plungers are for use with dispensing cartridges. The plunger is inserted into the cartridge once filled and moves down the inner walls under pressure to ensure all liquid material is dispensed without waste. Plungers can be used at pressures up to 100psi, for example when used with a pneumatic cartridge gun system. Select plunger size to suit cartridge size.

Cartridge Nozzles

Part code	colour	length	Outlet size	quantity
TS216	natural	2.6"	1/16"	10
TS218	natural	2.6"	1/8"	10
TS416	natural	4.0"	1/16"	10
TS418	natural	4.0"	1/8"	10
TS432	natural	4.0"	1/32"	10
TS490	natural	4.0"	3/32"	10
TS616	natural	6.0"	1/16"	10
TS618	natural	6.0"	1/8"	10

A wide range of industrial grade nozzles for use with cartridges and valves. All products are silicone free and safe for use to 100 psi. All feature an industry standard 1/4" NPT thread to cartridge or certain valves. Natural polyethylene materials.

