


PF16B: Lockable poster podium stands on 2 aluminium posts

COMPONENT LIST	A1L	A2L
Angled aluminium post, either angled at 15 degrees or fitted with angled plate (45 or 60 degrees)	2	
Weighted oval base (8mm mild steel, powder-coated)	400x800 oval	400x600 oval
Spigot (to fix post to base)	2	
Lockable frame on strengthening aluminium strip	A1, 4 holes	A2, 4 holes
Stainless steel bolt (to fix 'snap' frame to posts)	4	

ASSEMBLY INSTRUCTIONS

FIX POSTS TO BASE (repeat for each post)

- 1. Undo spigot (remove bolt)
- 2. Put bolts through weighted base plate from underside
- 3. Part-screw rectangular fitting (comes split diagonally into two parts) back on to bolt
- 4. Place rectangular part of fitting inside base of upright (opposite end to angled plate)
- 5. Tighten bolt using large allen key supplied (to lock base securely into upright).




PF16B: Lockable poster podium stands on 2 aluminium posts

FIX SNAP FRAME TO POSTS

FIX POSTER FRAME TO POSTS (15 degree angle)

- 1. Open the frame and unscrew from the aluminium strip (2x M5x10 machine screws
 - screwed through from underside of aluminium strip into central position on left and right edges of frame)
- 2. Remove the two protruding screws (M6x16) from the top of each aluminium post
- 3. Attach the aluminium strip to the posts re-using the M6x16 machine screws
- 4. Re-attach the poster frame to the aluminium strip using the M5x10 screws.



FIX POSTER FRAME TO POST (45 or 60 degree angle)

- 1. Open the frame and unscrew from the aluminium strip (2x M5x10 machine screws screwed through from underside of aluminium strip into central position on left and right edges of frame)
- 2. Remove the two protruding screws (M6x16) from the angled plate at the top of each aluminium post
- 3. Attach the aluminium strip to the plates re-using the M6x16 machine screws
- 4. Re-attach the frame to the aluminium strip using the M5x10 screws.

