

**NEW**



## ProSpray

Airless piston pumps



- Perfectly matched performance categories
- Innovative product features
- Proven professional quality

**3+2** WAGNER  
Profigarantie  
www.wagner-group.com/profi-garantie

**Quality -  
Offensive!**



## INNOVATIVE TECHNOLOGY

The 3rd piston pump generation from WAGNER convinces thanks to perfectly matched performance categories and a wide range of applications both indoors and outdoors. WAGNER offers the right ProSpray piston pump for every area of application, from lacquers and emulsions right up to highly viscous materials on small and large construction sites.

Materials	Object size	Model						
		PS 3.21	PS 3.23	PS 3.25	PS 3.29	PS 3.31	PS 3.34	PS 3.39
Release agents, oils, undercoats, primers, fillers, synthetic resin-based paints, acrylic paints recommended nozzle size: FineFinish 0.008" - 0.014"	up to 200 m <sup>2</sup>	Green	Green	Green	Green	Green	Green	Green
	200 m <sup>2</sup> - 800 m <sup>2</sup>	Red	Green	Green	Green	Green	Green	Green
	more than 800 m <sup>2</sup>	Red	Red	Green	Green	Green	Green	Green
Emulsion paints, latex paints recommended nozzle size: 0.017" - 0.027"	up to 200 m <sup>2</sup>	Green	Green	Green	Green	Green	Green	Green
	200 m <sup>2</sup> - 800 m <sup>2</sup>	Red	Red	Red	Green	Green	Green	Green
	more than 800 m <sup>2</sup>	Red	Red	Red	Red	Green	Green	Green
Anti-corrosive agents, flame retardants, fabric adhesives recommended nozzle size: 0.021" - 0.031"	up to 200 m <sup>2</sup>	Red	Red	Red	Green	Green	Green	Green
	200 m <sup>2</sup> - 800 m <sup>2</sup>	Red	Red	Red	Red	Green	Green	Green
	more than 800 m <sup>2</sup>	Red	Red	Red	Red	Red	Green	Green
Airless stoppers recommended nozzle size: 0.027" - 0.039"	up to 200 m <sup>2</sup>	Red	Red	Red	Red	Red	Red	Green
	200 m <sup>2</sup> - 800 m <sup>2</sup>	Red	Red	Red	Red	Red	Red	Red
	more than 800 m <sup>2</sup>	Red	Red	Red	Red	Red	Red	Red



## The 3rd ProSpray generation with convincing product features



### Digi-Trac-Control Control, information and checking.

With the digital display you can read out and handle machine data, consumption figures, runtimes and much more. The intelligent deadband control, SlowMotion function and FrequentClean guarantee trouble-free work and quick cleaning.

The **innovative brushless DC motor** requires no maintenance. Thanks to its compact dimensions it is light in weight. Due to the improved performance, the motor works even more efficiently at low and also at high speeds. The continuous paint pressure measurement controls the motor speed automatically, thus ensuring a constant material pressure.

**Maintenance made easy.** With the push of a button the piston is oiled and thus the packings are conserved. The "Easy Glide" machine oil can be refilled easily. It forms a protective film around cylinder and piston and protects the unit against premature wear.

The new practical, **self-adjusting packings** lead to less wear and are easy to change. They have a service life up to 50% longer than the current packings which means significantly lower maintenance costs.

The high pressure filter is **easily accessible and quick to clean**. The additional filtering protects against time-consuming, paint blockages and so facilitates the work. Three different filter inserts (fine, medium, coarse) ensure an optimal match with the material.



## Guarantee-Offensive!

With each newly purchased professional paint spraying unit you will now get a 3 year manufacturer's guarantee from WAGNER.

Ensure two additional years of guarantee with your Online registration. This is unique in the industry! Because: We are convinced of our professional quality. Take our word for it!





## advantages...



### Technical Data

- Max. delivery rate
- Max. nozzle size
- Max. operating pressure
- Motor output
- Weight



## PS 3.21

### PS 3.21 Spraypack

- ProSpray 3.21 SKID basic unit, 230 V / 50 Hz
- + HP hose DN6-ND270, NPS 1/4", 15 m, yellow
- + Airless gun AG 08, 250 bar, incl. TradeTip 2 nozzle holder
- + TradeTip 2 nozzle 519

Article-No. 2308 256

## PS 3.23

### PS 3.23 Airless Spraypack

- ProSpray 3.23 SKID basic unit, 230 V / 50 Hz
- + HP hose DN6-ND270, 15 m, yellow
- + Airless gun AG 08, 250 bar, incl. TradeTip 2 nozzle holder
- + TradeTip 2 nozzle 419

Article-No. 2308 258

### PS 3.23 Lacquer Spraypack

- ProSpray 3.23 SKID basic unit, 230 V / 50 Hz
- + 5 litre hopper
- + HP hose DN6-ND270, 15 m, yellow
- + Airless gun AG 08, 250 bar, 2-finger trigger incl. TradeTip 2 nozzle holder
- + TradeTip 2 nozzle FineFinish 410

Article-No. 2308 273

## ...which convince

Clean storage of the flexible suction system, EasyGlide and EasyClean.

Swivel joint on the flexible suction system, removable without tools.

The pressure gauge gives precise information about the set spray pressure.

The inlet valve depressor guarantees high operating reliability. One press of a button and the valve is free.



PS 3.21	PS 3.23	PS 3.25
2.0 l/min	2.3 l/min	2.6 l/min
0.023"	0.024"	0.027"
230 bar	230 bar	230 bar
0.65 kW	0.89 kW	1.1 kW
16 kg	16 kg	25.5 kg

# PS 3.25

### PS 3.25 Airless Spraypack

ProSpray 3.25 SKID basic unit, 230 V / 50 Hz  
 + HP hose DN6-ND270, 15 m, yellow  
 + Airless gun AG 08, 250 bar, incl. TradeTip 2 nozzle holder  
 + TradeTip 2 nozzle 419

### PS 3.25 HR Airless Spraypack

ProSpray 3.25 HR basic unit on cart, 230 V / 50 Hz  
 + HP hose DN6-ND270, 15 m, yellow  
 + Airless gun AG 08, 250 bar, incl. TradeTip 2 nozzle holder  
 + TradeTip 2 nozzle 419

Article-No. 2308 259

Article-No. 2308 260





## advantages...



### Technical Data

Max. delivery rate
Max. nozzle size 1/2 Guns
Max. operating pressure
Motor output
Weight

## PS 3.29

### Delivery package PS 3.29 Airless Spraypack

- + ProSpray 3.29 HR basic unit, 230 V / 50 Hz
- + HP hose DN6-ND270, 15 m, yellow
- + Airless gun AG 08, 250 bar, incl. TradeTip 2 nozzle holder
- + TradeTip 2 nozzle 419

Article-No.

2308 261

## PS 3.31

### Delivery package PS 3.31 Airless Spraypack

- + ProSpray 3.31 HR basic unit, 230 V / 50 Hz
- + HP hose DN6-ND270, 15 m, yellow
- + Airless gun AG 08, 250 bar, incl. TradeTip 2 nozzle holder
- + TradeTip 2 nozzle 421

Article-No.

2308 262





## ...which convince

Fast change of the container and easy cleaning thanks to the tilting cart.

Quick change of the suction system without tools.

The microprocessor based electronic system controls and regulates all functions.

The low position of the inlet valve of the PS 3.39 improves the suction power for high viscosity materials.



PS 3.29	PS 3.31	PS 3.34	PS 3.39
3.0 l/min	3.8 l/min	4.5 l/min	5.0 l/min
0.029"/-	0.032"/0.021"	0.034"/0.023"	0.039"/0.026"
230 bar	230 bar	230 bar	230 bar
1.5 kW	1.7 kW	1.94 kW	2.68 kW
38 kg	38 kg	43 kg	44 kg

# PS 3.34

### Delivery package PS 3.34 Airless Spraypack

- + ProSpray 3.34 HR basic unit, 230 V / 50 Hz
- + HP hose DN6-ND270, 15 m, yellow
- + Airless gun AG 08, 250 bar, incl. TradeTip 2 nozzle holder
- + TradeTip 2 nozzle 421

Article-No.

2308 263

# PS 3.39

### Delivery package PS 3.39 Airless Spraypack

- + ProSpray 3.39 HR basic unit, 230 V / 50 Hz
- + HP hose DN13-ND230, NPS 1/2", 15 m, yellow
- + HP hose wand DN10-ND230, NPS 3/8", 2.5 m
- + Airless gun AG 14, NPS 1/4", incl. TradeTip 2 nozzle holder, F-thread
- + TradeTip 2 nozzle 431
- + TradeTip 2 nozzle 231

Article-No.

2308 264



## ProSpray accessories

### Guns



Together with the unit and the nozzle, the gun is the centrepiece in every spraying operation. The optimum spray jet adjustment possibilities give you perfect results every time.

- 0296 393 Airless gun AG 08 (F-thread) incl. nozzle and nozzle holder
- 0502 168 Airless gun AG 14 (F-thread) incl. nozzle and nozzle holder

### Nozzles



TradeTip2 nozzles offer a wide range of uses for optimum adjustment to the project in question, and are available in various types and sizes: from 0.007" to 0.067" and with spraying angles from 10° to 120° (see the current compass and nozzles manual).

### 2SpeedTip

**NEW**



The nozzle innovation from WAGNER. Now you can work even faster and more flexibly. With the new 2SpeedTip nozzles you can swap between two nozzle sizes with just one twist. The nozzle is available in various nozzle combinations (see current brochure).

### Gun filters



Gun filters prevent nozzle blockages. (Each pack contains 10 pcs.).

- 0097 022 Extra fine filter insert, red
- 0097 023 Fine filter insert, yellow
- 0097 024 Medium filter insert, white

### High pressure hoses



A wide choice of material hoses is available for various material applications and action radii.

- 9984 574 HP hose DN6-ND270, 1/4", 15 m, yellow
- 9984 575 HP hose DN6-ND270, 1/4", 30 m, yellow

### InlineRoller



Paint rolling with Airless technology: The Airless system automatically transports the coating material from the drum to the paint roller. Convenient and efficient working without carrying cans and dipping into the drum.

- 0345 010 InlineRoller complete with hose in plastic box.

### TipClean



Contactless cleaning and clean storage.

- 0097 108 Container incl. special cleaner
- 0097 110 Special cleaner for TipClean (1 litre)

### Pole guns



Pole guns save using ladders and scaffolding.

- 0296 443 Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16"
- 0296 444 Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16"

### Large volume container

**NEW**



For the application of large quantities we recommend using the mobile, solvent-resistant, and very easily cleaned large volume container with a capacity of 100 litres. Low own weight.

- 2309 956 Large volume container, complete incl. lid

### PumpRunner

**NEW**



... the cleanest solution. The patented accessory from WAGNER for air-tight closure of the suction tube.

- 2306 987 PumpRunner