Highways

Product Range

"Brand new solutions for tomorrow's world"











Passive safety

Leafield Environmental is an active member of the Passive Revolution and produces highway products that are passively safe and tested to BS12767 Passive Safety of Non Harmful Structures.

Sustainability

Our products are principally manufactured using Medium Density Polyethylene (MDPE) which is 100% recyclable at the end of the product in-service life. In addition we offer a range of ECO Bollards that are produced using a 50% content of chipped plastic bottles. We are also using the highest visibility Diamond Grade, fluorescent, retro reflective materials and helping to reduce carbon emissions from street lighting.

Testing against the highest standard

Night Owl has been independently tested and passes, at 70 km/h, BS8442:2006 (14) Retro Reflective Bollards, the highest standard for Keep Left bollards.

Cost effectiveness

Using Polyethylene makes our highway products extremely durable and able to withstand tough urban environments with little or no in-service maintenance. This makes them a very cost effective choice compared with cast or steel bollards that require repainting or regular protection from rust.



Range and choice

This brochure showcases our extensive range of highway bollards and winter maintenance products in a wide choice of formats and finishes. In addition we are pleased to discuss specific 'personalisation', (logos, messages etc) that may be required.

Working with you

We work with you our customers and with other manufacturers to produce total highway solutions. See the video and case study from Hull where we worked with Streetscene Engineers and the Humberside Fire and Rescue Service. Also look at the use of Night Owl on composite Traffic Islands produced by Rediweld.

Call 01189 404717 to find out more

Contents

Signs & Sign Bollards

Night Owl

Linsign 300

Linsign 230

Roadside Storage Bins/ Sentry Sign & Barrier

Roadside Storage Bins/Sentry Signs



Bollard Product Selector



Bollards

Heritage

Regency & Woburn

Sentinel

Monarch, Sterling & Edgeminder

Vergemarker

16 - 17


18 - 19

20 - 21

22 – 23

Colours

Colour chart





Night Owl[™] is an all plastic, recyclable, passively safe, self righting 'Keep Left' bollard comprising a 'bounce back' base unit and replaceable rigid sign carrier.

Night Owl has passed BS8442:2006, 'Retro Reflective Self Righting Bollards' which requires products to remain intact, returning to an upright position after a 70 km/h impact without reducing the speed of the vehicle by more than 3km/h.

Night Owl has particular application as a Keep Left bollard providing a durable, low maintenance cost, reduced carbon footprint solution for traffic islands in general.

See the Night Owl brochure for detailed information.

Night Owl is a Trademark of Leafield Environmental Ltd



Night Owl

Choose from

Single Sided **Double Sided**

Fixing Options

Surface Mounted Concrete Anchor (used in the MIRA Test) Adapter Plates for existing fixings

Colours (see page 23)

Black, white & grey for Highways use Standard & Premium (for non Highways use)

*Night Owl has passed BS8442:2006 (14) Retro Reflective Self Righting Bollards

Sign Options




PASSIVE



Single Sided, Sign & Panel Double Sided, 2 signs & 1 Panel Double Sided 1 sign & 2 Panels Double Sided 2 Signs & 2 Panels

REFLEX

BS 8442



Specification

Side reflector: 53.5mm wide Weight: 6kg Material: MDPE

All dimensions and weights are nominal

Bounce Back Base

Fixing Options

Surface Mounted


Concrete Anchor (used in the MIRA Test) Adapter Plates for existing installations

Colours (see page 23)



PASSIVE

Fixing Options





REFLEX BS 8442



Specification

Ground fixing centres: 228 x 228mm Weight: 1.6kg Material: Reflex PE

All dimensions and weights are nominal





Sign Suggestions



For further sign options please contact Customer Services, telephone 01189 404717.

Sentinel Linsign 300 Visibol

Choose from

Sentinel Linsign 300 Visibol Standard or ECO Single Sided Sign profile or Double Sided Sign profile (see left)

Fixing Options*

Sentinel Linsign 300 Visibol Standard All Sentinel Linsign 300 Visibol ECO PM, AR & S

Colours (see page 23)

Standard & Premium ECO

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. See page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas



Left to right:

Light .Grey: Blue Reflective Band All Yellow Reflective Band Yellow Reflective Band Sandstone: Red/White Reflective Band



Heritage Linsign 300

Choose from

Heritage Linsign 300 Standard or ECO Single Sided Sign profile or Double Sided Sign profile (see page 6)

Fixing Options*

Heritage Linsign 300 Standard Heritage Linsign 300 ECO PM, AR & S

Colours (see page 23)

Standard & Premium FCO

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. Decorative banding is optional see page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas



Light Grey: Sandstone: White Reflective Band, Blue Decorative Band

Yellow Reflective Band Black:

364mm Ø 300mm Reflective Band 150mm 1419mm Decorative Band = 13mm

Class ref 1&2

Specification

Weight: Less than 7kg Material: MDPE

All dimensions and weights are nominal

Heritage Linsign 300 Visibol

Choose from

Heritage Linsign 300 Visibol Standard or ECO Single Sided Sign profile or Double Sided Sign profile (see page 6)

Fixing Options*

Heritage Linsign 300 Visibol Standard Heritage Linsign 300 Visibol ECO PM, AR & S

Colours (see page 23)

Standard & Premium **ECO**

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. Decorative banding is optional see page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas



Left to right:

Black:

Blue Reflective Band, Blue Decorative Band

Black:


All Yellow Reflective & Decorative Band

Black: Sandstone:

Yellow Reflective Band Red/White Reflective Band

ECO

Class ref 1&2



Specification

Weight: Less than 7kg

All dimensions and weights are nominal

Class ref 1&2 364mm



Specification Weight: Less than 7kg

Material: MDPE

All dimensions and weights are nominal

Sentinel Linsign 300

Choose from

Sentinel Linsign 300 Standard or ECO Single Sided Sign profile or Double Sided Sign profile (see page 6)

Fixing Options*

Sentinel Linsign 300 Standard Sentinel Linsign 300 ECO PM, AR & S

Colours (see page 23)

Standard & Premium **ECO**

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. See page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas



Left to right: Light Grey:

White Reflective Band Sandstone: Red/White Reflective Band Black: Yellow Reflective Band

ECO


Class ref 1&2 364mm



Specification

Weight: Less than 7kg Material: MDPE

All dimensions and weights are nominal



Sign Suggestions

















For further sign options please contact Customer Services, telephone 01189 404717.

Sentinel Linsign 230 Visibol

Choose from

Sentinel Linsign 230 Visibol Standard or ECO Single Sided Sign profile or Double Sided Sign profile (see left)

Fixing Options*

Sentinel Linsign 230 Visibol Standard Sentinel Linsign 230 Visibol ECO PM, AR & S

Colours (see age 23)

Standard & Premium ECO

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. See page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas



Left to right:

Light Grey: Blue Reflective Band Yellow Reflective Bands Black: Black: All Yellow Reflective Bands Sandstone: Red/White Reflective Band



Heritage Linsign 230

Choose from

Heritage Linsign 230 Standard or ECO Single Sided Sign profile or Double Sided Sign profile (see page 8)

Fixing Options*

Heritage Linsign 230 Standard Heritage Linsign 230 ECO PM, AR & S

Colours (see page 23)

Standard & Premium FCO

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. Decorative banding is optional see page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas



Blue Decorative Band Sandstone: Yellow Reflective Band Black:

339mm 230mm Reflective Band 300mm 150mm 1352mm - 13mm Specification

Class ref 1&2

Weight: Less than 7kg Material: MDPE

All dimensions and weights are nominal

Heritage Linsign 230 Visibol

Choose from

Heritage Linsign 230 Visibol Standard or ECO Single Sided Sign profile or Double Sided Sign profile (see page 8)

Fixing Options*

Heritage Linsign 230 Visibol Standard Heritage Linsign 230 Visibol ECO PM, AR & S

Colours (see page 23)

Standard & Premium **ECO**

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. Decorative banding is optional see page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas



Left to right:

Light Grey:

Blue Decorative Band

Black:


Yellow Reflective Band All Yellow Reflective

Blue Reflective Band.

Black: Sandstone:

Red/White Reflective Band

ECO Class ref 1&2



Specification

Weight: Less than 7kg Material: MDPE

All dimensions and weights are nominal

Class ref 1&2 **ECO**



Specification

Weight: Less than 7kg Material: MDPE

All dimensions and weights are nominal

Sentinel Linsign 230

Choose from

Sentinel Linsign 230 Standard or ECO Single Sided Sign profile or Double Sided Sign profile (see page 8)

Fixing Options*

Sentinel Linsign 230 Standard Sentinel Linsign 230 ECO PM, AR & S

Colours (see page 23)

Standard & Premium ECO

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. See page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas




Left to right: Light Grey: Sandstone: Black:

Blue Reflective Band Red/White Reflective Band Yellow Reflective Band

ECO

Class ref 1&2



Specification Weight: Less than 7kg

Material: MDPE

All dimensions and weights are nominal

Roadside Storage Bins & Sentry Sign

Ideal for a wide range of situations and applications





Above: Grit Bins used in car parks for staff and customer safety.

Left: Grit Bins can be produced in a range of colours and with personalisation.

Right: In storage 200 litre Grit Bins can be stacked five high.

Far right: Sentry Signs provide robust and useful advisory signage for garage forecourts.



Salt & Grit Bins

- Double skin perimeter lid for greater
- Robust rib structure for added strength
- Wear resistant base
- 200 litre units nest up to five high, 400 litre units nest up to four high (180 degree, 60% nest for a stable stack)
- · Fork lift space for easy manoeuvrability

Capacity

200 & 400 litre capacity

Optional

- Hasp and Staple
- **Gold Banding**
- Personalisation

Colours (see page 23)

Standard & Premium



Sentry Sign & Barrier


- Temporary vehicular and pedestrian warning sign
- Use in multiples to form barriers
- Stackable, practical for large events
- Robust, durable & impact resistant
- Weather resistant
- Choice of screw fixings or channel for slot-in graphic board*

*Not included

Colours (see page 23)

Standard & Premium





All dimensions are nominal

Specification


775mm Deep

Weight: 7 kg

Material: MDPE

All dimensions and weights are nominal





Fixing options

Permanent Fixing (PM)

For permanent fixing the bollard base is concreted in below ground. The bollard is supplied as a single unit with a moulded-in anchor section that is set into the concrete ensuring that the bollard cannot be removed.





Socketed Fixing (S)

This two piece system allows the bollard to be quickly removed to allow immediate access or replacement. The bollard comes with a moulded-in 'bayonet' end that fixes (by rotating through 90 degrees) into a lockable base unit that has been set in concrete below ground level. A blanking cap is available for when the bollard is removed. Where reflex material is specified the product is only suitable for very low speed impacts.

Anti-Ram Fixing (AR)


The bollard is supplied as a 'sleeve' that sits over a robust steel tube core that is permanently concreted into the ground.
Effective as a deterrent only to 'ram raiding' (not PAS 68 classified) and also enhances pedestrian safety within high risk areas.





Surface Fixing (SM)

The bollard is supplied with an integral circular base with four bolt holes for quick and easy fixing onto a suitable concrete base. Ideal in a wide range of situations and particularly suitable for multi-storey car parks, bridges and any situation where below ground services or membranes might be vulnerable. Where reflex material is specified the product is only suitable forvery low speed impacts. * ECO version not available



Material options

Reflex (Self Righting)

Reflex bollards are manufactured from a tough and durable material, which enables the products to withstand impact from any direction and return to an upright position and continue in service.

Specify Reflex material for vulnerable locations where conventional bollards would otherwise require frequent replacement.

Where reflex material is specified with either a Socketed or Surface Fixing the product is only suitable for very low speed impacts.



ECO

ECO bollards are manufactured using a combination of 50% chipped plastic bottles and 50% regular polymer. Using chipped material reduces the environmental impact of re-processing to the absolute minimum.

ECO bollards are available in black or an attractive stone effect finish which, due to the nature of the material, will vary slightly.

Standard

Standard Moulded Polyethylene (PE) is extremely durable with outstanding impact, fracture and shatter resistance properties tested to BS2782. PE is also 100% recyclable allowing the material to be reused at the end of the bollard in-service life.



LINSIGN 150 1 m This is a summary. please refer to the product brochure for full details on all options available. 3 Version Sentinel Heritage Sentinel Heritage Sentinel Sentinel Sentinel Sentry Sentry Туре Visibol Visibol Visibol Decorative Visibol Dimensions Height 1352 1098 1098 1098 1098 1300 1196 1376 1376 (mm) Diameter 339 195 195 195 195 195 195 195 195 Standard Material Options Reflex ECO* PM Permanent Fixing Options Socketed S

Reflective Banding

Class ref 1 Engineering Grade

Applications: Non Highway traffic signs, emblems, street name plates and other general signage.

Benefits: Provides good level of reflective performance, appearing both bright and legible in daylight and at night.

7 year effective performance life.

Class ref 2 High Intensity

Applications: Highway traffic safety applications where night time visibility is paramount.

Benefits: Provides high level of reflective performance. Class 2 material is approximately 3.5 times brighter than Class 1 material and provides a 10 year effective performance life.

Aluminium backed British Standard Reflective Banding (BS EN 12899-1 2001)

Decorative/Non-reflective gold/silver banding personalised sign faces and bands available

Decorative Banding

Gold and Silver metallic decorative banding is available as a standard optional extra to add a stylish and traditional look particularly in heritage or prestige environments. If there is a special requirement to use coloured or reflective material on the decorative band this may also be possible by quotation subject to quantities and lead times.

AR

SM

Class ref 1

Class ref 2 Decorative band

Anti-ram

Surface





Signage Options

DDA Compliant









Туре		Illuminated	Non-illumated
Dimensions (mm)	Height	1037	1037
	Width / Depth	395 / 110	395 / 110
	Sign face	300 dia	300 dia
	Base	320 x 320	320 x 320
Material		One piece reflex/rigid polymer composite	Reflex base, rigid polymer bollard
Passively safe	PM Permanent	BS EN 12767:2007 100 NE4.	BS EN 12767:2007 100 NE4.
Conspicuity	Туре	Fluorescent translucent retroreflective to BS 5740	Fluorescent retroreflective to BS 5740
	Area front	0.16m ²	0.16m ²
	Area side	0.045m ²	$0.045m^{2}$
Lighting	Source	Cree LED powered by Zeta 240V - 6.65 Watts Circuit power factor 6.4	
	Photocell	55 Lux, Switching ratio1:0.5 Typical burn hours 4115	
UMSUG	Charge code	40 0007 0006 100	
Fixing		Attach to in-ground Duct Box Retrofit to other base boxes	Concrete-in Surface mount

with adapter plates











Night Owl™

All plastic, recyclable, passively safe, self-righting 'Keep Left' bollards that minimise the consequences of collisions for the driver and reduce the cost of repair and maintenance for the authority.

Available in both illuminated and non-illuminated formats, Night Owl has passed BS EN 12767:2007 & BS 8442:2006, 'Retro Reflective Self Righting Bollards' which require products to remain intact, returning to an upright position after a high speed impact, without reducing the speed of the vehicle by more than 3km/h.

Night Owl has particular application as a Keep Left bollard providing a durable, low maintenance, energy efficient, reduced carbon footprint solution for traffic islands in general.

See the Night Owl brochures for detailed information.

Night Owl is a Trademark of Leafield Environmental Ltd





Heritage 150

Choose from

Heritage 150 Standard Heritage 150 Reflex Heritage 150 ECO

Fixing Options*

Heritage 150 Standard Heritage 150 Reflex Heritage 150 ECO

ΑII PM, S & SM PM, AR & S

Colours (see page 23)

Standard & Premium Reflex or ECO

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. Decorative banding is optional see page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface





Class ref 1&2

Banding Ideas



Left to right:

Light Grey:


Blue Reflective Band, Blue Decorative Band Yellow Reflective Band

Burgundy: Racing Green:

Yellow Reflective Band. Gold Decorative band

ECO

Sandstone: Red/White Reflective Band



Specification

. Weight: Less than 7kg Material: MDPE

All dimensions and weights are nominal

Heritage 150 Visibol

Choose from

Heritage 150 Visibol Standard Heritage 150 Visibol ECO

Fixing Options*

Heritage 150 Visibol Standard ΑII Heritage 150 Visibol ECO PM, AR & S

Colours (see page 23)

Standard & Premium

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. Decorative banding is optional see page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas



DDA

Left to right:

Light Grey:

Blue Cycle Reflective Band, Blue Decorative Band


Black: Black:

Yellow Reflective Band All Yellow Reflective

& Decorative Band

Sandstone: Red/White Reflective Band

Class ref 1&2



Specification

Weight: Less than 7kg

Material: MDPE

ECO

All dimensions and weights are nominal

REFLEX

Heritage Decorative

Choose from

Heritage Decorative Standard Heritage Decorative Reflex Heritage Decorative ECO

Fixing Options*

Heritage Decorative Standard Heritage Decorative Reflex Heritage Decorative ECO PM, AR & S

Colours (see page 23)

Standard & Premium Reflex ECO

Banding

Choice of Decorative banding available. See page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface


Banding Ideas



Left to right:

PM & SM

Light Grey: Blue Decorative Band **Burgundy:** Gold Decorative Band Racing Green: Gold Decorative Band Red Reflective Band Sandstone:



Specification

Weight: Less than 6kg Material: MDPE All dimensions and weights are nominal







Woburn 75

Choose from

Woburn 75 Standard Woburn 75 Reflex

Fixing Options*

Woburn 75 Standard Woburn 75 Reflex

Colours (see page 23)

Standard & Premium Reflex

Branding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. See page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas



Left to right: Light Grey:

PM & SM

Black: Racing Green: Blue Reflective Band Yellow Reflective Band Yellow Reflective Band Red/White Reflective Band

Regency 150







Class ref 1&2

Ø 166mm



Choose from

Regency 150 Standard Regency 150 Reflex

Fixing Options*

Regency 150 Standard All Regency 150 Reflex PM & SM

Colours (see page 23)

Standard & Premium Reflex

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. See page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas



Left to right:

 Light Grey:
 Blue Cycle Reflective Band

 Black:
 Yellow Reflective Band

 Burgundy:
 Yellow Reflective Band

 Slate Mottle Grey:
 Red/White Reflective Band

1030mm

Specification

Weight: Less than 6kg Material: MDPE

All dimensions and weights are nominal

Regency Decorative

Choose from

Regency Decorative Standard Regency Decorative Reflex

Fixing Options*

Regency Decorative Standard PM, S & SM Regency Decorative Reflex PM & SM

Colours (see page 23)

Standard & Premium Reflex

Banding

Choice of Decorative banding available. See page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas





Left to right:

Light Grey: Blue Decorative Band
Black: Silver Decorative Band
Burgundy: Gold Decorative Band
Slate Mottle Grey: Red Decorative Band

Ø 166mm 30mm


REFLEX

Specification

Weight: Less than 6kg Material: MDPE

All dimensions and weights are nominal

REFLEX Class ref 1&2



Specification

Weight: Less than 7.5kg Material: MDPE All dimensions and weights are nominal

Woburn 150

Choose from

Woburn 150 Standard Woburn 150 Reflex

Fixing Options*

Woburn 150 Standard All Woburn 150 Reflex PM & SM

Colours (see page 23)

Standard & Premium Reflex

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. See page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

DDA





REFLEX Class ref 1&2

Banding Ideas




Left to right:

Light Grey: Blue Cycle Reflective Band
Burgundy: Yellow Reflective Band
Racing Green: Yellow Reflective Band
Sandstone: Red/White Reflective Band



Specification

Weight: Less than 7.5kg
Material: MDPE
All dimensions and weights are nominal





Above: Sentinel 150 stylish and practical.

Far Left: Sentinel 150 with Anti Ram fixing for garage forecourts.

Left: Sentinel 150 used at crossings as visual and physical indication.

Right: Sentinel 150 with reflective graphic banding denoting cycle way.



Sentinel 150

Choose from

Sentinel 150 Standard Sentinel 150 Reflex Sentinel 150 ECO

Fixing Options*

Sentinel 150 Standard Sentinel 150 Reflex Sentinel 150 ECO

ΑII PM, S, & SM PM, AR & S

Colours (see page 23)

Standard & Premium Reflex or ECO

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. See page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface



REFLEX

Class ref 1&2

150mm

1030mm

Ø 166mm

Banding Ideas



Left to right:

Light Grey: Racing Green:

Sandstone:

Blue Cycle Reflective Band Yellow Reflective Band Yellow Reflective Band Red/White Reflective Band

Specification

Weight: Less than 7kg Material: MDPE

All dimensions and weights are nominal

Sentinel 150 Visibol

Choose from

Sentinel 150 Visibol Standard Sentinel 150 Visibol ECO

Fixing Options*

Sentinel 150 Visibol Standard Sentinel 150 Visibol ECO PM, AR & S

Colours (see page 23)

Standard & Premium

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. See page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface







Left to right:

ΑII


Light Grey: Black: Black:

Sandstone:

Blue Cycle Reflective Band All vellow Reflective Band Yellow Reflective Band Red/White Reflective Band



Class ref 1&2



Specification

Weight: Less than 7kg Material: MDPE All dimensions and weights are nominal

Sentinel Decorative

Choose from

Sentinel Decorative Standard Sentinel Decorative Reflex Sentinel Decorative ECO

Fixing Options*

Sentinel Decorative Standard Sentinel Decorative Reflex PM & SM Sentinel Decorative ECO PM, AR & S

Colours (see page 23)

Standard & Premium Reflex ECO

Banding

Choice of Decorative banding available. See page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface


Banding Ideas



Left to right:

Light Grey: Blue Decorative Band **Burgundy:** Racing Green: Gold Decorative Band Sandstone: Red Decorative Band






Specification

Weight: Less than 6kg Material: MDPE All dimensions and weights are nominal







Edgeminder bollards used to protect grass

Left: Sterling bollards used with chain link, supplied by customer.

Right: Monarch bollards used to protect an office building.



Monarch



Choose from

Monarch Standard Monarch Reflex

Fixing Options*

Standard PM & AR Reflex PM

Colours (see page 23)

Standard & Premium Reflex

Banding

Choice of Class ref 1 British Standard Reflective banding available. See page 13.


*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas



Left to right:

Pallet Orange: Red Reflective Band Signal Red: Yellow Reflective Band Racing Green: Yellow Reflective Band Golden Yellow: Red Reflective Band



Specification

Weight: Less than 3.5kg Material: MDPE

REFLEX

All dimensions and weights are nominal

Class ref 1&2

Edgeminder

Choose from

Edgeminder Standard Edgeminder Reflex Edgeminder ECO

Fixing Options*

Standard PM Reflex PM ECO PM

Colours (see page 23)

Standard & Premium Reflex or ECO

Banding

Choice of Class ref 1 & Class ref 2 British Standard Reflective banding available. Aluminium backed for vandal resistance. Decorative banding is optional see page 13.

*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface

Banding Ideas



ECO

PM & AR

Light Grey: Blue Reflective Band **Burgundy:** Gold Reflective Band Racing Green: Silver Reflective Band Red Reflective Band Sandstone:



Specification

Weight: Less than 1.75kg Material: MDPE

All dimensions and weights are nominal

Sterling

Choose from

Sterling Standard Sterling Reflex

Fixing Options*

Standard Reflex

Colours (see page 23)

Standard & Premium





REFLEX



Specification Weight: Less than 5kg

Material: MDPE

All dimensions and weights are nominal



*PM - Permanent, AR - Anti-Ram, S - Socketed, SM - Surface





Colours

Leafield manufactures all its products to order, so it is often possible to match your colour scheme or other specifications.

Please call our Customer Services Team to discuss your requirements.




Vergemarkers provide a high visibility warning sign and are particularly effective in a range of high risk incident situations including deceptive bends and junctions.

Vergemarkers are manufactured as a single unit and have a moulded-in below ground section to allow for permanent fixing. They are produced in very strong reflex material and the overall product design provides low impact resistance to vehicles.

If struck by a vehicle Vergemarker is designed to fold at a specific crease point without unduly reducing the vehicle speed. Unobstructed they will self right to an upright position to continue in service.

The reflector is a Class 2 retro-reflective material on a stainless steel backing for improved adhesion and durability.



Vergemarker



Choose from Reflex Vergemarker Fixing Options* Reflex Vergemarker

Colours (see page 23) Black

Banding White band as standard.



Standard



PMS BLACK



Admiralty Grey PMS 425



Light Grey PMS 423



Bluebell White



Pallet Orange PMS 165



PMS 533



*PM - Permanent

PMS 349



Racing Green PMS 3302 *



Signal Red PMS 485



Burgundy PMS 5115



Golden Yellow PMS 116

Premium





Reflex



Black Reflex

ECO



50% reclaimed



bottles - Black

The colours reproduced in this brochure are constrained by the printing process. Colour plaques are available on request if required.

- Denotes a colour with a longer lead time
- Denotes a colour with a premium price point

About Leafield Environmental

We are an award winning UK manufacturer and a specialist producer of solutions for the needs of the Litter, Recycling, Highways, Water, and Agricultural markets.

Our customers include the country's leading Companies, Universities and Public Sector institutions.

Environmental - ISO 14001

We are a company that cares about the environment and our business has in place Environmental Management Systems that have been certified and comply with BS EN ISO 14001:2004.

Quality & Service - ISO 9001

We have a 'quality culture' running throughout our business and have systems in place, certified to BS EN ISO 9001:2008, which ensure that our customers receive a consistently high level of quality and service.

Health & Safety

We care about the occupational Health and Safety of our staff and are an OHSAS 18001 certified employer.

Registered Designs

Vergemarker, Sentinel 150, Night Owl and Night Owl Base are the Registered Designs of Leafield Environmental.

Sustainability


Our products are principally manufactured using Medium Density Polyethylene (MDPE) which is 100% recyclable at the end of the product in-service life. Wherever possible our products are made using a proportion of recycled material that varies according to product type and colour.

Award Winning Design

Our design team consistently produce product solutions that are independently recognised for their excellence.

2003	Best Environmental or Energy Efficiency Programme	Envirobank 140
2003	National Recycling Awards Recycled product of the year finalist	Envirobank 140
2008	Best Industrial Product Design	TwinBin
2008	Technical Innovation Award	WT Drinking Troughs
2010	Horners Award for Plastic Design & Innovation (Highly Commended Certificate)	Night Owl Keep Left Bollard

Leafield Environmental is setting new standards in the design, manufacture and performance of a range of specialist products for the Highways market.



Tel: 01189 404717 Fax: 01189 403216 www.streetfurnishings.co.uk