




February 27, 2012

NEW PRODUCT**M3PFBA**

The presence of lower homologues of perfluorinated carboxylic acids in environmental samples may be the result of contamination from point sources or degradation of related perfluorinated compounds. Although it has been reported that perfluorobutanoic acid is not likely to bioaccumulate, its ubiquitous detection in the environment, as well as its persistent nature, may lead to a continuous exposure that results in adverse health effects. The monitoring of environmental levels of perfluorinated compounds can be challenging due to the wide range of complex matrices in which they are detected. The impact of using mass-labelled surrogates on the precision and accuracy of data is significant and applicable to any analytical method. With this in mind, **Wellington** has synthesized a new perfluorinated reference standard, **M3PFBA**, to supplement our existing MPFBA and PFBA standards.

Perfluoro-n-[2,3,4-¹³C₃]butanoic acid

Catalogue Number	Product (methanol)	Qty/Conc
NEW PFBA	Perfluoro-n-butanoic acid	1.2 ml 50 µg/ml
M3PFBA	Perfluoro-n-[2,3,4- ¹³ C ₃]butanoic acid	1.2 ml 50 µg/ml
MPFBA	Perfluoro-n-[¹³ C ₄]butanoic acid	1.2 ml 50 µg/ml

Please contact your local distributor or info@well-labs.com for pricing and delivery.

Visit our website (www.well-labs.com) for a complete listing of our new products.

