


October 30, 2009

NEW PRODUCTS

NATIVE FLUOROTELOMER SULFONATE REFERENCE STANDARDS

Recently, fluorotelomer sulfonates have received considerable attention due to their increased use in aqueous film-forming foams (AFFFs) which are used to fight hydrocarbon-fueled fires. Since telomer-based AFFFs are the most effective tools currently available for fighting Class B flammable liquid fires, their use is not likely to be halted anytime soon. Studies have also suggested that these compounds not only survive wastewater treatment, but that the levels of some of them in effluents can actually increase due to the degradation of their precursors, which may also be present. In order to facilitate the analysis of these compounds, WELLINGTON has prepared reference standard solutions of the 4:2-, 6:2-, and 8:2-Fluorotelomer Sulfonates.



Sodium 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)

Sodium 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)

Sodium 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)

Catalogue Number	Product (methanol)	Qty/Conc
4:2FTS	4:2 Fluorotelomer Sulfonate	1.2 ml 50 μg/ml
6:2FTS	6:2 Fluorotelomer Sulfonate	1.2 ml 50 μg/ml
8:2FTS	8:2 Fluorotelomer Sulfonate	1.2 ml 50 μg/ml

Please contact your local distributor or info@well-labs.com for pricing and delivery.

Visit our website (www.well-labs.com) for a complete listing of our new products.

