

Senco compressors from small to large: for every application there's a Senco compressor. In addition to high quality professional tools, Senco also has a complete range of high quality compressors. There are oil free and oil lube versions available for a wide range of applications.

Senco compressors are designed to run at least 3.000 hours, leaving the competition behind.



COMPRESSORS, KITS & ACCESSORIES

For every application there's
a Senco compressor.



USE SENCO TOOLS

COMPRESSORS

SENCO[®]

MINI COMPRESSOR PC1010



TECHNICAL INFORMATION

Length	360 mm
Width	330 mm
Height	250 mm
Weight	9,1 kg
Power	230V / 0,3kW (0,5 pk)
RPM	2850
Tank capacity	3,8 l
Maximum pressure	8 bar
Displacement	34 l/min
Airflow (6-6,2 bar)	20 l/min
Noise level	68 db(A)

APPLICATIONS

Primarily finish, trim and upholstery

FEATURES

- Oil free
- Ultra light, hand carry
- Comfort grip
- Aluminium cylinder
- Silent and durable (3000 hours)

DESCRIPTION ART. NR.

0,3kW (0,5 hp) compressor (230V) PC1010EU

0,3kW (0,5 hp) compressor (110V) PC1010UK1

0,3kW (0,5 hp) compressor (230V) PC1010UK2

MINI COMPRESSOR PC1248



TECHNICAL INFORMATION

Length	160 mm
Width	490 mm
Height	460 mm
Weight	16,8 kg
Power	230V / 1,1 kW (1,5 pk)
RPM	2850
Tank capacity	8,0 l
Maximum pressure	9 bar
Displacement	139 l/min
Airflow (6-6,2 bar)	79 l/min
Noise level	83 db(A)

APPLICATIONS

Finish, trim, upholstery, roofing, siding and sheathing

FEATURES

- Maintenance free
- Oil free
- Sturdy, lightweight
- Thermal overload protection
- Fully automated control

DESCRIPTION ART. NR.

1,1 kW (1,5 hp) compressor (230V) PC1248EU

1,1 kW (1,5 hp) compressor (110V) PC1248UK1

1,1 kW (1,5 hp) compressor (230V) PC1248UK2

MINI COMPRESSOR PC0968



TECHNICAL INFORMATION

Length	400 mm
Width	380 mm
Height	340 mm
Weight	17 kg
Power	230V / 1,1 kW (1,5 pk)
RPM	2850
Tank capacity	10,0 l
Maximum pressure	9 bar
Displacement	113 l/min
Airflow (6-6,2 bar)	51 l/min
Noise level	81 db(A)

APPLICATIONS

Finish, trim, upholstery, roofing and siding

FEATURES

- Hand carry
- Ultra light
- Comfort grip
- Oil free
- Silent and durable (3000 hours)

DESCRIPTION ART. NR.

1,1 kW (1,5 hp) compressor (230V) PC0968EU

MIDI COMPRESSOR PC1252



TECHNICAL INFORMATION

Length	540 mm
Width	310 mm
Height	430 mm
Weight	23 kg
Power	230V / 1,5 kW (2 pk)
RPM	2850
Tank capacity	3,0 l
Maximum pressure	9 bar
Displacement	201 l/min
Airflow (6-6,2 bar)	122 l/min
Noise level	84 db(A)

APPLICATIONS

Finish, trim, roofing, siding, decking, subflooring, sheathing and framing

FEATURES

- Hand carry
- Sturdy, very compact and mobile
- Pressure switch with start-up valve
- Fully automated control
- Excellent for pneumatic caulk guns

DESCRIPTION ART. NR.

1,5 kW (2 hp) compressor (230V) PC1252EU

MIDI COMPRESSOR PC1249



TECHNICAL INFORMATION

Length	320 mm
Width	360 mm
Height	660 mm
Weight	30 kg
Power	230V / 1,5 kW (2 pk)
RPM	2850
Tank capacity	10,0 l
Maximum pressure	9 bar
Displacement	201 l/min
Airflow (6-6,2 bar)	133 l/min
Noise level	93 db(A)

APPLICATIONS

Finish, trim, upholstery, roofing, siding, decking, subflooring, sheathing, pallets and framing

FEATURES

- Sturdy mobile compressor
- Thermal overload protection
- Pressure regulator for controlled working pressure

DESCRIPTION ART. NR.

1,5 kW (2 hp) compressor (230V) PC1249EU

MIDI COMPRESSOR PC1250



TECHNICAL INFORMATION

Length	880 mm
Width	320 mm
Height	670 mm
Weight	42 kg
Power	230V / 1,5 kW (2 pk)
RPM	2850
Tank capacity	46,0 l
Maximum pressure	10 bar
Displacement	277 l/min
Airflow (6-6,2 bar)	164 l/min
Noise level	87 db(A)

APPLICATIONS

Finish, trim, roofing, siding, decking, subflooring, sheathing, pallets, framing, packaging

FEATURES

- Sturdy, high performance compressor
- Thermal overload protection
- Fully automated control
- Oil free

DESCRIPTION ART. NR.

1,5 kW (2 hp) compressor (230V) PC1250EU

1,5 kW (2 hp) compressor (110V) PC1250UK1

COMPRESSORS

SENCO[®]



MAXI COMPRESSOR PC2225



TECHNICAL INFORMATION

Length	650 mm
Width	560 mm
Height	530 mm
Weight	39 kg
Power	230V / 1,9 kW (2,5 pk)
RPM	2850
Tank capacity	16,0 l
Maximum pressure	9 bar
Displacement	268 l/min
Airflow (6-6,2 bar)	192 l/min
Noise level	82 db(A)

APPLICATIONS

Finish, trim, roofing, siding, decking, subflooring, sheathing, pallets and framing

FEATURES

- Big wheels, stable and easy to move
- Die cast aluminium
- Compact design and strong frame
- Pump with cast iron sleeve

DESCRIPTION	ART. NR.
1,9 kW (2,5 hp) compressor (230V)	PC2225EU

MAXI COMPRESSOR PC1251



TECHNICAL INFORMATION

Length	550 mm
Width	520 mm
Height	760 mm
Weight	37,5 kg
Power	230V / 1,9 kW (2,5 pk)
RPM	2850
Tank capacity	20,0 l
Maximum pressure	9 bar
Displacement	271 l/min
Airflow (6-6,2 bar)	164 l/min
Noise level	83 db(A)

APPLICATIONS

Finish, trim, upholstery, roofing, siding, decking, subflooring, sheathing, pallets and framing

FEATURES

- Sturdy mobile compressor
- Thermal overload protection
- Fully automated control
- Large non-inflatable rubber wheels

DESCRIPTION	ART. NR.
1,9 kW (2,5 hp) compressor (230V)	PC1251EU
1,9 kW (2,5 hp) compressor (110V)	PC1251UK1

MAXI COMPRESSOR PC1246



TECHNICAL INFORMATION

Length	650 mm
Width	530 mm
Height	850 mm
Weight	57 kg
Power	230V / 2,6 kW (3,5 pk)
RPM	2850
Tank capacity	16,0 l
Maximum pressure	10 bar
Displacement	350 l/min
Airflow (6-6,2 bar)	224 l/min
Noise level	89 db(A)

APPLICATIONS

Finish, trim, roofing, siding, decking, subflooring, sheathing, pallets and framing

FEATURES

- Compact design
- Thermal overload protection
- Pressure switch with start-up valve
- Instrument panel enables easy operation

DESCRIPTION	ART. NR.
2,6 kW (3,5 hp) compressor	PC1246UK2

KIT COMPRESSOR PC1287EU



NEW

TECHNICAL INFORMATION

Length	540 mm
Width	310 mm
Height	430 mm
Weight	28,5 kg
Power	230 V / 0,75 kW (1 pk)
RPM	1450
Tank capacity	3,0 l
Maximum pressure	15 bar
Displacement	131 l/min
Airflow (6-6,2 bar)	74 l/min
Noise level	77 db(A)

APPLICATIONS

Caulking, finish & trim, siding, decking

FEATURES

- Excellent for pneumatic caulk guns
- Sturdy, very compact and mobile
- Comfort grip
- Fully automated control
- Thermal overload protection

DESCRIPTION	ART. NR.
Senco kit compressor	PC1287EU

HP COMPRESSOR PC1286EU



NEW

TECHNICAL INFORMATION

Length	620 mm
Width	425 mm
Height	320 mm
Weight	25 kg
Power	230V / 1,5 kW (2 pk)
RPM	2400
Tank capacity	10,0 l
Maximum pressure	27,5 bar
Displacement	70 l/min
Airflow (6-6,2 bar)	40 l/min
Noise level	80 db(A)

APPLICATIONS

30 bar application, features also a 8 bar connection, multiple machines at 8 bar

FEATURES

- Oil free
- Light weight, easy to move
- Dual safety valves
- Thermal overload protection

DESCRIPTION	ART. NR.
High Pressure Compressor	PC1286EU



KITS AND ACCESSORIES

SENCO

COMPRESSOR KIT PC1010EU & 3 IN 1 SET



APPLICATIONS

Easy to transport. fits on every systainer and protects tools or compressor.

CONTENT

- PC1010

CONTENTS 3 IN 1

- SLS18Mg, page 24
- FIP18Mg, page 26
- FIP35Mg, page 27

DESCRIPTION	ART. NR.
Systainerset PC1010EU	3PR2014N
Systainer 3 in 1	3PR2012N
Systainerset PC1010 (110V)	3PR2014N-UK

COMPRESSOR KIT PC1010EU/SLS18MG



APPLICATIONS

Cabinets, furniture, drawer assembly, case backs, picture frames

CONTENTS

- PC1010 Compressor
- SLS18-L Mg Medium wire stapler
- Including hose
- Including safety glasses
- Including blisterpack L staples

DESCRIPTION	ART. NR.
PC1010EU/SLS18Mg	PC0972EU
PC1010/SLS18Mg (110V)	PC0972UK

COMPRESSOR KIT PC1010EU/FINISHPRO18MG



APPLICATIONS

Mouldings, furniture, decoration, trim, beading, cabinets and drawers, rattan furniture, finishing

CONTENTS

- PC1010 Compressor
- FinishPro18Mg Brad nailer
- Including hose
- Including safety glasses
- Including blisterpack AX brads

DESCRIPTION	ART. NR.
PC1010EU/FinishPro18Mg	PC0964EU
PC1010/FinishPro18Mg (110V)	PC0964UK1
PC1010/FinishPro18Mg (230V)	PC0964UK2

AIR ACCESSORY KIT



DESCRIPTION	ART. NR.
Air accessory kit;	400050
Washing pistol, tire inflating gun with pressure gauge, paint spray gun, air blow gun, hose	

HOSE REEL



DESCRIPTION	ART. NR.
Hose reel universal PU 30m x 8mm	4000730

HOSE PLUG



DESCRIPTION	ART. NR.
Universal hose 6,5mm blist. 2 pcs.	4000200
Universal hose 8mm blist. 2 pcs.	4000210
Universal hose 10mm blist. 2 pcs.	4000220
Universal hose 12,7mm blist. 2 pcs.	4000230

AIRBLOW GUN



DESCRIPTION	ART. NR.
Airblow gun metal with Cejn coupling	400030
Airblow gun metal with Orion coupling	400031
Airblow gun blue with Orion coupling	400032

PLUG MALE



DESCRIPTION	ART. NR.
Universal NPT 1/4" 2 pcs.	4000100
Universal NPT 3/8" 2 pcs.	4000110
Universal NPT 1/2" 2 pcs.	4000120
Universal NPT 1/4" 10 pcs.	4000101
Universal NPT 3/8" 10 pcs.	4000111

HOSE REPAIR PLUG



DESCRIPTION	ART. NR.
6mm blist. 2 pcs.	4000480
8mm blist. 2 pcs.	4000490
9,5mm blist. 2 pcs.	4000500

HOSE REEL



DESCRIPTION	ART. NR.
Hose reel universal auto PU 12m x 6,5mm	4000720

PLUG FEMALE



DESCRIPTION	ART. NR.
Universal NPT 1/4" 2 pcs.	4000150
Universal NPT 3/8" 2 pcs.	4000160
Universal NPT 1/2" 2 pcs.	4000170
Universal NPT 1/4" 10 pcs.	4000151
Universal NPT 3/8" 10 pcs.	4000161

HOSE CLAMP



DESCRIPTION	ART. NR.
10-16mm blist. 5 pcs.	4000520

