





THE ADVANTAGES

- Protect

Your rental machines Rental machines are often poorly maintained. Protect them with the introduction of a fully automatic lubrication system.

Your own machines Remove the hassle of manual lubrication, and replace the old inefficient oil lubrication system feeding the Chain Saw saving time and improving lubrication efficiency.

▶ Your investment

Don't let poor maintenance make your machines unreliable Replacement parts can be very costly and re-sale value can be dramatically affected.

Reduce

- Critical component wear and tear
- Maintenance cost
- Downtime for repairs

Increase

- Life of the chain saw
- ► The life of Bearings, Pins and Bushes
- ▶ The time between maintenance intervals
- ► The value of your machine at re-sale

+ Save

- ► Time on expensive manual lubrication costs
- Running costs
- Replacement part costs

Quick and Easy to Refill









Grease Application

+ Advantages

- ▶ Grease adheres to the chain better than oil.
- Extends the life of the Chain, Bar and Sprocket.

▶ Eliminates oil transportation and is more environmentally friendly.

SPL Divider valves

Cab Mounted Control Panel HDI Grease Pump with 6KG Reservoir



Timken ILS Heavy Duty Electric Grease Pump (HDI), 12 or 24Volt DC option.

The pump is fitted with Low level and Over Pressure sensors and has a quick fill adapter to simplify the re filling of the reservoir.

+ Control and Monitoring system

AND COM

A 100

Intelligent CAN-BUS Control and Monitoring System.

High performance controller offering protected fuse and relay outputs, easy plug and play system with J1939 Protocol support.

Dash Mounted Screen with LED operational Graphics.

The system is pre-set, no operator adjustments are required to achieve optimal Lubrication.

Easy to Navigate interface with real time alarm functions. such as:

- No Grease Flow
- Low Pressure

Low Grease level


- High Pressure
- ✓ Blown Fuse
- Pump Failure
- Control Valve Failure

Creative lubrication solutions for both new and pre-owned machines

Control Panel

The Timken ILS Grease Lubrication system, for the Harvester chain, can be extended to lubricate grease points on the machine boom and Harvester Head.

For more information visit timken.com/interlube





HARVESTER CHAINSAV LUBRICATION SYSTEM

Combining durable Progressive Lubrication Systems with Intelligent Monitoring Technology.

Manual lubrication is a thing of the past.

Timken ILS have recently developed a Grease Lubrication system that applies Grease to the saw on a Harvester.

The system will deliver accurate and precise amounts of grease to the saw as and when the machine is in process.

The grease will lubricate and cool the metal surfaces/ cutting teeth, prolonging component life and reducing maintenance costs.

The system uses substantially less lubricant than the conventional oil lubrication systems and has proven that the grease has extended the life of the saw blade.





UNITED KINGDOM

Timken ILS Limited St Modwen Road, Parkway Industrial Estate, Plymouth, Devon, England PL6 8LH

Tel: +44 (0)1752 676000 Fax: +44 (0)1752 676001 info@interlubesystems.com

UNITED STATES

Timken ILS Limited 2109 Lyons Road, Miamisburg, Ohio 45342, USA

Tel: +1 (937) 276 4507 Tel: +1 (888) 488 5823 Fax: +1 (937) 276 4518 custserv@interlubeusa.com www.interlubeusa.com

ASIA (Malaysia)

Interlube Systems (M) SDN BHD 30 Jalan Apollo U5/189 Bandar Pinggiran Subang Seksyen U540150 Shah Alam Selangor Darul Ehsa, Malaysia

Tel: 03-78456577
Fax: 0378455377
Mob: 0123159694
interlube@unifi.my
www.interlubesystems.com

CHINA

InterLube (ZhuHai) Co.,Ltd Block 2, No.3, Hongda Rd, Nan Ping Industrial Park, Zhu Hai, P.R. China

Tel: 86-756-8919512 Fax: 86-756-8919527 info@interlubesystem.com.cn www.interlube.com.cn

The Timken team applies their know-how to improve the reliability and performance of machinery in diverse markets worldwide. The company designs, makes and markets high-performance mechanical components, including bearings, gears, chain and related mechanical power transmission products and services.

