



Automotive Products

A range of high-quality automotive lubricants designed to perform



Performance Driven Through Technology



MORRIS
LUBRICANTS
ESTABLISHED 1869

Performance Driven Through Technology

LEADERS IN AUTOMOTIVE LUBRICANTS

As one of Europe's leading manufacturers of automotive lubricants with a history dating back to Benz's first motorcar, we're constantly striving to develop the next generation of products that not only meet, but far exceed, our clients' expectations. Our highly-skilled, expert team works in close collaboration with the world's major automotive OEMs to ensure that our manufacturer-approved range of automotive products continues to meet the very latest and most stringent global standards.

A COMPREHENSIVE RANGE OF AUTOMOTIVE LUBRICANTS


Our automotive product range has been specifically formulated to exceed the technological requirements of today's automobile, from modern family cars and 4x4s to light commercial vehicles and high-performance sports cars. With the ever-increasing complexity of exhaust after-treatment devices (particulate filters and catalysts) and demands for supreme fuel economy, our products not only offer the highest levels of component protection, but ensure that maximum operating efficiency is maintained at all times.

UNDERSTANDING YOUR NEEDS

Our world-renowned Research and Development department is constantly innovating to develop the next generation of world-class products for the automobiles of the future as well as of today. Our commitment to customer care is further demonstrated by our value-added services and infrastructure, developed through continuous collaboration with automotive OEMs, franchise dealerships and independent workshops.


ASK THE EXPERT

We're hugely proud of the relationships we have with our customers and are always on-hand to provide expert technical support whenever it is needed. Our expert team has extensive knowledge of lubricants and their applications, ensuring we are able to identify and recommend the perfect lubricant solutions to our customers' requirements.



Engine Oils

A range of superior quality engine oils suitable for both petrol and diesel engines. Our latest synthetic technology products are an essential component in the operation of low emission engine designs. Their chemical profiles have been carefully tailored to ensure maximum after-treatment device compatibility.



Coolants

Formulated specifically to provide protection all year round, the products not only ensure effective cold start, but the balanced blend of rust and corrosion additives contribute to cooling system integrity.



Gear and Transmission Oils

Fuel economy and shift comfort have put increasing demands on transmissions, driving the development of a range of products with optimised friction and wear control features.



Brake Fluids

High performance fluids that provide effective operation under a wide variety of driving conditions. Manufactured to exceed vehicle manufacturers standards, and suitable for use at high temperatures.



Greases

A range of high-performance greases suitable for a wide range of automotive applications, including wheel bearings, brakes and CV joints.



Product Name	Part No.	Previous Name	Tech Flags	Performance Levels
--------------	----------	---------------	------------	--------------------



Superior quality fuel-efficient and after-treatment device compatible engine oil for petrol and diesel engines.

Multivis ECO C2 0W-30	WFT	Multilife C-TWO 0W-30	FE M ST	ACEA C2, ACEA C3, BMW Longlife-04
Multivis ECO S 0W-20	ECS	Multilife ECO-S 0W-20	FE ST	API SN, ILSAC GF-5, GM dexos 1
Multivis ECO V 0W-20	MLV	Multivis V 0W-20	FE ST	ACEA A1 / B1, Volvo VCC RBSO.2AE (Approved)
Multivis ECO V 0W-30	MZT	Multivis 0W-30	FE ST	API SL, ACEA A5/B5, Volvo 95200377
Multivis ECO FB 5W-20	MFN	Multilife F948 5W-20	FE ST	Ford WSSM2C948-B, API SN, ACEA A1/B1, STLJR.03.5004
Multivis ECO FA 0W-30	NFT	[New Product]	FE ST	ACEA C2, Ford WSS-M2C950-A



Superior quality after-treatment device compatible engine oil for petrol and diesel engines.

Multivis ADT C1 5W-30	MCF	Multilife C-ONE 5W-30	FE L ST	ACEA C1, Ford WSS-M2C934-B, STLJR.03.5005 (Approved)
Multivis ADT C2 5W-30	CTW	Multilife C-TWO 5W-30	FE M ST	API SN/CF, ACEA C2, PSA B712290
Multivis ADT C3 5W-30	CTH	Multilife C-THREE 5W-30	FE M ST	ACEA C3, ACEA C2, MB 229.31, MB 229.51, MB-Approval 229.52, API SN, dexos2 (License no. RB2B0407047)
Multivis ADT C4 5W-30	CFT	Multilife C-FOUR 5W-30	FE L ST	ACEA C4, Renault RN0720, MB 226.51, MB 229.31, MB 229.51
Multivis ADT VX 5W-30*	VXC	Multilife VX 5W-30	FE M ST	VW 504.00/507.00†, VW 503.00/503.01/506.00/506.01, ACEA C3, Porsche C30, MB 229.51, BMW Longlife-04†
Multivis ADT C3 5W-40	CFF	Multilife C-THREE 5W-40	M ST	API SN / CF, ACEA C3, BMW Longlife-04, Ford WSS-M2C917-A, MB 229.51, Porsche A40, VW 502.00/505.01, PSA B712290
Multivis ADT FD 5W-30	MND	Multivis F913D 5W-30	FE ST	API SL / CF, ACEA A1 / B1, A5 / B5, Ford WSS-M2C913-D, STLJR.03.5003



Superior quality engine oil with enhanced component protection for petrol and diesel engines.

Multivis CST FC 5W-30	MFF	Multivis F 5W-30	FE ST	API SL / CF, ACEA A1 / B1, A5 / B5, Ford WSS-M2C913-C
Multivis CST HP 5W-40	MFS	Multivis 5W-40	ST	API SN/CF, ACEA A3/B4, Renault 0700&0710, Fiat 9.55535-G1/H2/H3/M2/N2, MB 229.3, Opel GM-LL-B-025 (Diesel), VW Standard 502.00/505.00, Porsche A40
Multivis CST SS 10W-40	MUL	Multivis Semi Synthetic 10W-40	SS	API SN / CF, ACEA A3 / B4, MB 229.3, VW 502.00 / 505.00, Renault RN 0700 / 0710
Multivis CST FB 5W-30	MSS	Multivis Semi Synthetic 5W-30	SS	API SL/SJ/CF, Ford WSS-M2C913-B



Superior quality high performance engine oil developed for demanding motorsport applications.

Multivis MLR 10W-60	RPM	X-RPM Competition 10W-60	FS	API SL / SJ / CF
Multivis MLR 10W-50	COM	X-RPM Competition 10W-50	FS	API SL / SJ / CF



Superior quality engine oil formulated to extend component life in petrol and diesel engines.

Servol 10W-30	SFE	~	~	API SL/CF, ACEA A3/B4.
Servol 10W-40	SPS	~	~	API SL/SJ/CF, ACEA A3/B3.
Servol 15W-40	SPP	~	~	API CG-4/CF-4/SJ/SL.

Product Specifications

GEAR AND TRANSMISSION OILS

LODEXOL XFS 75W-90

Formulated to protect the critical mechanisms of limited slip differentials.

Performance Levels: API GL-5

Part number: XFN

LODEXOL XFS 80W-140

Formulated to protect the critical mechanisms of limited slip differentials.

Performance Levels: MIL-L-2105D, API GL-5+

Part number: XFS

LODEXOL MTFE 75W

Optimised for use in automotive gearboxes requiring a low viscosity SAE 75W. Provides potential fuel saving performance.

Performance Levels: Ford WSS M2C-200D2*1, API GL4

Part number: TFE

LODEXOL MTF 75W-80

Formulated for use in automotive gearboxes to ensure outstanding cold start fluidity and fast circulation around gear systems.

Performance Levels: API GL4

Part number: MTS

LODEXOL FS 75W-90

High performance gear oil with an excellent performance profile and load carrying ability.

Performance Levels: API GL 4/5.

Part number: LSF

LODEXOL FR-X

High performance, extreme pressure (EP) gear oil, which has excellent cold start fluidity contributing to the overall fuel savings for the vehicle.

Performance Levels:

Complies with PSA B71 2310 and B71 2330

Part number: FRX

MULTITRANS DCT

A premium multi-vehicle DCT fluid, formulated to ensure the optimum operational efficiency and longevity of dual clutch designs.

Performance Levels: VW, Audi, Seat and Skoda 6-speed wet Dual Clutch Transmissions (2003 to present), Ford/Getrag, Volvo, Peugeot, Citroen and Mitsubishi 6-speed wet Dual Clutch Transmissions (2007 to present), MB 7 speed wet dual clutch transmissions.

Part number: DCT

MULTITRANS MPC

A high performance transmission fluid, designed to provide rationalisation opportunities without compromising performance.

Performance Levels: GM DEXRON® IIIH MB 236.6, Ford MERCON® V, Chrysler ATF +3, Nissan MATIC D/J/K, Chrysler ATF +4, JATCO 3100, Chrysler NAG-1, Allison C-4 SP-111, Honda Z-1 Toyota T-IV, ZF TE-ML 02F, 03D, 04D, 09, 11B, 14A, 14B, 16L, 17C, JASO 1A, VW TL 52162 – (Factory fill product – Yellow), Mitsubishi J2 and J3. Also suitable for use in applications requiring MB 236.11/12/14/15

Part number: MPC

MULTITRANS CVT

A high performance transmission fluid, designed for use in a wide variety of pushbelt type Continuously Variable Transmissions (CVTs).

Performance Levels: Toyota CVTF TC, Subaru ECVT, Toyota CVTF FE Subaru iCVT, Nissan NS-1, Daihatsu Ammix CVT, Nissan NS-2, Suzuki CVTF TC, Honda HMMF*2, Suzuki NS-2, Honda HCF2, Suzuki CVT Green 1, Mitsubishi SP-III, Hyundai SP-III, Mitsubishi CVTF-J1, Chrysler Jeep NS-2, Mini Cooper EZL799. Jatco systems include: JF009E, JF010E, JF011E, F06A, F1C1. **NOTE:** Not recommended for Hybrid E-CVT and Toroidal CVT. Chain type CVTs, and electro-powershift have not yet been validated.

Part number: CVT

LIQUIMATIC DS

An advanced synthetic based automotive transmission fluid that offers increased cold start efficiency resulting in improved fuel economy.

Performance Levels: Certified and licensed to General Motors Dexron® VI. License No. J-60324. Can be used where the following is specified: Dexron®, Dexron®II, IIE, III or IIIH. Other specifications include: MB 236.5, Chrysler M1375.4, ZF TE-ML 09, Mercon LV, Mitsubishi SP-IV, Volvo 97340, Voith 55.6635, Allison C4

Part number: DXS

LIQUIMATIC SUPER ATF

Multipurpose ATF suitable for use in all applications requiring a Dexron® IIIH fluid.

Part number: ATF

LIQUIMATIC DII

Multipurpose ATF suitable for use in all applications requiring a Dexron® IID fluid.

Part number: LDT



BRAKE FLUIDS

SSF FLUID

An advanced synthetic formulation that may be used in all applications that currently require the use of LHM Plus fluid, but more specifically in Citroen C5 hydraulic suspension systems.

Performance Levels:

Meets International Standard ISO 7308.

Part number: SFL

LHM PLUS

Can be used in brake systems, power steering systems and self-levelling suspension systems where a mineral based product of this type has been specified.

Performance Levels:

ISO 7308, PSA B71 2710, Ford ESN M6C 59A.

Part number: LHM

MULTI-SYSTEM CENTRAL HYDRAULIC FLUID

An advanced synthetic formulation for use in applications and vehicle systems that require the use of CHF 11S and CHF 202 fluids, both of which are registered trade marks of Deutsche Pentosin-Werke GmbH.

Performance Levels:

Meets the performance requirements of International Standard ISO 7308.

Part number: MHF

GREASES

K383 ANTI-SEIZE COMPOUND

K383 is a lead free anti seize compound, that enables fast and easy dismantling of components.

Part number: ASC

K42EP

Multipurpose grease for use in all anti-friction and plain bearings subjected to high shock load and vibration conditions.

Part number: KFT

K2EP LONGLIFE

Multi-purpose lithium complex grease for lubricating all antifriction and plain bearings, shows exceptional performance even under arduous conditions and over wide operation temperature ranges.

Part number: KLG















For full performance profiles, please refer to latest technical data sheet available online at www.morrislubricants.co.uk/data-sheets

*1 has demonstrated no harm in use.

*2 Not recommended for Honda CVT with starting clutch.

*3 Proven to meet the requirements of this specification following extensive field trials.

-  Fuel Efficient
-  Low-SAPS
-  Mid-SAPS
-  Fully Synthetic
-  Semi Synthetic
-  Special Base Oil
-  Performance Mineral
-  For automated manual transmissions
-  For manual transmissions
-  For automatic transmissions
-  For axles/differentials
-  For limited slip differential

Supplementary Products



FUEL ADDITIVES

An advanced range of fuel additives designed to maintain cleanliness of fuel systems in both diesel and petrol engines. Enhancing fuel ignition quality, reducing deposits and improving fuel economy.



MAINTENANCE AEROSOLS

A carefully blended range of high performance maintenance aerosol products, including solvent cleaners, degreasers and chain lubricants. The ideal addition to the automotive workshop.



SCREEN WASHES

A range of specially formulated screen washes designed to provide excellent performance at sub-zero temperatures. Cutting through dirt and grime to leave a clean and smear free finish.



HAND CARE

A powerful range of solvent-free hand cleansers designed to remove the toughest of dirt and grime whilst providing ultimate protection to the skin. They make a perfect accompaniment to our barrier cream products in any workshop.



HYGIENE

A flexible range of cleaning products suitable for dilution and use in pressure washers to maintain cleanliness across a variety of surfaces.



YOUR DEALER/DISTRIBUTOR:



ISO 9001
Quality Management

FM 21756

ISO 14001
Environmental Management

EMS 60044

OHSAS 18001
Occupational Health and Safety Management

OHS 555083

ISO 50001
Energy Management

ENMS 619355



UKLA
UNITED KINGDOM LUBRICANTS ASSOCIATION



Castle Foregate, Shrewsbury, SY1 2EL Tel: +44 (0)1743 232 200 Email: info@morris-lubricants.co.uk

www.morrislubricants.co.uk

All the products are reflective of the latest specifications at the time of going to press and are part of a continuous development programme. The company reserves the right to change formulation and specification, without prior notice to meet the latest trends and developments in lubricant and grease technology. For more detailed information on any product and confirmation of the latest specifications contact our Technical Services Department. Full product data sheets and health and safety information is available on request.