

Kingfisher

Solution & Blanket Warming Cabinets



Designed specifically for use in hospitals, the Kingfisher range of Solution & Blanket Warming Cabinets provide an accurate and cost-effective means for storing and warming a wide variety of clinical items such as:

- Infusion fluids
- Lotions
- Ointments
- Filled syringes
- Irrigation fluids
- Blankets

The control panel has been designed to help prevent accidental or unauthorised tampering with the temperature control or ON/OFF switch. Temperatures are PID controlled and a digital temperature display constantly monitors chamber conditions. For additional security, a key or PIN operated door lock can be added to all models.

Features in the range include:

- Precise electronic temperature control
- Tamper-proof controls
- Over-temperature protection
- Radiused stainless steel interior
- Fan circulated (Solution Warming Cabinets only)
- Specially designed racks for I.V. bags (optional)
- PIN or key door locking (optional)

Kingfisher Blanket Warming Cabinets are suitable for storing solutions as well as blankets and are supplied with 2 or 4 shelves, depending on the model. These cabinets are not fan circulated, ensuring maximum storage and safety.

NB - Blankets must never be stored in a Solution Warming Cabinet.

SPECIFICATIONS

SOLUTION WARMING CABINETS

Cat. No.	Nominal capacity (Litres)	Internal Dims, HxWxD, mm	External Dims, HxWxD, mm	No. of shelves	Power rating (Watts)	Air circulation	Temperature range °C	Storage capacity (1 Litre bottles)	Rack capacity (12 x IV bags per rack)
LK/SWC/01/1	72	350 x 520 x 400	570 x 620 x 630	1	250		5 above	12	1 (12)
LK/SWC/02/1	145	700 x 520 x 400	920 x 620 x 630	2	350	Fan		24	2 (24)
LK/SWC/03/1	176	850 x 520 x 400	1070 x 620 x 630	3	550	circulation ambient to 80	36	2 (24)*	
LK/SWC/04/1	228	1100 x 520 x 400	1320 x 620 x 630	4	750			48	3 (36)*

^{*}These models are designed with spare storage space at the top for smaller bottles or other items.

BLANKET WARMING CABINETS

Cat. No.	Nominal capacity (Litres)	Internal Dims, HxWxD, mm	External Dims, HxWxD, mm	No. of shelves	Power rating (Watts)	Air circulation	Temperature range °C
LK/BWC/02/1	145	700 x 520 x 400	1100 x 620 x 630	2	350	Natural	5 above ambient to 80
LK/BWC/04/1	228	1100 x 520 x 400	1320 x 620 x 630	4	750	convection	

OPTIONS AND ACCESSORIES

LK/INC/11/0	Spare Shelf			
LK/SWC/10/0	C/SWC/10/0 Storage Rack to accommodate 12 x 1 litre Bags			
LK/SWC/13/0	Bogie with Lockable Castors			
LK/SWC/14/0	Stand with Lockable Castors			
LK/SWC/15/0	Stand without Castors			
LK/SWC/20/0	Wall Brackets for 72 litre model only			
LK/SWC/KEY	Lockable Door - Key Access			
LK/SWC/PIN	Lockable Door - PIN Access			
LK/SWC/SK	Stacking Kit			



Stand with Lockable Castors









LTE SCIENTIFIC LTD

Greenbridge Lane Greenfield, Oldham OL3 7EN United Kingdom **T:** +44 (0) 1457 876221 **F:** +44 (0) 1457 870131 **E:** info@lte-scientific.co.uk LTE-SCIENTIFIC.CO.UK

7 8 90

Lockable Door - PIN Access