

ATLANTIC

Washers



The ATLANTIC Family of Glass

1 Atlantic Singles

One set of rotary brushes
Speed 3.5 mtr/min
Constant water filtration
Open top construction
Models: 1.3, 1.5, 1.8

Dimensions:


Input rack 1350mm;
Output rack 1750mm;
Depth 600mm;
Overall length 4140mm.

2 Atlantic Doubles

Two sets of rotary brushes
Speed 5 mtr/min
Constant water filtration
Open top construction
Models: 1.3, 1.5, 1.8

Dimensions:

Input rack 1950mm;
Output rack 1950mm;
Depth 650mm;
Overall length 5180mm.



Options

- Direction to suit left to right or right to left
- Non standard rack sizes to suit your requirements
- Manual or automatic glass alignment options
- Water treatment for machines advised for cost effectiveness
- Service schedules arranged to suit your machines workload and environment




ss Washers

3 Atlantic Plus

Two sets of rotary brushes
Variable speed up to 10 mtr/min
Conveyorised output rack
Separate wash and rinse tanks
Constant water filtration
Models: 1.3, 1.5, 1.8, 2.1, 2.5

Dimensions:

Input rack 1950mm;
Output rack 2400mm;
Depth 650mm;
Overall length 5630mm.



ATLANTIC Washers

The ATLANTIC

washer design is based on the varied requirements of modern industry. Our range complements all levels of production and incorporates features to reduce running costs dramatic-ally. Quality materials and components are combined to give quality British machinery, and the freedom to produce a first class product.



Common Features

- Hot wash and rinse water
- Long life stainless steel rotary brushes
- Low voltage controls
- Stainless steel structure throughout
- Stainless steel bearings and running gear
- Inspection windows throughout
- Low water level cut out switch
- Rapid tank drainage system
- Inspection lights as standard
- Max glass thickness 10mm
- Min glass size 190 x 100mm
- Glass loading height 760mm
- 12 months unconditional warranty
- **Single phase machinery available on some models.**

ATLANTIC

Machinery

The Atlantic range of flat glass washing machines, designed and manufactured in the UK using British components throughout.

Performance

The Atlantic Plus processes glass at over 10 mtr/min - ideal for operations where speed is paramount. All machines in the range have the flexibility to clean glass down to a minimum of 190 x 100mm, ideal for Georgian period style units.

Economy

Reducing running costs has obvious monetary and environmental benefits. We calculate that a 50% energy reduction can be made when compared with conventional washers. Reductions in water consumption have been achieved using a continuous water filtration system with the added benefit of reduced water treatment costs.

Safety

All of our washers are manufactured with operator safety as a priority. Low voltage controls, sensible glass loading height and reduced sound levels are all features that keep your operator as reliable as your machinery.

Reliability and Service

Sensible design coupled with stringent quality control procedures have assured long term reliability throughout the range. Our machines have an open plan stainless steel internal structure coupled with stainless bearings and running gear throughout. Long term maintenance is therefore simplified, making the most complicated of component replacements a matter of minutes rather than hours. All machinery is run and fully tested prior to delivery and comes with a full twelve months guarantee. An optional extended three year warranty period is available on request.

Atlantic Machinery Ltd

*Unit 1B, Dodwells Road
Dodwells Bridge Industrial Estate
Hinckley, Leicestershire LE10 3BZ, UK
Telephone 01455 890942
International +44 1455 890942
www.atlantic-machinery.co.uk*

The company pursues a policy of continual product development and improvement. These specifications may be subject to change, therefore, and shall not form part of any contract.