




Hooped Perimeter Barrier

48mm Diameter

Galvanised, Bolt Down



Perimeter Barriers are designed to help secure site perimeters and provide a permanent obstacle to vehicle access, to mark boundaries, define trolley parks and protect vulnerable door entrances and exits.

Suited to sites where aesthetics and security are equally important, perimeter barriers are commonly found outside car showrooms acting as protection for the cars on the forecourt without impeding a customer's view of the vehicles.

Available in a variety of heights and widths, available as concrete in, bolt down or removable for occasional access.

Available as galvanised as standard. Stainless steel, galvanised and colour coated available extra.



Part Number	Description, Height above ground x overall width	Weight (kg)
138 174 827	500 x 500 Galvanised - Bolt Down	5kg
138 174 805	500 x 1000 Galvanised - Bolt Down	7kg
138 174 809	500 x 1500 Galvanised - Bolt Down	9kg
138 174 816	500 x 2000 Galvanised - Bolt Down	11kg
138 174 810	750 x 1000 Galvanised - Bolt Down	9kg
138 174 812	750 x 1500 Galvanised - Bolt Down	11kg
138 174 864	750 x 2000 Galvanised - Bolt Down	12kg
138 174 815	1000 x 1000 Galvanised - Bolt Down	11kg
138 174 823	1000 x 1500 Galvanised - Bolt Down	12kg
138 174 820	1000 x 2000 Galvanised - Bolt Down	14kg

Product details

- 3mm wall thickness
- 6 bolts required per barrier
- Round flange plate – 133mm x 5mm
- Colour coated options available extra

Installation & use

Bolt down to a suitable concrete surface.
 Telescopic, removable and concrete in are supplied with welded fixing spikes to ensure firm ground anchorage into concrete.
 Telescopic, removable and concrete in require a suitable excavated hole for installing into concrete.
 Products are guaranteed for 12 months (if installed and used correctly).



www.autopa.co.uk
 +44 (0)1788 550556

AUTOPA Limited
 Cottage Leap, Rugby, Warwickshire CV21 3XP

