



PRODUCT CATALOGUE 2017

Mobile Access Solutions







Mobile Access Solutions

A few key features of our access platforms are safety, mobility and fast assembly with no tools required. This allows you to work fast and gives you easy access to demanding areas on your site.

CONTENTS

GDA250 - 0.8m Scaffold Tower.....	3
GDA250 - 1.8m Scaffold Tower.....	4
GDA250 - 3.5m Scaffold Tower.....	5
GDA250 - 5.3m Scaffold Tower.....	6
GDA250 - 7.1m Scaffold Tower.....	7
GDA300 - 1.9m Trade Scaffold Tower.....	8
GDA300 - 2.6m Trade Scaffold Tower.....	9
GDA300 - 3.6m Trade Scaffold Tower.....	10
GDA400 - 4m Self Build Scaffold Tower.....	11
GDA500 - 2m Mobile Scaffold Tower - Double Width.....	12
GDA500 - 4m Mobile Scaffold Tower - Double Width.....	13
GDA500 - 6m Mobile Scaffold Tower - Double Width.....	14
GDA500 - 8m Mobile Scaffold Tower - Double Width.....	15
GDA500 - 12m Mobile Scaffold Tower - Double Width.....	16
GDA500 - 2m Mobile Scaffold Tower - Single Width.....	17
GDA500 - 4m Mobile Scaffold Tower - Single Width.....	18
GDA500 - 6m Mobile Scaffold Tower - Single Width.....	19
GDA500 - 8m Mobile Scaffold Tower - Single Width.....	20
Telescopic Ladder 2.6m.....	21
Telescopic Ladder 3.2m.....	22
Telescopic Ladder 3.8m - Double Sided.....	23
Telescopic Ladder 5.6m - Double Sided.....	24

**Visit Website
for Prices**



GDA250 - 0.8m Scaffold Tower

Are you looking for a scaffold tower for quick DIY jobs? When a ladder is just not good enough, our GDA250 is perfect for small jobs. It gives you extra stability and security when working at height.

This scaffold tower has few components, which makes it easy to assemble and to store away. You can be up and running in minutes! The frame and braces are aluminium and have strong welds. This tower can be used indoors or outdoors on a flat surface. The platform is made from a non-slip plywood.

Description	Dimensions
Platform Height	0.8m (2.6ft)
Working Height	2.8m (9.1ft)
Platform Length	600 x 1,465mm (1.96 x 4.80ft)
Frame Width	730mm (2.3ft)
Loading Capacity	180kg





**Visit Website
for Prices**

GDA250 - 1.8m Scaffold Tower

Our GDA250 Access Scaffold Tower is a solution that delivers true value for money. We have built the GDA250 access scaffold tower using high grade aluminium which makes the scaffolding robust and long lasting. The scaffold tower extends to heights of 3.8m, giving you easy access to areas at that height and is easily assembled without tools.

Description	Dimensions
Platform Height	1.8m (5.9ft)
Working Height	3.8m (12.4ft)
Tower	800 x 1,650mm (2.6 x 5.4ft)
Platform	600 x 1,465mm (1.9 x 4.8ft)
Loading Capacity	180kg

Complies to EN1004 and WAHR



**Visit Website
for Prices**



GDA250 - 3.5m Scaffold Tower


The GDA250 Scaffold Tower is built with lightweight aluminium, making it easy to transport and assemble. Our scaffolding towers can be used by anyone but some of our customers include DIY enthusiasts, construction workers, engineers, electricians, builders, painters and plasterers.

Description	Dimensions
Platform Height	3.5m (11.4ft)
Working Height	5.5m (18ft)
Tower	800 x 1,650mm (2.6 x 5.4ft)
Platform	600 x 1,465mm (1.9 x 4.8ft)
Loading Capacity	180kg

Complies to EN1004 and WAHR



**FREE
SHIPPING!**



**Visit Website
for Prices**

GDA250 - 5.3m Scaffold Tower


Work from heights of up to 7.3m with our GDA250 Scaffold Tower Platform. The scaffold platform is easy to assemble and made of durable yet lightweight aluminium. It requires no tools or training to assemble making it an excellent choice for workers who want the ultimate fast access solution.

Description	Dimensions
Platform Height	5.3m (17.3ft)
Working Height	7.3m (23.9ft)
Tower	800 x 1,650mm (2.6 x 5.4ft)
Platform	600 x 1,465mm (1.9 x 4.8ft)
Loading Capacity	180kg

Complies to EN1004 and WAHR



**Visit Website
for Prices**



GDA250 - 7.1m Scaffold Tower

The GDA250 7.1m is one of the highest reaching aluminium scaffold towers on the website and is now for sale in Ireland at our unbeatable price! This scaffold tower gives you monumental access to work place heights of up to 9.1m. It has been designed and manufactured by our engineers to give you instant access to difficult to reach working areas.

Description	Dimensions
Platform Height	7.1m (23.2ft)
Working Height	9.1m (29.8ft)
Tower	800 x 1,650mm (2.6 x 5.4ft)
Platform	600 x 1,465mm (1.9 x 4.8ft)
Loading Capacity	180kg

Complies to EN1004 and WAHR

**FREE
SHIPPING!**



**Visit Website
for Prices**

GDA300 - 1.9m Trade Scaffold Tower

The GDA300 Trade Scaffold Tower, is a heavy duty scaffold that reaches heights of up to 3.9m making it ideal to access hard to reach working areas. It has been manufactured using high grade aluminium that will stand the test of time in even the most challenging of work place environments. Whether you are a painter, electrician, builder or engineer this product will address your every needs.



Description	Dimensions
Platform Height	1.9m (6.2ft)
Working Height	3.9m (12.7ft)
Tower	677 x 1,917mm (2.2ft x 6.3ft)
Platform	609 x 1809mm (2ft x 5.9ft)
Loading Capacity	200kg

Complies to EN1004 and WAHR

**Visit Website
for Prices**



GDA300 - 2.6m Trade Scaffold Tower

This product can be erected without tools in a number of minutes. The tower reaches up to 4.6m working height allowing you to reach the most difficult areas of any workplace. We have designed and manufactured the GDA300 with tradesmen in mind. It is a versatile product that suits the needs of electricians, engineers, builders, painters, decorators and even DIY enthusiasts.



Description	Dimensions
Platform Height	2.6m (8.5ft)
Working Height	4.6m (15.0ft)
Tower	677 x 1,917mm (2.2ft x 6.3ft)
Platform	609 x 1809mm (2ft x 5.9ft)
Loading Capacity	200kg

Complies to EN1004 and WAHR



**Visit Website
for Prices**

GDA300 - 3.6m Trade Scaffold Tower

The GDA300 3.6m Mobile Scaffold Tower is ideal for trades people working at low-level heights. With a maximum reach of 4.6m and working height of 5.6m, it's deceptively compact and lightweight. However, it's also incredibly robust and versatile, making it heavier than the GDA250. Designed for Class 3 loading, the tower is perfect for trade scaffolding work, such as painting, plastering and decorating.

Description	Dimensions
Platform Height	3.6m (11.8ft)
Working Height	5.6m (18.3ft)
Tower	677 x 1,917mm (2.2ft x 6.3ft)
Platform	609 x 1809mm (2ft x 5.9ft)
Loading Capacity	200kg

Complies to EN1004 and WAHR



**Visit Website
for Prices**



GDA400 - 4m Self Build Scaffold Tower

The Self Build Tower 4m is a ground breaking product that has just been released to the Irish market. It is already one of our most popular products and with a wide range of intuitive features we understand why! The Self Build Tower is a self-erecting scaffold tower which means that it can be erected by only one person. This saves you time, money and reduces labour costs. The tower reaches an exceptional height of 4m when fully erect, giving you direct access to the highest of work areas.

**FREE
SHIPPING!**



Description	Dimensions
Platform Height	4m (13.1ft)
Working Height	6m (19.6ft)
Tower	677 x 1,290mm (2.2 x 4.2ft)
Platform	609 x 1,290mm (1.9 x 4.2ft)
Loading Capacity	360kg

Complies to EN1004 and WAHR



**Visit Website
for Prices**

GDA500 - 2m Mobile Scaffold Tower - Double Width

The GDA500 - Double Width Mobile Scaffold Tower is the perfect product for construction use. It offers unrivalled flexibility to our customers at a competitive price. The scaffold tower has been manufactured using lightweight yet robust aluminium. This makes the structure light to carry yet robust. Shop online today and get free shipping and a 30 day money back guarantee.



Description	Dimensions
Platform Height	2m (6.5ft)
Working Height	4m (13.1ft)
Platform Length	2.5m (8.2ft)
Frame Width	1425mm (4.6ft)
Tower	Double Width
Loading Capacity	275kg

Complies to EN1004 and WAHR

Order online at www.GoDirectAccess.com

**Visit Website
for Prices**



GDA500 - 4m Mobile Scaffold Tower - Double Width

No matter what your access requirement, we are confident that the GDA500 - Double Width Mobile Scaffold Tower 4m, which provides you with great mobility, will provide you with a cost effective and long lasting solution. This product is suitable for multiple sectors including construction, plasterers, engineers, tradesmen and painters.



Description

Dimensions

Platform Height	4m (13.1ft)
Working Height	6m (19.6ft)
Platform Length	2.5m (8.2ft)
Frame Width	1425mm (4.6ft)
Tower	Double Width
Loading Capacity	275kg

**FREE
SHIPPING!**

Complies to EN1004 and WAHR



**Visit Website
for Prices**

GDA500 - 6m Mobile Scaffold Tower - Double Width

Here's another model from the GDA500 Mobile Scaffold Tower range, designed specifically for heavy loads. With a maximum reach of 8m and the flexibility of more than one platform height, this 6m tower is suitable for both internal and external work. A lot of research goes into every Go Direct Access product, in order to ensure that our products meet (and exceed) all safety standards. Made from the highest grade aluminium and put through stringent testing and quality assurance processes.

Description	Dimensions
Platform Height	6m (19.6ft)
Working Height	8m (26.2ft)
Platform Length	2.5m (8.2ft)
Frame Width	1425mm (4.6ft)
Tower	Double Width
Loading Capacity	275kg

Complies to EN1004 and WAHR



**Visit Website
for Prices**




GDA500 - 8m Mobile Scaffold Tower - Double Width

The 8m GDA500 - Double Width is a high quality mobile scaffold tower designed for heavy loads from the Go Direct Access double width range, with great mobility. In fact, this 8m version can easily withstand the same weights as the larger 12m. Each platform has been tested well in excess of the recommended load (evenly distributed) of up to 275kg.

Description	Dimensions
Platform Height	8m (26.2ft)
Working Height	10m (32.8ft)
Platform Length	2.5m (8.2ft)
Frame Width	1425mm (4.6ft)
Tower	Double Width
Loading Capacity	275kg

Complies to EN1004 and WAHR

**FREE
SHIPPING!**



**Visit Website
for Prices**

GDA500 - 12m Mobile Scaffold Tower - Double Width

If you are looking for a sturdy scaffold tower that provides superior access then the GDA500 - Double Width 12m Mobile Scaffold Tower should be your product of choice, this is the largest tower on our website. This tower has been manufactured using high grade aluminium that is resistant to the harsh Irish outdoor environment and that can hold 275kg of weight. One of the most useful features of the GDA500 - Double Width is its mobility. The scaffold tower can be easily moved across any work place. This helps you, your colleagues or employees work faster and more efficiently.

Description	Dimensions
Platform Height	12m (39.3ft)
Working Height	14m (45.9ft)
Platform Length	2.5m (8.2ft)
Frame Width	1425mm (4.6ft)
Tower	Double Width
Loading Capacity	275kg

Complies to EN1004 and WAHR



**Visit Website
for Prices**



GDA500 - 2m Mobile Scaffold Tower - Single Width

This single width model from our GDA500 Mobile Scaffold Tower range requires very little storage space. It can be assembled quickly with no tool. The GDA500 - Single Width 2m Mobile Scaffold Tower might look small, it's massive when it comes to performance.

This tower undergoes stringent testing and quality assurance processes before leaving our factory. And, because we build every component ourselves from the highest grade materials, you can be sure what you get is the best you can buy.

Description	Dimensions
Platform Height	2m (6.5ft)
Working Height	4m (13.1ft)
Platform Length	2.5m (8.2ft)
Frame Width	815mm (2.6ft)
Tower	Single Width
Loading Capacity	275kg

Complies to EN1004 and WAHR





**Visit Website
for Prices**

GDA500 - 4m Mobile Scaffold Tower - Single Width

At Go Direct Access we design and manufacture our products so that they are suitable for a diverse range of customers. The GDA500 - Single Width Mobile Scaffold Tower is a product that is used by multiple sectors including DIY, electricians, plasterers, painters and decorators and construction companies.

It is an intuitive product that has a working height of 6m. The GDA500 - Single Width Mobile Scaffold Tower offers excellent value for money and comes with free shipping and a money back guarantee.

Description	Dimensions
Platform Height	4m (13.1ft)
Working Height	6m (19.6ft)
Platform Length	2.5m (8.2ft)
Frame Width	815mm (2.6ft)
Tower	Single Width
Loading Capacity	275kg

Complies to EN1004 and WAHR

**FREE
SHIPPING!**

Order online at www.GoDirectAccess.com

**Visit Website
for Prices**



GDA500 - 6m Mobile Scaffold Tower - Single Width

The GDA500 - Single Width Mobile Scaffold Tower 6m is one of the most versatile access solutions on the market. With a working height of 8m, this tower can provide instant access in any workplace environment.

The structure is mobile and can be moved fast and easily. The GDA500 - Single Width Mobile Scaffold Tower adheres to Irish safety regulations and you can be guaranteed of a robust and long lasting product.

Description	Dimensions
Platform Height	6m (19.6ft)
Working Height	8m (26.2ft)
Platform Length	2.5m (8.2ft)
Frame Width	815mm (2.6ft)
Tower	Single Width
Loading Capacity	275kg

Complies to EN1004 and WAHR

**FREE
SHIPPING!**



**Visit Website
for Prices**

GDA500 - 8m Mobile Scaffold Tower - Single Width

At Go Direct Access we strive to develop cutting edge access solutions at affordable prices. The GDA500 -Single Width Mobile Scaffold Tower 8m ticks both boxes. The tower has a revolutionary mobile design that allows it to be transported fast and easily. We have priced the GDA500 - Single Width Mobile Scaffold Tower 8m very competitively, which provides excellent value for money.



Description	Dimensions
Platform Height	8m (26.2ft)
Working Height	10m (32.8ft)
Platform Length	2.5m (8.2ft)
Frame Width	815mm (2.6ft)
Tower	Single Width
Loading Capacity	275kg
Castor Size	200mm (8in)

Complies to EN1004 and WAHR



**Visit Website
for Prices**



Telescopic Ladder 2.6m

The 2.6m Aluminium Telescopic Ladder is a superior product to other alternatives on the market for safety, mobility and versatility.

- **Aluminium**
- **Certificate: EN131**
- **Total steps: 9 steps**
- **Thickness of tube: 1.5mm**
- **Thickness of step: 1.5mm**
- **Open size: 2.6m**
- **Folding size: 730mm**
- **Distance between step: 300mm**
- **Loading capacity: 150kg**

**FREE
SHIPPING!**





**Visit Website
for Prices**



Telescopic Ladder 3.2m

This ladder can fit in a car and be carried around easily. The ladder is extendable up to 3.2m and has a total of 11 steps.

- **Aluminium**
- **Certificate: EN131**
- **Total steps: 11 steps**
- **Thickness of tube: 1.5mm**
- **Thickness of step: 1.5mm**
- **Open size: 3.2m**
- **Folding size: 800mm**
- **Distance between step: 300mm**
- **Loading capacity: 150kg**





**Visit Website
for Prices**

Telescopic Ladder 3.8m - Double Sided

The ladder extends to a height of 3.8m (1.9m Double Sided), allowing for easy access to even the most challenging areas. When retracted the telescopic ladder reduces to 850mm. This allows for easy transportation in a car or any small vehicle. The Double Sided Aluminium Telescopic Ladder 3.8m has been priced extremely competitively.

- **Aluminium**
- **Certificate: EN131**
- **Total steps: 12 steps**
- **Thickness of tube: 1.5mm**
- **Thickness of step: 1.5mm**
- **Open size: 3.8m**
- **Folding size: 850mm**
- **Distance between step: 300mm**
- **Loading capacity: 150kg**

**FREE
SHIPPING!**





**Visit Website
for Prices**

Telescopic Ladder 5.6m - Double Sided


Aluminium Telescopic Ladder 5.6m - Double Sided

When retracted the ladder is 940mm which means that you can fit it in your car for easy transportation to any location. The Aluminium Telescopic Ladder 5.6m Double Sided is fully EN131 Certified.

- Aluminium
- Certificate: EN131
- Total steps: 18 Steps (9X2)
- Thickness of tube: 1.5mm
- Thickness of step: 1.5mm
- Open size: 5.6m
- Folding size: 940mm
- Distance between step: 300mm
- Loading Capacity: 150kg

**FREE
SHIPPING!**

www.GoDirectAccess.com



Go Direct Access (Ireland)

Unit S1, Friel Avenue, Park West Industrial
Park Nangor Road, Dublin 12, Ireland.

Phone: 01 254 3498

Email: sales@godirectaccess.ie

Go Direct Access (UK)

Kemp House, 152 City Rd
London, EC1V2NX.

Phone: +44 (0) 203 6274 972

Email: sales@godirectaccess.co.uk