



ROAD CONES . ROAD SIGNS . TRAFFIC CALMING . PEDESTRIAN BARRIER . TRAFFIC SEPARATORS



# MANUFACTURERS AND SUPPLIERS OF HIGH QUALITY PRODUCTS TO THE CONSTRUCTION, ROAD BUILDING AND TRAFFIC MANAGEMENT INDUSTRIES.

Our wide range includes traffic barriers and separators, road cones, traffic safety signs, building and winter associated products.

As well as manufacturing our own range of products, Europalite have built up a reputation for being a high quality moulder and we are proud to have designed, developed and manufactured products for our customers.

We are aware of the impact our products have on the environment and the need to protect the environment for future generations. As a result of this our products are manufactured from recycled materials where ever possible and our entire product range is 100% recyclable at the end of its useful life.

Europalite has a policy of continuous improvement, we continue to invest in our staff and infrastructure to provide a manufacturing facility to meet our mission.

Quality products delivered on time to meet our customer requirements.

Please see back cover showing depot locations & contact details, Europalite is a trading division of Marwood Group Ltd.

CON	ΓΕΙ	NTS	
Separators & Barriers	3 - 5	Building Materials	10
Kerbs	6	Winter Products	11
Cones, Signs & Ramps	7-9	-	

## SEPARATORS & BARRIERS



# UNIVERSAL ROAD SEPARATOR

Available in 1m and 2m lengths and designed for situations when storage is at a premium. For use in either temporary or permanent situations, this unit stacks to minimise transport and storage costs. The water fill unit is a must for all road contractors.

Warning - Units should not be moved when full with water / ballast as could cause damage to units.

- Optional Extras: post, planks & top fence panels
- Made from UV stabilised LLDPE
- Comes with tube end cap 76mm
- Overall height of 1m separator with fence panel is 1250mm
- Overall height of 2m separator with fence panel is 2200mm

Description	lmtr	2mtr
Length overall	1120mm	2140mm
Height	615mm	800mm
Width	370mm	520mm
Weight Empty	8.5kg	25kg
Weight Full	45kg	186kg









# SEPARATORS & BARRIERS

### CONTINUED...

### CONTINENTAL SEPARATOR & HURDLE

Can be filled with either water or ballast with easy to assemble jigsaw fixing. Lightweight for easy transportation and positioning yet sturdy enough for use in permanent situations. The 1m Continental Separators can form a round-about with a diameter of 4.5m upwards. Also available is the Continental Hurdle, which when used with the 1m Continental separator, height increases from 600mm to 1000mm.

Warning - Units should not be moved when full with water / ballast as could cause damage to units.

Length	1000mm
Height	600mm
Width	370mm
Weight Empty	8.5kg
Weight Full	45kg





### SELF WEIGHTED TRAFFIC SEPARATOR

Ideal for short term use where water filled separators could be an issue due to icy weather conditions or no water



supply. Has a unique turning feature that allows the barriers to rotate through 45 degrees to easily block off areas.

- · Self weighted, no need to fill with water
- Stacks for ease of transportation
- Installed within minutes

Length	1000mm
Height	600mm
Width	300mm
VA for boile to	000

·····



### ROADLINER

An easy to handle, highly visible safety barriers along with easy swing latch and bolt system. Roadliner has forklift apertures to enable easy loading / unloading.

Warning - Units should not be moved when full with water / ballast as could cause damage to units.

Length	2340mm
Height	890mm
Width	580mm
Weight Empty	53kg









A trading division of Marwood Group Ltd

### UTILITY SEPARATOR

This small barrier is ideal for rapid deployment with 44 in a forklift pack. Can be water filled with 12ltrs of water but can also be used without. Ideal for pedestrian and crowd safety demarcation.

Length 1000mm 600mm Height Width Weight 6kg Weight Full 19kg



### TRAFFIC BLOCK

A heavy duty rubber block constructed in 1 metre red or white sections. When linked form a 300mm x 300mm barrier. Easily handled and may be laid to form curves if required. An ideal alternative to traditional baulk timbers as lane markings.

Optional extras Posts & Planks available with the provisions for flashing warning lights (Sale Only).

Length 1000mm Height 300mm Width 300mm

·······

······



### UNION BARRIER

A 2m x lm one piece injection moulded barrier ideal for pedestrian and crowd safety demarcation. Lightweight for easy handling yet extremely robust, the Union Barrier offers a perfect alternative to traditional post & plank systems. Thermoplastic feet manufactured from 100% recycled materials, rotate through 360 degrees to facilitate easy stacking, storage and transportation. Supplied with one strip of reflective tape.

Length 2000mm Height 1000mm Weight 15kg



### **DIAMOND BARRIER**

Manufactured from high quality Polyethylene, the Diamond Barrier is an extremely robust blow moulded 2m x lm one piece pedestrian barrier. The feet can be rotated 90 degrees to allow for easy stacking and storage. Available in orange as standard colour.

2000mm Length Height 1000mm Weight 12kg



www.europalite.eu

### **KERBS**

### **KERBCONE**

The innovative design of the Kerbcone combines a traffic cone and a traffic kerb into one unit. Ideal for use as a vehicle or pedestrian separation system and can equally be utilised for traffic management purposes. A spacer unit and a corner piece make this system exceptionally flexible for all locations. Kerbcone has excellent stability in poor weather conditions and much higher visibility than standard cones. Stackable for easy storage and transportation with moulded forklift channels. Fitted with a D2 prismatic sleeve manufactured to BS and EN standards.

### Optional Extra: Flashing Warning Lights (Sale Only)

Description	Cone	Spacer	Corner
Length	1000mm	1000mm	500mm
Height	750mm	220mm	750mm
Width	320mm	320mm	320mm
Weight	3.2kg	3.2kg	3.2kg





### **UTOPIAN KERB**

Provides a cost effective ballast or water fill kerb. It was originally designed for use at kart racing circuits where it proved to be very popular. Easy to store and transport, the Utopian Kerb is an excellent solution to many traffic management problems.



Description	Type 400	Type 600
Length	1000mm	1000mm
Height	400mm	600mm
Width	320mm	450mm
Weight Empty	8kg	9kg
Weight Full	40kg	45kg







## CONES, SIGNS & RAMPS



Tough, durable, flexible and offer good impact resistance in all weather conditions. Come fitted with a prismatic sleeve manufactured to the relevant BS and EN standards, other sleeves are available upon request. Base can be personalised with logos or colours.

#### **One Part Cones**

• 450mm - one part thermoplastic cone

#### **Two Part Cones**

- 750mm two part polyethylene cone with PVC moulded base
- 1000mm two part polyethylene cone with PVC moulded base
- Unique flat mat system provides extra stability and prevents carriageway creeping

Optional Extras: Flashing Warning Lights (Sale only)



### **V SIGN**

A lightweight and versatile answer to your Chapter 8 signage requirements as well as an environmentally friendly alternative to the more traditional metal plate and frames. Available in three sizes offering four face configurations it can be further personalised to suit your individual branding requirements.

- Quick and easy installation
- Comes complete with sand bag bar to allow for additional ballast for windy conditions
- Can be fully recycled at the end of its useful life

### Optional Extra: Sand Bags (Sale Only)

Weight 7.5kg
Triangle 750mm
Circle 750mm

Rectangular 600mm x 450mm face / 600mm body



# CONES, SIGNS & RAMPS CONTINUED...

### ROADMASTER CONE SIGNS

Ideal for utility companies where a fast installation is required. A flat profile allows for easy storage and transportation. All signs conform to Chapter 8 regulation using reflective material compliant with BS and EN standards.

· Specials can also be produced for this range and labelling is an additional option

Optional Extra: Flashing Warning Lights (Sale Only)

Triangle 750mm 750mm Circle

Rectangular 600mm x 450mm



### ROAD SIGNS

Europalite manufacture a full range of traffic and temporary road signs in frames. Ideal for roadworks and traffic management to help ensure the safety of drivers and pedestrians.

• Other sizes & options available on request

Ramp 1050mm x 450mm Pedestrian 600mm x 450mm **Footpath Closed** 600mm x 450mm

Roadworks (triangle) 750mm

Road Ahead Closed 1050mm x 750mm

Direction Left / Right 750mm (Circular)

Maverick Signs

600mm x 450mm & (Square) 1050mm x 750mm

(Triangular) 750mm (Circular) 750mm



















### SPEED RAMPS

Ideal method for protecting temporary cables, hoses and reducing traffic speed. Should be laid as alternate black and yellow sections and bolted down. Manufactured from heavy duty PVC.

- 48mm x 33mm aperture suitable for temporary cable protection
- Speed ramp end part 210mm x 500mm x 70/75mm (Black)
- End caps available for permanent installation if required
- · Allowable axial weight is 12.5 T or less

- · Dog bone connector
- · Cats eyes- supplied in sets 8 pcs



### SAFETY HOSE RAMP

Solid reinforced rubber units to protect hoses, electrical cables or pipe work. With a stepped construction for safe use and flexible base apron for maximum grip.

- Gap size to suit cable is 90mm across x 75mm depth
- Suitable for use with most vehicles including buses and HGV
- · Joiners available for multiple use (Sale only)

Safety Requirement: "Ramp" warning signs should be displayed to warn road users of the obstruction and to approach with minimum speed.



······




### STOP /GO LOLLIPOP

Ideal for traffic flow situations, the sign is extremely long lasting and is shatter, rust, rot and water proof. An excellent alternative to the traditional metal or wooden pole types.

- Manufactured from 100% recycled polyethylene
- · Can also be faced with a Stop/Works option

2000mm Height **Face Diameter** 600mm





### BUILDING **MATERIALS**

### MORTAR TUBS

Plastic Mortar Tubs // Designed to maintain rigidity when laden. This is achieved by using a heavy wall thickness which is further strengthened by a steel reinforcing tube around the top diameter of the Mortar Tub (plastic).

Forklift channels/steel lifting points are provided to allow lifting by either a forklift or crane using connecting webbing slings.

Description	Mighty Tub	Mortar Tub	Mortar Box
Capacity	250litre	250litre	169litre
Length	1132mm	1175mm	900mm
Width	782mm	782mm	620mm
Height	535mm	675mm	550mm
Weight (Approx)	17kg	31kg	12kg



### RUBBISH CHUTES

Ideal way of transferring debris and rubble from the various levels of any building or structure to a builders skip. Installed onto a scaffold or if no scaffold available, a simple 'H' frame should be used at a window opening or roof parapet.

- · Can be used at any height with multiple entry points at various floors
- Fully enclosed system for safe disposal of waste and rubble
- Lightweight for simple installation and handling

Description	Standard Chute	Standard Hopper	Jumbo Chute	Jumbo Hopper
Height	N/A	700mm	N/A	950mm
Length	1000mm	1050mm	1000mm	1000mm
Width Inner Diameter	470mm	470mm	890mm	890mm
Self-Weight	10kg	20kg	20kg	30kg





### WONDERBARROW

Manufactured from recycled plastic and with no metal parts making it completely safe for use in areas where conductivity may be an issue. The Wonder Barrow has a 3cuft capacity fitted with a 16" pneumatic wheel and is fully weather resistant easily outlasting ordinary metal barrows.

· Standard colour is black, other colours are available upon request

Capacity	3 (cuft)
Length	990mm
Height	600mm
Width	690mm
Weight	llkg







### WINTER PRODUCTS

### **GRIT / SALT BINS**

Essential equipment in inclement weather our Grit/Salt Bins are highly visible, extremely durable and completely rot proof. Moulded from tough polyethylene with fully integrated hinge and drain holes in the base. A hasp and staple can be fitted at extra cost if a lockable Grit/Salt Bin is required.

Embossed with the word "Grit", further personalisation and logos are available if required. Other colours available on request.

Optional Extras: Snow Shovel & Bags of Salt/Grit (Sale Only)



Description	6cu/ft	7cu/ft	12cu/ft	14cu/ft	36cu/ft
Capacity	170ltr	200ltr	340ltr	395ltr	1020ltr
Height	710mm	700mm	760mm	850mm	950mm
Depth	660mm	600mm	710mm	720mm	1180mm
Width	660mm	880mm	810mm	1100mm	1280mm
Weight	llkg	15kg	14kg	23kg	38kg
Stackable	No	Yes	Yes	Yes	No

### SNOW SHOVEL

Lightweight, robust and comes complete with a 48" metal shaft with ergonomically designed handle. The tough plastic blade is reinforced with an aluminium strip to maximise longevity.



### SNOW **PLOUGH**

The fork mounted snow plough attachment is very useful when clearing freshly fallen or compacted snow. It easily clears vehicle & pedestrian access in car parks, access roads and service areas.



1800mm 150mm x 50mm 683mm 130kg





### SALT SPREADER

Ideal for use on footpaths, small car parks and school grounds where larger apparatus cannot be used effectively. With a capacity of 36kg and a handle bar mounted adjustable flow control you achieve a wide spreading throw. Supplied with pneumatic wheels for easy use over rough ground and icy surfaces.

Height 810mm Width 530mm Weight 12kg



A trading division of Marwood Group Ltd

www.europalite.eu



#### **Europalite (Moulded Plastic Manufactures)**

Milward House, Eastfield Side, Sutton in Ashfield Nottinghamshire NG17 4JW England T: +44 (0) 1623 528 760 F: +44 (0) 1623 510 955 sales@europalite.eu www.europalite.eu

A trading division of Marwood Group Ltd www.marwoodgroup.co.uk www.railtec.co.uk

# **EUROPALITE**DISTRIBUTION

**DEPOTS** 









