



Kingspan
the Power Behind
TITAN



TITAN fuelstore 


TITAN - Complete Oil and Fuel Storage Solutions

Titan Environmental is the clear market leader in oil, fuel and lubricant storage. Reliable, innovative and safe, Titan's range of tanks and containers provide the best options for every situation whether domestic, commercial or agricultural.

For over 20 years Titan has dominated the UK, Irish and European fuel storage market. With excellent attention to detail and state-of-the-art manufacturing, installing a Titan product ensures that whatever the application, your fuel is stored in a secure and regulation compliant manner.

Leading the way with tank design and in-tank technology, Titan's products are the first choice for homeowners, contractors, developers and industry. Installing a Titan tank ensures that your fuel and environment are protected at all times. All Titan Tanks are manufactured to standard ISO:9001.

TITAN fuelstore 

A man in a dark suit, white checkered shirt, and dark blue tie is sitting at a desk, looking at a computer monitor. A woman with brown hair, wearing a red top, is leaning over his shoulder, also looking at the screen. They are both smiling. The background is a blurred office window with greenery outside.

*Oil storage in safe
hands - Titan,
where customer
service comes first.*

Fuel Storage for Domestic and Commercial Applications

Installing a Titan tank ensures that your oil is safely stored and both your property and the environment is protected. The Talking Titan and EcoSafe range of oil storage tanks offer complete peace of mind. No other tank manufacturer provides such a comprehensive range of options designed to last and perform year after year.



EcoSafe fully bunded and OFTEC approved storage tanks are the clear market leader in bunded technology. From 1,000 to 5,000 litres the EcoSafe range, with the built-in Watchman Plus oil level monitor, sets the standard for safe oil storage.

Talking Titan advanced single skin tanks are designed to be the ultimate domestic oil tank where bunding is not required. Whilst Titan would recommend bunding as the ideal solution, the feature packed OFTEC approved Talking Titan, with built-in Watchman technology, offers homeowners secure and reliable oil storage at all times.

The Ecosafe and Talking Titan ranges are both manufactured using top quality polyethylene and both come fully fitted with a SpillStop overfill prevention device.



COMPLETE AND TOTALLY BUNDED OIL STORAGE

SINGLE SKIN TANKS WITH REMOTE SENSOR CAPABILITY

EcoSafe, the Complete, Totally Bunded Oil Storage System



The complete, totally bunded oil storage system



ES1000

Capacity 1000 Litres/
220 Gallons
Length 2140 mm
Width 695 mm
Height 1500 mm

OFCERT No. 0642110427



ES1225

Capacity 1225 Litres/
270 Gallons
Length 2000 mm
Width 900 mm
Height 1495 mm

OFCERT No. 0642040233



ES1300

Capacity 1300 Litres/
285 Gallons
Length 1935 mm
Width 1265 mm
Height 1310 mm

OFCERT No. 0642109918



ES1800

Capacity 1800 Litres/
400 Gallons
Length 2360 mm
Width 1300 mm
Height 1345 mm

OFCERT No. 0642040234



ES2500

Capacity 2500 Litres/
550 Gallons
Length 2450 mm
Width 1425 mm
Height 1465 mm

OFCERT No. 0642069817



ES3500

Capacity 3500 Litres/
775 Gallons
Diameter 2180 mm
Height 1940 mm

OFCERT No. 0642040501



ES5000

Capacity 5000 Litres/
1100 Gallons
Diameter 2230 mm
Height 2420 mm

OFCERT No. 0642109919

Tank Packs - 10mm Tank Pack come as standard up to and including the ES2500
- 1" Tank Pack comes as standard for the ES3500 and ES5000

Please note: The EcoSafe Range is supplied with the Watchman Plus; complete tank and bund monitoring system. This allows the level of fuel inside the tank to be read remotely. Fitted adjacent to the fill area, the bund alarm checks for evidence of spilled fuel in the bunded area.

Note all measurements are approximate and not to scale.

Single Skin Tanks with Remote Sensor Capability

Talking TITAN

Single skin tanks with remote sensor capability



LP1200 TT

Capacity 1200 Litres/
260 Gallons
Length 1785 mm
Width 1370 mm
Height 925 mm

OFCERT No. 0642099509



R1000 TT

Capacity 1000 Litres/
220 Gallons
Length 1910 mm
Width 590 mm
Height 1350 mm

OFCERT No. 0642110428



R1225 TT

Capacity 1225 Litres/
270 Gallons
Length 1745 mm
Width 750 mm
Height 1385 mm

OFCERT No. 0642040232



H1300 TT

Capacity 1300 Litres/
285 Gallons
Length 1735 mm
Width 1090 mm
Height 1145 mm

OFCERT No. 0642049919



H1800 TT

Capacity 1800 Litres/
400 Gallons
Length 2170 mm
Width 1125 mm
Height 1170 mm

OFCERT No. 0642119616



H2500 TT

Capacity 2500 Litres/
550 Gallons
Length 2265 mm
Width 1285 mm
Height 1315 mm

OFCERT No. 0642099401



V1300 TT

Capacity 1300 Litres/
285 Gallons
Diameter 1210 mm
Height 1415 mm

OFCERT No. 0642099405



V2500 TT

Capacity 2500 Litres/
550 Gallons
Diameter 1635 mm
Height 1450 mm

OFCERT No. 0642099406



V3500 TT

Capacity 3500 Litres/
775 Gallons
Diameter 1885 mm
Height 1855 mm

OFCERT No. 0642119615



V5000 TT

Capacity 5000 Litres/
1100 Gallons
Diameter 2035 mm
Height 2265 mm

OFCERT No. 0642119614



V10000 TT

Capacity 10000 Litres/
2200 Gallons
Diameter 2630 mm
Height 2500 mm

OFCERT No. 0642119613

Please note: Standard Tanks can be supplied upon request but Titan recommend customers fit the all inclusive Talking Titan version. Check with your local distributor for pricing structure. Each Talking Titan tank is supplied with a Tank Pack. Please note that Talking Titan tanks from 2,500 litres and above should be installed with a bund.

Tank Pack

- All Talking Titans come complete with Tank Pack
- Greatly reduces installation time
- Benefits far outweigh the small cost differential against old sight gauge

Tank Pack consists of:

1. Watchman Transmitter
2. Watchman Receiver
3. PTFE tape
4. Heldite
5. Heldite Applicator
6. Power Tube
7. Gate Valve and Filter

Parts shown are for a 10mm Bottom Outlet Kit. Optional 1/2" and 1" outlet available.



- Tank Packs**
- 10mm Tank Pack come as standard up to and including the H2500 TT
 - 1" Tank Pack comes as standard for the V3500 TT and V5000 TT
 - All Talking Titans come with a bottom outlet as standard but can be available a top outlet on request.

Note all measurements are approximate and not to scale.

Fuel Storage for Agricultural and Commercial Applications

The Titan FuelMaster, with its totally enclosed bunded tank and integral pump and nozzle, is the perfect solution for those who need readily available fuel in a variety of locations.

The FuelMaster is compact and simple to install.* It should be placed on a firm base at ground level, making it easily accessible for the efficient and safe distribution of fuel.

The FuelMaster is manufactured from top quality polyethylene. Its robust, ribbed construction protects against accidental damage and will never rot or rust, even in the most exposed location. FuelMasters are guaranteed for ten years and the pump and tank accessories for one year.

The new FMV10000 FuelMaster incorporates the economical benefits of a plastic design and the increased security of a steel bunded tank. A large capacity, fully bunded storage tank with integral pump and nozzle, it also works in conjunction with the Sensor Systems Watchman Niveau Tank gauge and bund sensor. The inner tank has a 10 year guarantee, the steel bund a 5 year and the ancillaries have a 12 month guarantee.

* All mains powered Titan FuelMasters must be connected and maintained by a suitably qualified electrician.



Fuel storage and dispensing systems



OFCERT No. 0642090326



OFCERT No. 0642069817



OFCERT No. 0642030601



OFCERT No. 0642070130



OFCERT No. 0642060236



PLASTIC INNER
OFCERT No. 0642119613



Regulations state that commercial fuel must be stored and dispensed from secure, bunded tanks. Titan's range of fully bunded FuelMaster diesel storage tanks are OFTEC approved.



FuelMaster Pump Options

Product	Capacity (Litrs)	Pump type	Automatic Nozzle	Flow Meter
FM1300 GRR	1300	Rotary		
FM1300 GRRFL	1300	Rotary		•
FM1300 GR110VAN 1	300	110 volt	•	
FM1300 GR110VANFL	1300	110 volt	•	•
FM1300 GR12VAN	1300	12 volt	•	
FM1300 GR12VANFL	1300	12 volt	•	•
FM1300 GR230VAN	1300	230 volt	•	
FM1300 GR230VANFL 1	300	230 volt	•	•
FM2500 GRR	2500	Rotary		
FM2500 GRRFL	2500	Rotary		•
FM2500 GR110VAN	2500	110 volt	•	
FM2500 GR110VANFL	2500	110 volt	•	•
FM2500 GR12VAN	2500	12 volt	•	
FM2500 GR12VANFL	2500	12 volt	•	•
FM2500 GR230VAN	2500	230 volt	•	•
FM2500 GR230VANFL	2500	230 volt	•	•
FM5000 GR110VANFL	5000	110 volt	•	•
FM5000 GR12VANFL	5000	12 volt	•	•
FMV5000 GR230VANFL	5000	230 volt	•	•

• are available with

TITAN - Secure Fuel Management System

TITAN CUBE MC has been designed and manufactured as a compact diesel fuel dispenser for private use. It is easy to install, ensures fast and precise dispensing and can only be used by qualified personnel. The compact body contains a nozzle holder, pump and meter while a dedicated software package exports the data to a PC.

The electronic unit is able to control up to 50 users by means of a magnetic key and permits dispensing with pre-selection. Data can be downloaded into a PC both by the magnetic key and by a cable connection. In terms of low running costs, compact dimensions and flexibility, together with all-round efficiency, the TITAN CUBE MC is a truly unique dispenser.

For further details and specifications on the Cube MC, please contact Titan.



TITAN CUBE MC in a FuelMaster.



TITAN CUBE MC in use.



Data management 50 users.
Electronic key optional.

Performance Specifications

- Flow rates from 56 l/min
- Pre-selected dispensing
- Accuracy $\pm 0.5\%$ within flow rate range
- Local memory capable of storing data for the last 200 deliveries
- Can accept vehicle registration numbers and odometer readings
- Records date and time of dispensing
- Dedicated software for making printouts of dispensing details and individual user summaries
- Magnetic key for user identification

The Cube MC is offered with the following FuelMaster models: FM3500, FM5000, FMV5000.



Options

Code	
F14144000	Kit Keys (1 manager key, 10 user keys, USB key reader, software and USB plug)
F1271000B	Kit PC Interface (PC interface, software and USB plug)



PC INTERFACE



KEY READER



USER KEY



MANAGER KEY



TruckMaster - Fuel on the Move

Light and portable, the ADR approved Titan TruckMaster fuel dispensing system simply straps onto the back of a truck, enabling you to carry the diesel you need to refuel on-site. That means swifter, safer delivery – saving valuable time and money.

TruckMaster is a UN approved IBC (Intermediate Bulk Container) suitable for the transportation of diesel fuels. Check for the following certification, where **_ _ refers to the month and year of manufacture:

Note: If the TruckMaster is used as a static dispensing tank, it must be stored in a bunded area to comply with the Control of Pollution Regulations.

Model	UN Certification
TM430	UN 31H2/Y/**_/_/NL/ TruckMaster 413/0/575
Capacity	430 Litres/ 95 Gallons
Top Length	1156 mm
Base Length	980 mm
Width	842 mm
Height	860 mm

Model	UN Certification
TM900	UN 31H2/Y/**_/_/NL/ TruckMaster 448/0/1237
Capacity	900 Litres/ 198 Gallons
Top Length	1400 mm
Base Length	1100 mm
Width	1000 mm
Height	1200 mm

The TM430 is also available for lubricating or hydraulic oil



Note all measurements are approximate and not to scale.





🎗️ TruckMaster, category winner in the Construction Plant Show 2007.

BioMaster - Environmentally Safe Storage for Biofuels

The BioMaster30 is compact and simple to install.* It should be placed on a firm base at ground level, making it easily accessible for the efficient and safe dispensing of up to 30% blends of biodiesel.

The BioMaster30 is manufactured from top quality polyethylene. Its robust, ribbed construction protects against accidental damage and will never rot or rust, even in the most exposed location. To ensure peace of mind, the BioMaster30 tank is guaranteed for one year and the pump and tank accessories for one year.

The tank comes with a special factory-fitted, mains electric Viscomat 90 pump and flowmeter, designed for Biodiesel use. The pump, hose, nozzle and holster are concealed behind a lockable door.

BioMaster30 fully meets the requirements of the Control of Pollution (Oil Storage) (England) Regulations 2001. BioMaster30 should be installed by a suitably qualified technician with OFTEC registration or equivalent.

The BioMaster30 is suitable for dispensing biodiesel EN BS 14214 or DIN 51606 up to 30% blend (B30). For higher blends up to 100% (B100), please contact a member of the Titan technical team on 028 4062 6260 for further specification.

Unique extras fitted as standard

- The Watchman Plus complete proactive fuel monitoring system.
- The SpillStop overfill protection system.
- Fitted light inside dispensing cabinet for easy vision (only available in 230 volt range).

Optional extras

A range of flowmeter options and fuel management systems are also available with all Titan BioMaster systems.

* All mains powered Titan BioMaster30s must be connected and maintained by a suitably qualified electrician.

BioMaster Details and Specifications

BioMaster30

Biodiesel storage and dispensing systems



BM30 1300

Capacity	1300 Litres/ 285 Gallons
Length	1890 mm
Width	1245 mm
Height	1785 mm



BM30 2500

Capacity	2500 Litres/ 550 Gallons
Length	2430 mm
Width	1420 mm
Height	1855 mm



BM30 3500

Capacity	3500 Litres/ 775 Gallons
Length	2080 mm
Width	2680 mm
Height	1900 mm



BMV30 5000

Capacity	5000 Litres/ 1100 Gallons
Length	2230 mm
Width	2800 mm
Height	2420 mm

The Titan BioMaster30, with its totally enclosed banded tank and integral pump and nozzle, is the perfect solution for those who need readily available biofuel in a variety of locations.

BioMaster100 range available from Autumn/Winter 2007
Note all measurements are approximate and not to scale.



AdBlue Storage from **TITAN**



BMH2500

Capacity 2500 Litres/
550 Gallons
Length 2460 mm
Width 1430 mm
Height 1850 mm



BMV5000

Capacity 5000 Litres/
1100 Gallons
Overall Width 2700 mm
Diameter 2230 mm
Height 2380 mm



BMV5000 NP

Capacity 5000 Litres/
1100 Gallons
Overall Width 2700 mm
Diameter 2230 mm
Height 2380 mm



BMV5000 HRZVA

Capacity 5000 Litres/
1100 Gallons
Overall Width 2700 mm
Diameter 2230 mm
Height 2380 mm

1. Tank in tank construction with 110% Bund
2. Can be Connected to External Fuel Management Systems
3. Pump Auto Shut Off after 2 Minutes of Non Use
4. Leak Sensor and Bund Alarm
5. 2" TODO Fill connection (spill free connection)
6. Equipped with Puiis Suzzara pump unit and Auto Shut Off Nozzle
7. Digital Level Gauge (Ltrs Remaining)
8. Digital Flow Meter (Ltrs Dispensed)
9. Audible and Visual Overfill Alarm
10. * Elaflex Hose Reel with 8m Hose and ZVA Nozzle (Nozzle Prevents Accidental Filling of Diesel Tank)

* Available on BMV5000HRZVA only



Please note: The pictures of tanks in this brochure are not to scale – please check sizes indicated before making your purchase. All sizes indicated in millimetres.

Note all measurements are approximate.

TitanBlue Storage Solutions for AdBlue

Titan provides a range of easy to handle above ground BlueMaster® tanks. The TitanBlue Bluemaster® range of tanks provide highly professional solutions for AdBlue storage to all customer groups.

Titan has a long and proven experience with storage systems for oil, diesel and other chemical solutions. The chemical characteristics of AdBlue require special storage and handling equipment and the highest material demands in tank design and construction. All materials used in the construction of the TitanBlue Bluemaster® range have been tested and certified to ISO and CEFIC standards. Our customers can rely on products that fulfil their highest demands of quality, stability and longevity.



Waste Oil and Spill Containment

Most pollution incidents are avoidable. Careful planning of facilities and operational procedures can reduce the risk of spillage and prevent a spill becoming a pollution incident. Most of the measures needed to prevent pollution cost very little. In contrast the costs of cleaning up a pollution incident and possible compensation claims can be very high.

Titan's SpillSafe and Waste Oil Storage range ensures that your business is protected and safe. Pollution prevention measures also offer substantial economic benefits. These include avoiding wastage of expensive raw materials, minimising the risk of spillages and reducing the risk of prosecution for pollution offences.

The SpillSafe range of pollution prevention products from Titan Environmental is designed to ensure that industrial and commercial properties comply with the Control of Pollution (Oil Storage) Regulations and site Health and Safety Regulations. The Titan SpillSafe range is moulded from high quality, impact and UV resistant polyethylene. Products will not rust or corrode and are fully recyclable.





Spill Containment

Workfloors

- For safe storage and workplace protection when filling and dispensing from chemical drums
- Designed to withstand constant use as a raised workfloor area
- Use link blocks to create customised work areas to improve safety and efficiency
- Link blocks are available in pairs to securely fasten multiple 2 & 4 drum workfloors together
- Suitable for storing drums of up to 210 litres
- Removable decks for easy cleaning




Note all measurements are approximate and not to scale.

Link Blocks for the 2 & 4 Drum Workfloor



1 Drum Drip Tray

Capacity	55 Litres
Length	758 mm
Width	758 mm
Height	150 mm



2 Drum Workfloor

Capacity	112 Litres
Length	1400 mm
Width	758 mm
Height	150 mm



4 Drum Workfloor


Capacity	215 Litres
Length	1400 mm
Width	1400 mm
Height	150 mm

Drip Tray

- Suitable for storing drums of up to 210 litres
- Removable decks for easy cleaning
- Finished in a bright orange for visibility

Bunded Pallets

- Fork lift slots for positioning empty pallets (pallets should not be moved when loaded with drums)
- Suitable for storing drums of up to 210 litres
- Requires no assembly
- Removable decks for easy cleaning
- Finished in a bright orange for visibility



PE Deck (replacement decks)

Length	655 mm
Width	655 mm
Height	40 mm



2 Drum Pallet

Capacity	240 Litres
Length	1400 mm
Width	758 mm
Height	385 mm



4 Drum Pallet

Capacity	250 Litres
Length	1400 mm
Width	1400 mm
Height	250 mm



Note all measurements are approximate and not to scale.

Waste Oil Storage



BOW 200

Capacity	200 Litres/ 44 Gallons
Length	760 mm
Width	760 mm
Height	1265 mm



BOW 600

Capacity	600 Litres/ 130 Gallons
Length	1440 mm
Width	860 mm
Height	1350 mm



BOW 1300

Capacity	1300 Litres/ 285 Gallons
Length	1935 mm
Width	1265 mm
Height	1310 mm

Waste Oil Wells

- Integrally banded
 - Fitted with Bundman leak detection system
 - Waste Oil Watchman Plus available on request
 - Other sizes are available, waste oil tanks can be adapted for any application
- Contact Titan Environmental for further details



BOW 2500

Capacity	2500 Litres/ 550 Gallons
Length	2450 mm
Width	1425 mm
Height	1465 mm



Note all measurements are approximate and not to scale.

Spill Kit Containers

Safe Storage

A range of practical storage solutions for Spill Kits and absorbent materials.

- Suitable for the storage of all Spill Kit materials
- Requires no assembly



Small Spill Kit Wheeled Bin

Capacity	140 Litres
Depth	560 mm
Width	488 mm
Height	1055 mm

Suitable for 1 Oil Spill Kit (SKOIL) or 1 Chemical Spill Kit (SKCHEM)



Medium Spill Kit Wheeled Bin

Capacity	240 Litres
Depth	730 mm
Width	650 mm
Height	1063 mm

Suitable for 2 Oil Spill Kits (SKOIL) or 2 Chemical Spill Kits (SKCHEM)



Small Spill Kit Bunker

Capacity	204 Litres
Depth	482 mm
Width	787 mm
Height	787 mm

Suitable for 1 Oil Spill Kit (SKOIL) or 1 Chemical Spill Kit (SKCHEM)



Medium Spill Kit Bunker

Capacity	407 Litres
Depth	609 mm
Width	1016 mm
Height	1016 mm

Suitable for 2 Oil Spill Kits (SKOIL) or 2 Chemical Spill Kits (SKCHEM)



Maxi Bunker

Capacity	30 x 25 kg Bags
Depth	1060 mm
Width	1920 mm
Height	1000 mm

Suitable for 4 Oil Spill Kits (SKOIL) or 4 Chemical Spill Kits (SKCHEM)



Drum Cover

Diameter	635 mm
Height	80 mm



IBC BUND

Capacity	1100 Litres/ 242 Gallons
Length	1938 mm
Width	1296 mm
Height	690 mm

Note: IBC not part of Titan range. IBC Bund suitable to lift with a forklift. It is recommended that the IBC and the IBC Bund are not lifted together.

Note: IBC Bund available in other colours on request.

All Bins and Bunkers are available in the following colours (except Drum Cover):

Note all measurements are approximate and not to scale.

Spill Kits

Spill Kit Bags



SKVEHOIL

Oil/Biodiesel Kit Shoulder Bag
47 Litres (Red)

SKVEHCHEM

Chemical/AdBlue Kit Shoulder Bag
29 Litres (Yellow)

Absorbent Contents Packs



SKOIL

125 Litres Spill Kit Boxed Oil/
Biodiesel Only

SKCHEM

62.5 Litres Spill Kit Boxed
Chemical/AdBlue

Options



SKPPE

PPE Pack includes: Taptex breathable hooded overall, disposable safety goggles, safety gloves, disposable respirators, tamper proof seal.



SKEPP

Essential Plus Pack includes: ISOL8 ultimate absorbent for spills, hazardous waste bags, a plug rug, plug and dike putty to plug fuel and hazardous material leaks.



SKTPT

SKTPT - Tamper Proof Seal

SpillSafe

Telemetry & Overspill Prevention

Sensor products are designed to make your oil and fuel storage hassle free.



Fitting a Sensor Watchman means that you'll never have to worry about running out of fuel again.



The Sensor Watchman and retro-fit Watchman Niveau monitor the level of oil or diesel in your tank, showing the status on a handy display plug in your property or office.



Sensor's Signalman works directly with your fuel supplier. By updating your tank status on a regular basis, it allows the fuel supplier to keep your tank topped up with no need for you to check or re-order fuel.



SpillStop which is fitted to Talking Titan, Ecosafes and FuelMasters ensures that oil and diesel does not overspill during delivery. This overflow prevention device shuts off automatically before any spillage takes place.



TITAN

Titan Environmental is the biggest rotational moulder in Europe and pioneer in the manufacture and supply of storage solutions for oil, fuel, lubricants, AdBlue, chemicals and water. A division of the International Kingspan Group PLC, Titan prides itself on quality, innovation, environmental awareness and customer relations.

TITANfuelstore offers a wide selection of oil and fuel storage products. This spans from the award winning EcoSafe range to the commercial sector, where FuelMaster and the portable TruckMaster ranges offer diesel storage and dispensing solutions.

TITANfuelstore 

Water conservation is a topical environmental issue. The TITANaqua range of rainwater collection and recovery systems lead the way in reducing water charges, with practical products ranging from waterbutts to full rainwater harvesting systems.

TITANaqua 

The TITANagri range of fuel, diesel, biofuel and lubricant tanks represent the best storage solutions available. Titan's range of agricultural products also include cattle drinkers, storage containers and water tanks, suitable for a variety of applications.

TITANagri 

Specially designed biodiesel storage systems are now available from the new TITANbio range. The Titan BioMaster30 is designed for biodiesel blends of up to 30% and ensures biofuels are stored correctly and safely.

TITANBIO 

Spill containment products such as SpillSafe are designed to limit the environmental damage caused by leaking oil and lubricants. The TITANchem range of industrial safety solutions keeps business owners ahead of the regulations in the UK and Ireland.

TITANchemstore 

European specification vehicles are now here and with the TITANblue range of tanks, hauliers and transporters can be secure in the knowledge that their AdBlue supply is safely stored in a controlled environment at all times.

TITANBlue 

For more information on Titan and the Environmental division of Kingspan, please contact our sales team:

Tel: +44 (0) 28 4062 6260 Email: sales@titanenv.com www.titanenv.com

TITANFS06/07

Your nearest stockist

Commercial Fuel Solutions Ltd

Unit 22 Badgers Way, Buckingham, MK18 7EQ
Tel: +44 (0) 845 688 9755 Fax: +44 (0) 845 688 9744
Sales Hotline Tel: +44 (0) 1280 821 445
Email: sales@commercialfuelsolutions.co.uk



the Power Behind

TITAN

Titan Environmental Limited

Seapatrick Road, Seapatrick, Banbridge, County Down, Northern Ireland BT32 4PH
Tel: +44 (0) 28 4062 6260 Fax: +44 (0) 28 4062 6259
Sales Hotline Tel: +44 (0) 28 4062 1420
Email: sales@titanenv.com www.titanenv.com

