Tritex Multiple Echo Thickness Gauges

Measure metal thickness only and ignore coatings!







PERFORMANCE

is the most important feature of our ultrasonic thickness gauges.

You want the gauge to give reliable, accurate measurements in the most demanding of applications. Whether it's coated, bare metal, corroded or clean, the Tritex Multigauge range has proven to be reliable, simple, accurate and robust.

Tritex gives you the excellent performance that you would expect, with free annual calibration for the life of the gauge.

A full range of gauges are available including hands free, general purpose and datalogging.

simple . accurate . robust











LIBRATION

FREE TECHNICAL SUPPORT

FREE 3 YEAR WARRANTY







Simple

- Multiple Echo as specified by Class Societies.
- No zeroing required.
- Hand held or waist mountable.
- · No calibration at switch on.
- · No removing coatings.
- · Large bright displays for all conditions.
- Easy to use menus.

Accurate

- · Intelligent Probe Recognition (IPR) for enhanced performance.
- Automatic Measurement Verification System (AMVS).
- Single crystal probe to avoid 'V-beam' error.
- · Can be calibrated for all metal types.

Robust

- · Extremely rugged and robust.
- Moulded soft rubber surround feels comfortable, looks good and provides extra protection against knocks and scrapes.
- Optional leather case with neck strap.
- Protective membranes to prevent probe wear.
- · 3 year warranty.
- Free annual calibration for the life of the gauge.

simple . accurate . robust





www.tritexndt.com

Tel: Fax: E-mail: +44 (0) 1305 257160 +44 (0) 1305 259573

sales@tritexndt.com

Tritex NDT Ltd

Unit 10, Mellstock Business Park, Higher Bockhampton, Dorchester, Dorset, DT2 8QJ, United Kingdom.