



**RAYTEL SECURITY  
SYSTEMS LIMITED**

# Product Overview

**ISSUE 3.0**



[www.raytelsecurity.co.uk](http://www.raytelsecurity.co.uk)



1	<b>Quick Fit Audio Kits</b> Economic Audio Kits	21*	<b>Emergency Equipment</b> Emergency Audio Call System
2	<b>Quick Fit Video Kits</b> Economic Video Kits	22	<b>COMPACT</b> Vandal Resistant Audio Panels
3	<b>Compact Access Control Range</b> Small Integrated Door Entry/Access	23	<b>COMPACT</b> Vandal Resistant Video Panels
4*	<b>Sound System Digital Call Tones</b> Functional Dial Sound System Audio	24	<b>SPARTAN</b> Vandal Resistant (Mid/Large) Audio Panels
5*	<b>Sound System Digital Call Tones</b> Functional Dial Sound System Audio/Video	25	<b>SPARTAN</b> Vandal Resistant (Mid/Large) Video Panels
6	<b>Community Housing System (ISO-K)</b> Fully Isolated Functional Audio	26	<b>SPARTAN</b> Vandal Resistant (Grand) Audio/Video Panels
7	<b>Community Housing System</b> Fully Isolated Digital Dial Audio/Video	27	<b>Miniature Entrance Panels</b> Spartan Mullion Audio/Video Panels
8*	<b>Protector</b> Integrated Door Entry for Schools and Public Buildings	28	<b>Galileo Security</b> Heavy Duty Commercial Panels
9	<b>Sound System Concierge</b> Functional Dial, Concierge Switchboard Systems	29	<b>Galileo</b> Modular Entrance Panels
10	<b>DigiBus</b> 8 Digit Modular Digital Dial Concierge	30	<b>PATAVIUM</b> Gold Plated Entrance Panels
11	<b>ICON - Making Communities Safer</b> PC Based Advanced Concierge Door Entry System	31	<b>Handsets</b> 887 Series
12	<b>Digital 2 wire</b> Digital Dial 2 Wire Audio	32	<b>Handsets</b> 620 Series
13	<b>Digital 2 wire Coax free</b> Digital Dial 2 Wire Video	33	<b>GIOTTO</b> 63 Series Video Monitors
14	<b>Sound System Digital Call Tones</b> Open Voice Functional Dial Audio/Video	34	<b>PETRARCA</b> 620 Series Handsets & 6000 Series Video Monitors
15*	<b>Miniature Video Monitor</b> Elite 7500E Open Voice Audio/Video Monitor	35*	<b>81 Panels</b> 81 Series Entrance Panels
16	<b>Digitac</b> Access Control	36*	<b>6600</b> Open Voice Video Monitors
17	<b>Sonelco</b> Through Glass Intercom	37	<b>Swing and Sliding Gate Systems</b> 12Vdc Automatic Swinging and Sliding Gate Systems
18	<b>Proximity Readers</b> PAC Proximity Access Systems	38	<b>Garage Doors &amp; Barrier Systems</b> 12V Automatic Garage Door Systems 12V Automatic Barrier Systems
19*	<b>Help Point</b> Help Point Audio System	39*	<b>Available Soon</b> New Versions - 6600 Open Voice Video Monitors
20*	<b>Inductive Loop</b> External Induction Loop System 'Add-on'	40*	<b>Available Soon</b> Letter Box and DigiBus Panels
		41	Company Profile
		42	Conditions of Sale
		43	Branch Locations
		BC	Application to Open a Credit Account

\* NEW for this issue.

# Contents



## Economic Audio Kits

**Standard Galileo panel kits** - 1 and 2 way, ac call, 8870 handset, 4+1 wires - type 885

**New surface panel kits** - 2-12 way, ac call, 8870 handset, 4+1 wires - type 85BE - 85LE

**Vandal resistant panel kits** - 1 way, ac call, 8870 handset, 4+1 wires - type CA885

**2 Wire Galileo panel kits** - 1 way, electronic call, 8874 handset, 2 wires - type 884

Other panel styles and configurations available on request



## Quick Fit Audio Kits



## Economic Video Kits

- Quick and simple installation
- High quality 625 lines video
- 2 core without coax or 2 core + coax connection
- Additional handsets or monitors



## Quick Fit Video Kits



## Small Integrated Door Entry/Access

- Vandal Resistant Panels
- Easy access for authorised persons
- Available in kits
- Combined AC/DC power supply
- Ideal for schools/commercial premises



## Compact Access Control Range



## Functional Dial Sound System Audio

- Choice of VR or Commercial panels
- Multiple call tones
- Multiple entrance, landing and local calling
- Functional dial
- Desk conversion kits available



## Sound System Digital Call Tones



## Functional Dial Sound System Audio/Video

- Choice of VR or Commercial panels
- Multiple call tones
- Multiple entrance, landing and local calling
- Functional dial
- Desk conversion kits available



## Sound System Digital Call Tones



## Fully Isolated Functional Audio

- Up to 2 entrances and 24 flats
- Vandal resistant panels
- Full duplex speech
- Heavy-duty lock output
- Optional LCD message panel



## Community Housing System (ISO-K)





## Fully Isolated Digital Dial Audio/Video

- Up to 6 entrances and 256 flats
- Vandal resistant panels
- Simultaneous viewing of up to 8 CCTV inputs by tenants



# Community Housing System



## Integrated Door Entry for Schools and Public Buildings - Access Control, Monitoring & Paging

- Protects staff/vulnerable groups
- Multi door alarms
- Individual staff paging/alerts
- 24-hour security via paging system
- Intercom option
- Systems to suit all budgets



# Protector



## Functional Dial, Concierge Switchboard Systems

- Systems up to 130 Handsets
- Options for Day, Night and Intercom modes
- Functional or Digital Dial Systems
- Night Service Handset
- Entrance Panel options
- Systems with 2-wire connection



# Sound System Concierge



## 8 Digit Modular Digital Dial Concierge

- Multi block audio/video system
- Up to 3 switchboards
- Galileo security style panel options
- Computer programming option
- Choice of VR or Commercial panels




# DigiBus



## ICON - PC Based Advanced Concierge Door Entry System

The advanced ICON concierge controlled door entry system from Raytel Security Systems has been designed to encompass the following criteria:-

- User friendly
- Fully Networkable
- Touch Screen Controls
- Self Diagnostics
- Building Alerts and Individual Handset Alert
- Event Log Analysis Reports
- Detailed, Running Event log
- Client Database



ICON is a fully networkable, PC based, single or multi-block concierge door entry system that has been designed to provide advanced facilities in a format that makes it easy to use, particularly by concierge staff, after minimum training.

distributed intelligence has been used throughout by means of programmable integrated circuitry to give maximum versatility and reliability by combining software and hardware into firmware for the whole system.

The PC-based software has been divided into four major modules, all of which are password protected.

## ICON - Making Communities Safer



## Digital Dial 2 Wire Audio

- 2 core parallel connection
- Up to 255 handsets
- Simple to install and programme
- Functional or digital dial VR or Commercial panels



## Digital 2 wire



## Digital Dial 2 Wire Video

- 2 core parallel connection
- Up to 60 monitors/riser
- Simple to install and programme
- Functional or digital dial VR or Commercial panels
- Modular Galileo panels - vertical or horizontal configuration



# Digital 2 wire Coax free



## Open Voice Functional Dial Audio/Video

- Push to Talk - Audio or Automatic Audio Switching
- Compact colour video (Elite 7501E - 2" screen, 6600 - 4" screen, 7400 - audio)
- Modular aluminium panels or vandal resistant options



## Sound System Digital Call Tones





## Elite 7500E Open Voice Audio/Video Monitor

The Elite is a miniature 'Open Voice' monitor incorporating a 2" LCD colour display. The unit has two audio modes, 'push to talk' mode or automatic audio switching. The monitor is compatible with the Sound System, Icon and Digibus systems.

The Elite is available with wipe clean brushed steel, polished brass or polished steel finishes. Bronze effect versions and custom panel designs are also available to order.

### External Adjustments

- Talk Button - activates a two-way audio connection with the entrance panel when pressed while the monitor is activated (Simplex 'push to talk' mode or automatic audio switching).
- Lock Button - activates door release.
- Self Button - activation of monitor, (AUX. only on Digi-bus).
- brightness and contrast controls for screen adjustments.

### Internal Adjustments

Separate loudspeaker and microphone volume adjustment.

### Panel Dimensions

86 x 146mm (special panel designs to order).

### Back Box

Designed to fit a standard electrical double socket (75 x 135 x 47mm).



# Miniature Video Monitor



## Access Control

- Various multi-code options
- High security design
- Choice of keypads
- Proven reliability
- Optional alarm outputs



# Digitac



## Through Glass intercom

- Voice activated duplex audio
- 'Goose neck' desk unit or mic/speaker unit
- Plug in cable connections
- Option for zone speakers



Sonelco



## PAC Proximity Access Systems

- Proximity token/card, hands free and automatic vehicle recognition
- Range of reader devices (may also be built in to door entry panels).
- Systems from 'Stand Alone' 1 door, 10 users to 'Fully Networked' integrated systems up to 30,640 doors and up to 18,000 users.
- Authorised dealers for PAC range



## Proximity Readers



## Help Point Audio System

- Large, high visibility tactile feel 'Call' button with Braille engraving.
- Clear voice instructions 'CALLING' and 'PLEASE ENTER'.
- High intensity LED indicator lights (visible in sunlight).
- Compact, vandal resistant stainless steel entrance panel.
- Clear 'Elvox' quality audio.



# Help Point



## External Induction Loop 'Add-on'

- Induction Loop 'add-on' for door entry systems.
- Visitors with hearing aids using 'T-position' can hear conversations clearly, when next to panel.
- Designed to mount next to entrance panel for direct connection to Raytel/Elvox systems.
- Can fit internally for 'through-wall' operation (external label available).
- Handset induction speaker also available.



# Inductive Loop



## Emergency Audio Call System

Call panel and cord assembly designed for 'Emergency Assistance' calls. Usually located in toilets for the disabled, nursing or residential homes. Features include:-


- Flush mounted stainless steel call panel.
- 'Talk when illuminated' panel indication.
- Tone emitted at panel for reassurance that help is being summoned.



# Emergency Equipment



**COMPACT - Vandal Resistant Audio Panels**




Selection only shown - more panel variations available.






# COMPACT - Vandal Resistant Video Panels



Selection only shown - more panel variations available.




# SPARTAN - Vandal Resistant (Mid/Large) Audio Panels



Selection only shown - more panel variations available.




# SPARTAN - Vandal Resistant (Mid/Large) Video Panels



Selection only shown - more panel variations available.



# SPARTAN - Vandal Resistant (Grand) Audio/Video Panels



Selection only shown - more panel variations available.



## Spartan Mullion Audio/Video Panels

The Spartan Mullion Audio/Video Miniature Entrance Panel has been specifically designed for flush mounting on narrow wooden and metal door frames. It is available in standard format with audio speaker and microphone, pin-hole camera (mono or colour), optional message panel (integral or separate) and one functional call button. Additional call buttons can be fitted either by omitting the camera and/or message panel or by lengthening the panel.

### Method of Operation

This entrance panel is used in conjunction with either the standard Elvox 8875 or Petrarca audio handset or the Giotto combined audio/video handset and monitor with a 4" mono or colour screen. In panels where an integral message window is fitted, the message 'CALL' will be illuminated when the call button is pressed. When the internal handset is lifted, the message will change to 'TALK' and on door lock activation, the 'ENTER' is displayed. The main purpose of the message window is to help those visitors who may have impaired hearing.

### Adjustments

Microphone volume on panel. Speaker volume on Elvox power supply. Camera fixed.

### Dimensions

The dimensions of the standard panel for mounting in wooden or metal door frames shown (A) is 249 x 40mm. Whilst the length may vary according to the particular configuration required, the width remains at 40mm.

A slightly larger unit with backbox is also available for mounting in brickwork and measures 277 x 56mm.

### Materials

The panel is available in stainless steel or brass.



# Miniature Entrance Panels



## Heavy Duty Commercial Panels

- Die cast aluminium construction
- Metal call buttons
- Secure fittings
- For harsh environments
- Functional or digital dial panels



# Galileo Security



## Modular Entrance Panels

- Rapid assembly
- Suitable for most systems
- Maximum flexibility
- Choice of colours
- Slim design (100mm wide)



# Galileo



Gold plated audio and video entrance panels.  
Options include panel security lock and single or double  
rows of functional buttons with name plate windows.



## PATAVIUM - Gold Plated Entrance Panels





## Handsets - 887 Series



Handsets for 'Sound System' call  
and AC call systems.  
Colours available - White, Anthracite and Titanium.



## Handsets - 620 Series

Handsets for 'Sound System' call  
and AC call systems.  
Colours available - White, Anthracite and Titanium.





# GIOTTO - 63 Series Video Monitors



Combined handset and Video monitor with  
black & white or colour screen.  
Colours available - White, Anthracite or Titanium.



# PETRARCA - 620 Series Handsets & 6000 Series Video Monitors

Matching handsets and video monitors.  
Colours available - White, Anthracite and Titanium.





## Panels - 81 Series





Open Voice flush mount video monitor with colour screen.  
Colours available - White, Anthracite and Titanium.




**6600 - Open Voice Video Monitor**



## 12Vdc Automatic Swinging and Sliding Gate Systems for Domestic and Light Industrial Use

- Remote control gate systems designed for intensive use
- Low voltage (12Vdc) operating System
- Obstacle and overload safety detection
- 12V battery backup for mains failure
- Photovoltaic panels + battery for remote sites without mains
- Flashing beacon
- Available in kit form



### Swinging Gates with Actuator Arm or motor with articulated arm.


Single or double leaf gates.  
1.8, 2.5 or 3.5m per leaf.



### Swing Gates with Underground Motor

Single or double leaf gates.  
1.8m (400Kg) to 4m  
(200Kg) per leaf.

Standard or heavy  
duty motors.



### Sliding Gates with Rack and Piston Drive

Single or double leaf gates.  
300 to 1000Kg per leaf.



# Swing and Sliding Gate Systems





## 12V Automatic Garage Door Systems

- For domestic or light industrial use
- Centrally pivoted or 'Up and Over' garage doors
- Maximum door size 10m<sup>2</sup>

## 12V Automatic Barrier Systems

- For domestic or light industrial use
- Remote control barrier systems designed for intensive use
- Low voltage (12Vdc) operating System
- Obstacle & overload safety detection
- Optional mains failure battery backup
- Flashing beacon



# Garage Doors\* & Barrier Systems

\* Actuators for Roller Shutter Doors and Sun Awnings also available.





## New Versions - 6600 Open Voice Video Monitors

- Two Channel
- 6 Programmable function keys
- Flush, Surface and Desk mounting versions



# Available Soon



## Letter Box and Digibus Panels

- Brushed and electropolished stainless steel video entrance panel support pillar (allows for entrance panel installation where wall mounting is impractical).
- Lockable post boxes - versions available with audio and video speech unit and single or double call buttons



# Available Soon



## Company Profile

Raytel Security Systems is a wholly owned subsidiary of the Raytel Group Limited. The Raytel Group was formed in 1980 as a holding and central services company for Rayleigh Instruments Limited (Est. 1964) and Raytel Security Systems Limited (Est. 1979). Since that time the Group has built a substantial reputation in the UK for the quality of its products and customer service.

Raytel Security Systems is a prominent supplier of a wide range of Door Entry and Access Control Equipment to the UK Security Industry for both private applications and for public buildings.

The Company has two branches in the United Kingdom. The Southern Branch is based at the Head Office in Rayleigh, Essex and the Northern Office in Glasgow in Scotland. Both offices are linked to external sales representatives operating throughout the United Kingdom and Northern Ireland.

## Products

The product portfolio of Raytel Security Systems Ltd consists of both Distributed Goods and In-House manufactured products. The company is the exclusive UK distributor for a number of prominent international manufacturers such as Elvox Spa of Padova, Italy, and these products are combined with the company's own range of products to form a comprehensive range of combined Door Entry and Access Systems.

The flexibility and modular nature of these systems means that they can meet most requirements from simple, one door standalone systems to more sophisticated, multidoor, door entry and access systems. Raytel Security Systems are best suited to those applications where individual buildings or doors require simple but secure protection from unauthorised entry but provide easy access for authorised members of staff. The door entry systems have stylish handsets using the latest technology connected to robust, vandal resistant, stainless steel entrance panels. The access systems can be standalone or fully networkable utilising keypads or proximity readers as required. Interfaces to other forms of identification systems can be provided. Remote transmission of audio and video are optional features. Various accessories such as door monitors/alarms are also available. Typical products are:-

### Audio Door Entry

Audio door Entry Kits, Audio Door Entry Systems, Functional/Digital Door Station Units, Audio Amplifiers, Wall/Desk Mounting Handsets, Internal Intercoms, Multifunction Systems.

### Video Door Entry

Video Door Entry Kits, Video Door Entry Systems, Power Supplies and Accessories.

### Automatic Gate Systems

Range currently being updated, please contact our sales team.

### Code/Card/Proximity Access

Internal/External Readers and Keypads, Control Units, Magnetic Swipe Cards & Proximity Tags, Computer Interface Devices and Software.

### Locks/Releases

Electric Mortice Releases and Rim Boxes, Electro-magnetic Locks, Exit Buttons.

### In-House Manufacture

All Raytel Security Systems products made in-house are produced by the Development, Design and manufacturing Division of The Raytel Group. The Group holds the following quality accreditation:-

BS EN ISO 9001:2000

### The range includes:

#### General Products-

- Power Supplies and Accessories
- Door Monitoring Units and Alarm Indication Units
- Vandal Resistant Entrance Panels

#### Special Products-

- Functional, Modular and Digital Dial Isolator Systems for Community Housing
- Audio and Video Door Entry Systems for schools and other public buildings
- Local and Remote Networked Concierge Systems for Multiple Residences
- Lift ID Systems

Rayleigh Instruments Limited, the other industrial company in the Raytel Group specialises in the manufacture and distribution of special relays, including safety relays and products for temperature and environmental control.



**RAYTEL SECURITY SYSTEMS LIMITED - CONDITIONS OF SALE**

<b>Parties</b>	1. In these conditions the expression 'Raytel' shall mean The Raytel Group Ltd and any of its subsidiary companies and its successors in title and the expression 'buyer' shall mean the buyer of the goods ordered from Raytel.	<b>Notice of Termination or Partial delivery</b>	11. In the event of an outbreak of hostilities (whether war is declared or not) in which the United Kingdom is involved, or in the event of national emergency, or if Raytel's works should become either directly or indirectly so engaged on government orders or orders under priority directions as to prevent or delay work on other orders, Raytel shall be entitled at any time, on notice to the buyer, to make partial deliveries only or to terminate the contract, without prejudice in any case to rights accrued in respect of deliveries already made.
<b>Application of Conditions</b>	2. Any variation of these conditions in any document of the buyer is inapplicable unless accepted in writing by Raytel.	<b>Termination of contract</b>	12. If the buyer shall make default in or commit a breach of the contract or of any other of his obligations to Raytel, or if any distress or execution shall be levied upon the buyer's property or assets, or if the buyer shall make or offer to make any arrangement or composition with creditors, or commit any act of bankruptcy, or if any petition or receiving order in bankruptcy shall be presented or made against him, or if the buyer is a limited company and any resolution or petition to wind up such company's business (other than for the purpose of amalgamation or reconstruction) shall be passed or presented, or if a receiver of such company's undertaking, property or assets or any part thereof shall be appointed, Raytel shall have the right forthwith to terminate any contract then subsisting and upon written notice of such termination being posted to the buyer's last known address any subsisting contracts shall be deemed to have been terminated without prejudice to any claim or right Raytel may otherwise make or exercise.
<b>Estimated delivery date</b>	3. Any time or date for delivery named by Raytel is an estimate only, and Raytel shall not be liable for the consequences of any delay nor in the event of delay in delivery for any reason whatsoever, shall the buyer be entitled to cancel the order.	<b>Indemnity</b>	13. The buyer shall indemnify Raytel against all damages, penalties, costs and expenses to which Raytel may become liable as a result of work done in accordance with the buyer's specification which involves the infringement of any letters patent or registered design.
<b>Payment</b>	4. The buyer shall pay for the goods delivered within 30 days after the date of Raytel's invoice for the same unless otherwise agreed in writing between Raytel and the buyer and Raytel shall be entitled to charge interest at its discretion at the rate 2% per annum above bank rate from time to time on any sum outstanding on any such invoice after the expiration of the said 30 days.	<b>Arbitration</b>	14. Any dispute under the contract shall be referred to an arbitrator or arbitrators to be appointed by the parties, or in default of agreement, by the President of the Law Society for the time being, and his or their decision shall be binding on both parties, and this shall be a submission to arbitration within the Arbitration Act 1950, or any statutory modification thereof for the time being in force.
<b>Ownership</b>	5. Raytel and the buyer expressly agree that until Raytel has been paid in full for the goods comprised in this or any other sale contract between them:- (a) the goods comprised in this contract remain the property of Raytel (although the risk therein passes to the buyer at the point when delivery begins). (b) Raytel may recover those goods at any time from the buyer, if in his possession, if the amount outstanding from the buyer to Raytel in respect of goods supplied shall remain unpaid after the due date for payment has passed; and for that purpose Raytel, its servants and agents may enter upon any land or building upon which the goods are situated. (c) the buyer has the right to dispose of the goods in the course of his business for the account of Raytel (but any warranties, conditions or representations given or made by the buyer or any third party shall not be binding on Raytel who shall be indemnified by the buyer with respect thereto) and to pass good title to the goods to his customer being a bona fide purchaser for value without notice of Raytel's rights. (d) in the event of such disposal the buyer has the fiduciary duty to Raytel to account to Raytel for the proceeds but may retain therefrom an excess of such proceeds over the amount outstanding under this or any other sale contract between them, and Raytel has the additional right to recover the buyer's price directly from the buyer's customer to the extent unpaid; if Raytel avails itself of such right Raytel will account to the buyer for any such excess as aforesaid less any expenses incurred by Raytel in respect of such recovery. (e) if the buyer incorporates such goods into other products (with the addition of his goods or those of others) or uses such goods as material for other products (with or without such addition) the property in those other products is upon such incorporation or use ipso facto transferred to Raytel and the buyer as bailee of them for Raytel will store the same for Raytel in a proper manner without charge to Raytel; in the event of such incorporation or use as is envisaged by this sub-Clause, the provisions of sub-Clause 5(b) to (d) above shall apply, mutatis mutandis, to those other products in place of the goods	<b>Licences and availability of Goods</b>	15. Contracts and orders are accepted subject to Raytel receiving any necessary licence to purchase or to use the required raw materials or instruments or other goods (hereinafter collectively and individually called 'goods') and to Raytel being able to obtain such goods.
<b>Specifications</b>	6. Where specifications are to be supplied, the buyer shall supply such specifications in reasonable time to enable Raytel to complete delivery within the estimated period.	<b>Price Variation</b>	16. Any price quoted by Raytel or comprised in the order or contract is provisional only and is subject to the following conditions: (1) The following conditions shall apply to all orders and contracts: (a) In the case of orders or contracts or any part thereof accepted for delivery within six months of the date of acceptance of the order or contract, the price shall not be varied for any reason except where Raytel is unable to obtain any goods comprised in the order or contract at a firm figure on the date on which the price comprised in the order or contract is named in which event the price will be varied according to the figure at which Raytel is able to purchase such goods. (b) In the case of orders or contracts or any part thereof accepted for delivery beyond six months of the date of acceptance of the order or contract, the price is subject to such variation as may be applicable at the date of despatch of the goods and of each consignment thereof in consequence of increases in any of Raytel's costs including the cost of the goods. (c) The price will be varied in consequence of the imposition of any tax, levy or other fiscal obligation of a like nature (other than a tax on Raytel's profits or a payment in the nature of a refundable deposit). (2) Where Raytel obtains goods from a supplier outside the United Kingdom, the price of all orders or contracts or any part thereof will be varied in consequence of any fluctuations in the rates of exchange of sterling or the currency of any country where Raytel shall purchase such goods. (3) An additional charge will be made on all despatches to cover the cost of packing, packing materials, insurance and shipment of the goods to their specified destination. This additional charge will be at the rate ruling on the date of despatch.
<b>Goods sold f.o.b.</b>	7. Where goods are sold f.o.b. the responsibility of Raytel shall cease immediately the goods are placed on board ship or aircraft, or if sold free border, then have reached such border, Raytel shall be under no obligation to give the buyer the notice specified in section 32(3) of the Sale of Goods Act 1893.	<b>Acceptance of Quotation</b>	17. No binding contract shall be deemed to have been effected by the acceptance by the buyer of any quotation made by Raytel until the order constituted by such acceptance has been confirmed by Raytel in writing.
<b>Conditions and Warranties</b>	8. No condition is made or to be implied nor is any warranty given or to be implied as to the life or wear of the goods supplied or that they will be suitable for any particular purpose or for use under any specific conditions, notwithstanding that such purpose or conditions may be known or made known to Raytel.	<b>Law applicable</b>	18. These conditions and the contract shall be subject to and construed in accordance with English law.
<b>Defective Goods</b>	9. Goods represented by the buyer to be defective shall not form the subject of any claim for work done by the buyer or for any loss, damage or expense whatsoever arising directly or indirectly from such defects, but such goods, if returned to Raytel and accepted by Raytel as defective, will at the request of the buyer and if practicable be replaced as originally ordered. Defects in quality or dimensions in any delivery shall not be a ground for cancellation of the remainder of the order or contract.	<b>Return of Goods</b>	19. No goods will be accepted for return unless prior authority is obtained from Raytel in writing. All goods accepted by Raytel for return shall be subject to a handling charge which shall be levied at the discretion of Raytel at a percentage rate of the invoice value of the goods concerned. Where goods are specially manufactured or specially purchased by Raytel to the buyer's specification Raytel reserve the right to deny the buyer authority to return such goods.
<b>Claims for damage, shortage or loss</b>	10. No claim for damage in transit, shortage of delivery or loss of goods will be entertained unless, in the case of damage in transit or shortage of delivery, a separate notice in writing is given to the carrier concerned and to Raytel within three days of the receipt of goods, followed by a complete claim in writing within ten days of receipt of goods, and in the case of loss of goods, notice in writing is given to the carrier concerned and to Raytel and a complete claim in writing made within seven days of the date of consignment. Where goods are accepted from the carrier		

**NOTE:** Whilst every effort has been made to ensure the accuracy of this product overview at the time of going to print any critical parameters should be checked at time of order. We reserve the right to change product specifications without notice. E&OE.



## BRANCH LOCATIONS

### Northern Office


#### Raytel Security Systems Ltd.

Unit 3, Block 5, Oakbank Industrial Estate,  
Garscube Road, Glasgow G20 7LU  
Tel: 0141 332 4232 · Fax: 0141 332 6952

#### When visiting Raytel Security Systems Northern Office by Road:-

**From the West** – take the M8 to Junction 17 and take the slip road signposted A82 to Dumbarton. Remain in left hand lane signposted to Aberfoyle. At T junction traffic lights turn right to Aberfoyle (A804). At the crossroad traffic lights turn left into Garscube Road. Entrance for Oakbank is on the right opposite petrol station/car showroom.



**From the East** – take the M8 to Junction 16 and take the slip road which continues on alongside motorway. At the third set of traffic lights turn right into Garscube Road. Entrance for Oakbank is on the right opposite petrol station/car showroom.



### Southern Office

#### Raytel Security Systems Ltd.

Raytel House, Brook Road, Rayleigh, Essex SS6 7XH  
Tel: 01268 749310 · Fax: 01268 749315



#### When visiting Raytel Security Systems Southern Office by road:-

**From the A127** – take the slip road off the A127 onto the Rayleigh Weir roundabout. Then take the exit for Southend (as if you were going to go back onto the A127). Turn into the first turning on the left (immediately after the Weir Public House) and turn right at the T junction onto Brook Road Industrial Estate.

# Application to Open a Credit Account

If you wish to open a credit account, please **photocopy** this page, complete the details below and **Faxback on 01268 749315**. Alternatively post your form to our Southern Office: Raytel Security Systems, Raytel House, Brook Road, Rayleigh, Essex SS6 7XH.

Section 1		Company Name		Section 2	
Invoice Address		Delivery Address		We hereby sign as having read, understood and accepted the Standard Conditions of Sale of Raytel Security Systems Limited.	
Postcode	Tel. No.	Postcode	Tel. No.	Signature	
Contact	Position	Financial Director		Name (Print)	
Registration No.	Date of Incorporation	Parent Company (if applicable)		For and on behalf of	
Estimated Monthly Purchase	Number of Employees	Nature of Business		Date	
<b>BANKERS REF</b>	Name	Sort Code		<b>Section 3</b>	
	Address	A/C No.		<b>FOR OFFICE USE ONLY</b>	
	Postcode	Contact		Credit Limit	
<b>TRADE REF 1.</b>	Name	Name		Approved by	
	Address	Address		Date	
	Contact	Contact		Rep.	
Postcode	Postcode	Contact		Code	
Fax No.	Fax No.	Tel. No.		Area	
				<b>Account No.</b>	
				Cash Account	
				Credit Account	