

# PACKER<sup>®</sup>

## Packing room equipment and materials Product guide



2  
0  
1  
1

# PACKER<sup>®</sup>



Welcome to Packer Products' 2011 Product Guide.



**PACKER** the trading name of Packaging Aids Ltd., has over 40 years experience offering branded value for money packaging equipment. From simple hand tape dispensers to automatic wrapping systems together with a wide variety of consumables. The 6500 sq.m. purpose-built facility located in Basildon, Essex allows us to maintain comprehensive stocks and offer same day despatch in most instances.

---

Packaging Aids Ltd.  
Lords Way  
Basildon  
Essex  
SS13 1TN

Sales Telephone : +44 (0)1268 885885  
Sales Fax : +44 (0)1268 885860  
Main Telephone: +44 (0)1268 885858  
Sales Email: [sales@packer-products.co.uk](mailto:sales@packer-products.co.uk)

# PACKER<sup>®</sup>

## Packer Products offers you:

















- Over 40 years Packer brand experience offering value for money packaging equipment
- Product demonstrations and trials
- Illustrated literature, CD's and videos for product promotion
- Regular product promotions
- Purpose-built warehouse holding comprehensive stocks, for same day shipments, directly to your customer under plain/your notes if required
- Individual chapters of the catalogue available in PDF upon request
- Full after sales service for your peace of mind. Our dedicated repair department maintains a comprehensive stock of spare parts for quick turnaround. Engineers are available for on-site service and maintenance contracts are negotiable upon request.



All operations are monitored regularly to maintain the position we hold as an ISO 9001:2008 registered company.


















# Index

Adhesive Tape	Page	
Bag neck tape & dispensers	1	
Carton tape dispensers	2	
Tape dispensers	3	
Tape dispensers & tape	4	
Semi-auto tape machines	5 & 6	
Label dispensers & document envelopes	7	
<b>Cartons</b>		
Cartons	8	
Postal boxes	8	
Quick boxes	8	
<b>Chok-a-blok</b>		
CHOK-A-BLOK™	9	
<b>Counter roll holders</b>		
Counter roll holders	10	
<b>Cutters</b>		
Scissors	11	
Safety cutters & knives	12	
Safety cutters & knives	13	
<b>Gummed paper tape</b>		
Gummed paper tape dispensers	14	
Gummed paper tape & accessories	15	

Heat sealers	Page	
Economy heat sealers	16	
Industrial heat sealers	17	
Semi-auto heat sealers	18	
Sealing tongs	19	
Layflat Tubing	20	
<b>Hotmelt Guns &amp; Glue</b>		
12mm glue guns & glue	21	
12mm & 15mm guns & glue	22	
43mm guns & glue	23	
Dot-Tec applicator & adhesives	24	
<b>Packaging Materials</b>		
Bubble film	25	
Corrugated paper	25	
Kraft paper rolls	25	
Padded postal envelopes	26	
String & twine	26	
Tarpaulins	26	
<b>Packing Stations</b>		
Economy packing stations & matting	27	
Modular packing stations	28	
Modular packing benches & cutters	29	
Pack Station modules & accessories	30 & 31	

# Index continued

Shrink Wrapping	Page	
Shrink systems	32	
Shrink systems & film	33	
Shrink wrap systems	34	
Pallet shrink system & film	35 & 36	
<b>Stapling</b>		
Packer hand stapling machines & staples	37	
Rapid hand staplers	38 & 39	
Rapid hand staples	40	
Carton staplers & staples	41	
<b>Strapping Machines</b>		
Pallet strapping machines	42	
Automatic strapping machines & strapping	43	
Semi-automatic strapping machines & strapping	44	
<b>Strapping Polypropylene</b>		
Polypropylene strapping	45	
Polypropylene strapping tools	46	
Polypropylene strapping tools & seals	47	
Strapping dispensers	48	
Polypropylene strapping kits	49 & 50	
<b>Strapping Extruded Polyester</b>		
Extruded polyester strapping & seals	51	
Extruded polyester strapping tools	52	
Extruded polyester strapping tools and dispensers	53	

Strapping Woven Polyester	Page	
Woven polyester strapping, buckles & tools	54	
Woven polyester dispensers & starter kits	55	
<b>Strapping Steel</b>		
Steel strapping & seals	56	
Steel strapping tools	57 & 58	
Strapping dispensers & kits	59	
<b>Stretch Film</b>		
Pallet stretch film & dispensers	60	
Stretch film mini rolls	61	
Stabilising with Sanpack®	62	
Mobile pallet stretch wrappers & film	63	
Pallet stretch wrappers & film	64 & 65	
<b>Carton Shredding Systems</b>		
Cardboard carton shredders & dust reduction units	66 & 67	
<b>Void Fill</b>		
Air pouch™ cushions	68	
Minipak R™ cushions	69	
Greenfiller paper pads	70	
ExpandOS™	71	

# New products



Pg 27

Low cost pack benches.



Pg 7

Document pouch dispenser - lightweight but durable.



Pg 52

Extruded polyester and polypropylene combination tool.



Pg 41

Carton staplers.



Pg 6

Range of case sealers.



Pg 14

Metal body versions of classic cutters.



Pg 9

CHOK-A-BLOK™ - webbing guards.



Sheffield Steel!



High quality scissors suitable for heavy duty applications.

Pg 11

Save tape, save time!



Tape-It-Easy is the ideal table-top necessity.

Pg 4

# for 2011

New additions to Packer's 2011 product range. Look for the **NEW!** icon throughout the catalogue.

Cabinet door version!

Pg 57-58



Steel strap tensioner, crimper and combination tool.

Pg 62



Sangrip non-slip roll - For pallet stabilising.

Pg 27 & 30



Anti-fatigue matting - comfort when working.



Semi-auto strap machine with cabinet doors for a tidy appearance.

Pg 42

Pg 19



Handheld impulse welding tongs - ultimate sealing.

Expand on site... ExpandOS!

Pg 35



Robust, reliable shrink wrap gun.

Pg 37



Packer hand tacker.

Pg 42



Easy to use mobile strapping frame. Strapping the easy way!



100% recycled and reusable product protection totally eco-friendly.

Pg 71

# 1 Bag neck tape & dispensers

BAG NECK tape available in a selection of colours to facilitate easy bag identification. BAG NECK TAPE DISPENSERS allow fast poly bag sealing and trimming where indicated.



**Bag neck sealer with bag trimmer bench mounted for tape up to 12mm wide**

- > Neck opening 8mm for tape up to 12mm wide on 75mm core
- > Complete with handy bag neck trimming blade



CODE	BNS12
PK QTY	12
PK WGT	12



**Bag neck sealer bench mounted for tape up to 12mm wide**

- > Neck opening 10mm for tape up to 12mm wide on 75mm core



CODE	E7
PK QTY	10
PK WGT	10.5



**Bag neck sealer bench mounted for tape up to 12mm wide**

- > Neck opening 15mm for tape up to 12mm wide on 75mm core



CODE	E9
PK QTY	6
PK WGT	29.5

**Bag neck tape blue 9mm x 66m 35 micron**

CODE	PK QTY	PK WGT
672-9-B	192	9.0



**Bag neck tape clear 9mm x 66m 35 micron**

CODE	PK QTY	PK WGT
672-9-CLEAR	192	9.0



**Bag neck tape green 9mm x 66m 35 micron**

CODE	PK QTY	PK WGT
672-9-G	192	9.0



**Bag neck tape red 9mm x 66m 35 micron**

CODE	PK QTY	PK WGT
672-9-R	192	9.0



**Bag neck tape white 9mm x 66m 35 micron**

CODE	PK QTY	PK WGT
672-9-W	192	9.0



**Bag neck tape yellow 9mm x 66m 35 micron**

CODE	PK QTY	PK WGT
672-9-Y	192	9.0



**Bag neck tape blue 12mm x 66m 35 micron**

CODE	PK QTY	PK WGT
672-12-B	144	9.0



**Bag neck tape green 12mm x 66m 35 micron**

CODE	PK QTY	PK WGT
672-12-G	144	9.0



**Bag neck tape red 12mm x 66m 35 micron**

CODE	PK QTY	PK WGT
672-12-R	144	9.0



**Bag neck tape white 12mm x 66m 35 micron**

CODE	PK QTY	PK WGT
672-12-W	144	9.0



**Bag neck tape yellow 12mm x 66m 35 micron**

CODE	PK QTY	PK WGT
672-12-Y	144	9.0





# Carton tape dispensers

A wide choice of self-adhesive carton tape dispensers to suit every application and budget.

**Pistol grip dispenser with removable blade protector for 50mm tape**

> Adjustable tape tension control

CODE	PG50
PK QTY	24
PK WGT	10.5



**Pistol grip dispenser with flip open blade protector for 50mm tape**

> Adjustable tape tension control

CODE	PG51-BP
PK QTY	24
PK WGT	10.5



**Pistol grip dispenser with spring loaded blade protector for 50mm tape**

> Adjustable tape tension control

CODE	BPD
PK QTY	30
PK WGT	12



**Pistol grip dispenser robust operation for 50mm tape**

> Adjustable tape tension control

CODE	H11-CP
PK QTY	40
PK WGT	20.5



**Pistol grip heavy duty dispenser for 50mm tape**

> Adjustable tape tension control

CODE	PG52-HD
PK QTY	24
PK WGT	16



**Pistol grip dispenser with removable blade protector for 75mm tape**

> Adjustable tape tension control

CODE	PG75
PK QTY	24
PK WGT	16



**Pistol grip dispenser robust operation for 75mm tape**

> Adjustable tape tension control

CODE	H75
PK QTY	5
PK WGT	3.5



## 3 Tape dispensers

### Metal dispenser for 25mm tape

- > Robust, all metal construction
- > Tape is protected by the fully enclosed body and will not sustain edge damage if dispenser is dropped
- > Roller dispensing action with serrated tape cutting blade

CODE	D2-25
PK QTY	15
PK WGT	6.5



### Metal dispenser for 38mm tape

- > Robust, all metal construction
- > Tape is protected by the fully enclosed body and will not sustain edge damage if dispenser is dropped
- > Roller dispensing action with serrated tape cutting blade

CODE	D2-38
PK QTY	10
PK WGT	5.5



### Metal dispenser for 50mm tape

- > Robust, all metal construction
- > Tape is protected by the fully enclosed body and will not sustain edge damage if dispenser is dropped
- > Roller dispensing action with serrated tape cutting blade

CODE	D2-50
PK QTY	10
PK WGT	6.5



### Bench dispenser with pen holder for up to 25mm tape

- > Weighted, non slip base

CODE	B20-NOVA-BLACK
PK QTY	10
PK WGT	14



### Bench dispenser for up to 25mm tape

- > Weighted non-slip base

CODE	B2-N-BEIGE
PK QTY	10
PK WGT	15.5



### Heavy duty bench dispenser for up to 50mm tape

- > Heavy duty steel construction with non-slip base

CODE	PD-332
PK QTY	12
PK WGT	18.5



### Heavy duty bench dispenser for up to 75mm tape

- > Heavy duty steel construction with non-slip base

CODE	PD-750
PK QTY	8
PK WGT	14.5



# Tape dispensers & tape

## Tape-it-Easy self-adhesive tape dispenser for tabs 38mm long up to 38mm wide

- > Saves wasting tape by cutting up to 4 x 38mm long tabs with each half turn of the thumbwheel
- > Ideal for wrapping goods in shops, for mail order or using at school, office or home
- > Holds one 38mm width or three 12mm width rolls with provision for additional roll alongside
- > Lift blade flap for cleaning, no need to replace blades
- > Fitted with non-slip base and handy penholder



CODE	WTD-3
PK QTY	12
PK WGT	0.8



Non-slip base

## Lever operated bench dispenser pre-determined length for up to 25mm tape

- > Easy adjustment of lever position. One full lever stroke dispenses up to 100mm tape length
- > Fitted with anti-static device to prevent tape curl and useful pen holder
- > Weighs 1.46kg



CODE	SL1
PK QTY	6
PK WGT	10

## Lever operated bench dispenser pre-determined length for up to 75mm tape

- > Can dispense pre-selected lengths up to 200mm and fitted with anti-static device to prevent tape curl



CODE	SL3
PK QTY	1
PK WGT	4.61

## Multi tape bench dispenser for 4 x 25mm tape

- > Heavy duty steel body with non-slip base



CODE	MTD-4
PK QTY	8
PK WGT	4.14

## Bench dispenser with clamp for 50mm (or 2 x 25mm) tape

- > Dispense 1 x 50mm or 2 x 25mm tape widths
- > Can be secured easily to bench top




CODE	B3-TC
PK QTY	10
PK WGT	7.5

CODE	PK QTY	PK WGT	TAPE
820-25	72	6.3	CARTON SEALING TAPE BROWN 25mm x 66m x 25micron
820-38	48	6.3	CARTON SEALING TAPE BROWN 38mm x 66m x 25micron
820-50	36	6.3	CARTON SEALING TAPE BROWN 50mm x 66m x 28micron
820-50C	36	6.3	CARTON SEALING TAPE CLEAR 50mm x 66m x 28micron
ET18	96	4.9	EASY TEAR TAPE CLEAR 18mm x 66m x 25micron
ET24	72	5	EASY TEAR TAPE CLEAR 24mm x 66m x 25micron
PPT-1	36	6.3	WHITE TAPE PRE-PRINTED RED "FRAGILE" 50mm x 66m x 25micron
PPT-5	36	7.5	WHITE TAPE PRE-PRINTED RED "URGENT" 50mm x 66m x 25micron
672-12-CLEAR	144	9.8	CLEAR VINYL SILENT TAPE 12mm x 66m x 35micron
672-25-CLEAR	144	9.3	CLEAR VINYL SILENT TAPE 25mm x 66m x 35micron
672-38-CLEAR	144	8.9	CLEAR VINYL SILENT TAPE 38mm x 66m x 35micron



## 5 Semi-auto tape machines

Solve your carton sealing needs economically and easily with competitively priced, SEMI-AUTOMATIC TAPE MACHINES. The bench mounted models can dispense measured lengths of a wide variety of packaging tapes from 15mm to 75mm wide.



Blade protection device

### Bench tape dispenser electronic pre-determined length for tape 15mm to 75mm wide

- > Reliable construction backed with a two year warranty
- > Dispenses adhesive tape width 15mm to 75mm in pre-selected lengths 50mm to 1300mm with override and auto repeat feature
- > Can dispense all types of tape; plain, reinforced, pressure sensitive and some specialist tapes
- > Fitted with blade protection device with LED warning light

CODE	PK QTY	PK WGT
UMET-75	1	6



### Bench dispenser electronic pre-determined length with automatic cut off for tape 15mm to 75mm wide

- > Reliable construction backed with a two year warranty
- > Dispenses and cuts adhesive tape width 15mm to 75mm in pre-determined lengths from 50mm to 1300mm, selected from digital display with override and auto repeat feature
- > Can dispense all types of tape; plain, reinforced, pressure sensitive and some specialist tapes
- > Weighs approx 6kg

CODE	PK QTY	PK WGT
BABYMATIC	1	6

## Semi-auto tape machines

These belt driven machines efficiently seal the tops and bottoms of cartons using 50mm self-adhesive tape with an option of 75mm tape head to order.



### Semi-auto case sealer side belt drive

- > Side belt driven case sealer for uniform size cartons, the belts each side are especially effective for lightweight boxes
- > Seals tops and bottoms using 50mm self-adhesive tape
- > Optional on/off roller conveyors, lockable castors and 75mm tape head
- > Case width: 120-510mm, Case height: 110-620mm Speed: Up to 25 boxes/min.
- > Dimensions: L1200mm x W900mm x H1500mm. Weight: 231kgs.

CODE	PK QTY	PK WGT
P-SSB-2	1	231



### Semi-auto case sealer bottom belt drive

- > Bottom belt driven case sealer for uniform size cartons
- > Seals tops and bottoms using 50mm self-adhesive tape
- > Optional on/off roller conveyors, lockable castors and 75mm tape head
- > Case width: 120-500mm, Case height: 110-600mm Speed: Up to 25 boxes/min.
- > Dimensions: L800mm x W660mm x H1500mm. Weight: 140kgs.

CODE	PK QTY	PK WGT
P-SBB-2	1	140

CODE	PK QTY	PK WGT	MACHINE CARTON SEALING TAPE
820-48-990-BROWN	6	2.1	MACHINE CARTON SEALING TAPE BROWN 48mm x 990m x 30micron
820-48-990-CLEAR	6	2.1	MACHINE CARTON SEALING TAPE CLEAR 48mm x 990m x 30micron



# 7 Label dispensers & document envelopes

Efficient dispensers for self-adhesive labels and "Documents Enclosed" pouches.



CODE	SP-90
PK QTY	1
PK WGT	1.5

### Label dispenser for self-adhesive labels up to 90mm wide

- > Dispense labels by simply pulling backing paper and the peeled label is presented for use
- > No wasted labels



CODE	SP-120
PK QTY	1
PK WGT	1.75

### Label dispenser for self-adhesive labels up to 120mm wide

- > Dispense labels by simply pulling backing paper and the peeled label is presented for use
- > No wasted labels



CODE	SP-180
PK QTY	1
PK WGT	2

### Label dispenser for self-adhesive labels up to 180mm wide

- > Dispense labels by simply pulling backing paper and the peeled label is presented for use
- > No wasted labels



CODE	SP-300
PK QTY	1
PK WGT	2.5

### Label dispenser for self-adhesive labels up to 300mm wide

- > Dispense labels by simply pulling backing paper and the peeled label is presented for use
- > No wasted labels



**NEW!**

CODE	APTD-150
PK QTY	1
PK WGT	1.3

### Document pouch tape dispenser for tape APT-1

- > Can be fixed to table or wall-mounted
- > Quick, side loading dispenser for APT-1 tape



CODE	APT-1
PK QTY	24
PK WGT	7.8

### Pouches (330 per roll) "DOCUMENTS ENCLOSED" 150mm x 200mm x 66m for APTD-150

- > Use with pouch tape dispenser APTD-150
- > Less expensive and faster to use than conventional envelopes
- > Documents remain visible but protected on the outside of cartons

CODE	PK QTY	PK WGT	DOCUMENT ENCLOSED ADHESIVE ENVELOPES
A5-PRINTED	500	3	225 x 160mm (500 per box)
A6-PRINTED	1000	3	160 x 110mm (1000 per box)
A7-PRINTED	1000	2.2	110 x 95mm (1000 per box)



# Cartons

Available in SINGLE and DOUBLE wall 'B' flute 125KT corrugated.

Dimensions are internal and displayed as length x width x height. All cartons are style 0201.

CODE	PK QTY	PK WGT	CARTONS
SW-1	25	3.1	CARTON 305 x 229 x 76mm
SW-2	25	3.5	CARTON 305 x 229 x 127mm
SW-3	25	4.9	CARTON 305 x 229 x 229mm
SW-4	20	6.5	CARTON 457 x 305 x 254mm
SW-5	20	9.3	CARTON 305 x 229 x 508mm

CODE	PK QTY	PK WGT	CARTONS
DW-1	10	11	DOUBLE WALL CARTON 559 x 406 x 457mm
DW-2	10	15	DOUBLE WALL CARTON 762 x 508 x 508mm

CODE	PK QTY	PK WGT	CARTONS
CTN-151	20	4	CARTON 295 x 195 x 124mm
CTN-111	20	6.85	CARTON 395 x 260 x 184mm
CTN-850	20	6.5	CARTON 382 x 340 x 220mm



## Postal boxes

SUPPLIED FLAT PACKED for easy self assembly, these POST OFFICE APPROVED POSTAL BOXES give your products a smart presentation and effective protection.

Dimensions are internal and displayed as length x width x height.

CODE	PK QTY	PK KG	POSTAL BOXES
PB5	20	1.0	POSTAL BOXES (PACK 20) OYSTER 102 x 102 x 76mm
PB15	20	1.5	POSTAL BOXES (PACK 20) OYSTER 152 x 152 x 76mm
PB35	20	2.4	POSTAL BOXES (PACK 20) OYSTER 310 x 223 x 51mm



## Quick boxes

Push the sides and the QUICK BOX is made! The self-locking base does not require stapling or taping and the "B" flute corrugated holds the box in shape when loaded.

QUICK BOX dimensions are internal and displayed as length x width x height.

CODE	PK QTY	PK KG	QUICK BOXES
QB20	20	2.0	QUICK BOX BROWN (20 per pack) 165 x 165 x 165mm
QB30	20	2.5	QUICK BOX BROWN (20 per pack) 220 x 165 x 165mm
QB40	20	3.2	QUICK BOX BROWN (20 per pack) 330 x 220 x 110mm
QB50	20	4.2	QUICK BOX BROWN (20 per pack) 330 x 220 x 220mm
QB60	20	7.8	QUICK BOX BROWN (20 per pack) 427 x 304 x 200mm



# 9 Chok-a-blok

**CHOK-A-BLOK**

CHOK-A-BLOK is a tough polypropylene webbing guard, product protector and anti-wear sleeve that can follow the contour of any load, flexing and bending to help maintain exceptional security.



**NEW!**



**NEW!**

### CHOK-A-BLOK plastazote backed webbing guard 50mm

- > A lightweight guard that protects finished surfaces from transit webbing straps under high tension
- > Plastazote foam is inert and will not cause corrosion or staining on protected surfaces
- > Easily slipped onto strapping one-handed and can be butt-joined to extend protected area
- > Can be slid along strap and will stay in place whilst strap is positioned
- > Strap will slip easily across the guard surface avoiding friction damage to the load

### CHOK-A-BLOK plain webbing guard 50mm

- > Anti-wear sleeve protects webbing from chaffing on rough surfaces
- > Easily slipped onto strapping one-handed and can be butt-joined to extend protected area
- > Can be slid along strap and will stay in place whilst strap is positioned
- > Strap will slip easily across the guard surface avoiding friction damage to the load

CODE	PK QTY	PK WGT
CAB50-LD70	1	0.04

CODE	PK QTY	PK WGT
CAB50	1	0.03

CAB50-LD70 protects finished surface from webbing in transit



CAB50 protects webbing from sharp edges





# Counter roll holders

COUNTER ROLL HOLDERS manufactured in the U.K. in 500mm, 600mm, 800mm and 1000mm widths, each fitted with a serrated cutter make a perfect dispenser for wrapping paper or florist film and foil rolls up to 240mm diameter.

COUNTER ROLL HOLDERS are free-standing and robustly built with enamelled die-cast chassis and satin aluminium rails. Supplied flat packed complete with assembly instructions. Optional brackets for wall and under-counter mounting or stacking two units to save space.



## Counter roll holder

- > Robust construction of enamelled die-cast chassis and satin aluminium rails
- > Fitted with a serrated blade to tear Kraft, wrapping films and foils
- > Free-standing as standard with brackets for hanging, wall-mounting or stacking available as accessories
- > Supplied flat packed with easy to follow assembly instructions

CODE	PK QTY	PK WGT	COUNTER ROLL HOLDERS
CRHS-500	1	3.5	COUNTER ROLL HOLDER 500mm width
CRHS-600	1	3.5	COUNTER ROLL HOLDER 600mm width
CRHS-800	1	4	COUNTER ROLL HOLDER 800mm width
CRHS-1000	1	4.5	COUNTER ROLL HOLDER 1000mm width



## Stacking bracket for all models

- > Allows stacking of two holders for space saving
- > Two brackets required for holder widths up to 800mm and three brackets required if stacking two 1000mm width holders
- > When stacking different width holders, shorter holder should be on top



## Hanging brackets (pack 3) for all models

- > Allows under counter hanging of holder to save space on working surface
- > Reverse front rail with knife rail when using this option



## Wall brackets (pack 3) for all models

- > Allows holder to be wall hung to save space

CODE	PK QTY	PK WGT
CRHS-STB	1	0.60

CODE	PK QTY	PK WGT
CRHS-HB	3	0.11

CODE	PK QTY	PK WGT
CRHS-WB	3	0.11

# 11 Scissors



**NEW!**

UK Sheffield quality general purpose scissors useful for most packaging materials. Ergonomically designed with comfortable handles moulded onto stainless steel, hollow ground blades.



**General purpose scissors 150mm length stainless steel blades**  
 > High quality Sheffield made, with large handles for comfort and easy use

CODE	PK QTY	PK WGT
PS-150	3	0.05



**General purpose scissors 185mm length stainless steel blades**  
 > High quality Sheffield made, with comfortable handles

CODE	PK QTY	PK WGT
PS-185	3	0.01



**General purpose scissors 210mm length stainless steel blades**  
 > High quality Sheffield made, with extra comfortable handles for easy use

CODE	PK QTY	PK WGT
PS-210	5	0.09



**Heavy duty general purpose scissors 250mm stainless steel blades**  
 > High quality Sheffield made, with large handles for comfort and easy use  
 > Very powerful, suitable for thick materials, including underlay, fabric, leather etc.

CODE	PK QTY	PK WGT
PS-250	5	0.18



**Serrated blade scissors for extra grip 205mm length stainless steel blades**  
 > High quality Sheffield made, with a powerful cutting action combined with a serrated blade for extra grip

CODE	PK QTY	PK WGT
PS-205-SERRATED	5	0.2



**Bright steel scissors for plastic strap 160mm length**  
 > High quality Sheffield made  
 > Shaped blades facilitate cutting of plastic strapping, string etc. from parcels

CODE	PK QTY	PK WGT
PS-160-SC	5	0.1

# Safety cutters & knives

Designed to meet health & safety guidelines, our SAFETY CUTTERS & KNIVES are useful for most packaging materials. Some models available custom printed.

**Registered Design**



**Blademaster safety cutter with guarded blade & tape splitter**

- > No exposed blades. Guarded blade cuts plastic strap, film and bubblewrap etc
- > Blunt cutter opens taped cartons
- > Fitted with pen clip attachment and packed 5 per pack
- > Can be custom printed

CODE	PK QTY	PK WGT
PSC-1	5	0.12



**Safety film cutter with guarded blade**

- > Reversible guarded blade
- > Hook design
- > Lanyard hole

CODE	PK QTY	PK WGT
FCP	12	0.5



**Safety cutter with guarded blade & retractable hooked blade**

- > Guarded blade for plastic strap, film and bubblewrap etc
- > Retractable hooked blade for light duty cardboard
- > Penclip holder

CODE	PK QTY	PK WGT
PSC	5	0.18

**Registered Design**



**Safety cutter with hook blade & cap**

- > Guarded blade for plastic strap, film and bubblewrap etc
- > Hooked blade with cover cap, for light duty cardboard
- > Penclip holder
- > Can be custom printed

CODE	PK QTY	PK KG
PSC-2	5	0.15

**Registered Design**



**Carton top remover for right handed users**

- > For right-handed use
- > Easily removes carton top with 3 position lockable blade
- > Cutting guide doubles as safety thumb guard

CODE	PK QTY	PK WGT
PCC-R	3	0.15

**Registered Design**



**Carton top remover for left handed users**

- > For left-handed use
- > Easily removes carton top with 3 position lockable blade
- > Cutting guide doubles as safety thumb guard

CODE	PK QTY	PK WGT
PCC-L	3	0.15

# 13 Safety cutters & knives



CODE	PSC-AUTO
PK QTY	5
PK WGT	0.28



CODE	PSC-AUTO-METAL
PK QTY	5
PK WGT	0.15

### Safety cutter with metal body auto-retracting sprung blade

- > Blades reversible and replaceable. Product ref: PSC-AUTO-BLADES(5)
- > Soft-feel, dimpled handle grip
- > Integral carry loop
- > Pack of 5, priced per cutter



CODE	CO-K2
PK QTY	24
PK WGT	1.3

### Knife with retractable blade in snap-off sections

- > Blade locking device
- > Replaceable blades. Product ref CO-K2-BLADE



CODE	CO-K2-METAL
PK QTY	12
PK WGT	0.15

### Knife metal body retractable blade in snap-off sections

- > Blade locking device
- > Replaceable blades CO-K2 BLADE
- > Soft-feel dimpled handle grip
- > 24 per pack, priced per knife



CODE	C01
PK QTY	12
PK WGT	1.75

### Carton opener with safety blade, staple remover & retractable knife

- > 3 openers in 1
- > Replaceable blades. Product ref CO-1-BLADE



CODE	CO-K3
PK QTY	24
PK WGT	0.15

### Knife metal body with locking blade

- > Reversible and replaceable blade. Product ref: PSC-AUTO-BLADES(5)
- > Soft-feel dimpled handle grip



CODE	PSC-AUTO-BLADES(5)
PK QTY	5
PK WGT	0.11



### Replacement blades (5 per pk) for PSC-AUTO

- > Priced per pack of 5

CODE	CO-K2-BLADE
PK QTY	10
PK WGT	0.7



### Replacement blades (10 per pk) for CO-K2

- > Priced per pack of 10

CODE	CO-1-BLADE
PK QTY	10
PK WGT	0.60



### Replacement blades (10 per pk) for C01

- > Priced per pack of 10

Precision made, durable Gummed Paper Tape dispensers from CYKLOP can produce measured lengths with optimum moistening to reduce tape waste and ensure the best seal. OPTIONAL ACCESSORIES such as the adaptor for jumbo tape rolls, print unit, foot pedal operation and trolley complete the versatility of the electronic machines.



Improve security and image using gummed paper tape and Cyklop dispensers

### Lever operated measured length dispenser for gummed paper tape up to 100mm wide

- > Robustly constructed bench mounted machine with a 2 year warranty
- > Suitable for gummed paper tape, maximum 200mm roll diameter, wound gum in or out, plain or reinforced in widths from 20mm to 100mm
- > Dispenses from 100mm to 1100mm with two pre-select length guides
- > Adjustable water feed and tape guide weight to suit all grades of GPT
- > Trolley stand available to order
- > Weighs approx. 9.5kg

CODE	PK QTY	PK WGT
UNI-200-B6	1	10



### Measured length electronic keypad dispenser for gummed paper tape up to 100mm wide

- > Bench mounted machine with 18 months warranty
- > Electronic dispenser suitable for gummed paper tape maximum 200mm roll diameter, in widths from 20mm to 100mm, wound gum in or out, plain or reinforced
- > 22 pre-set measured lengths from 100-1150mm with override. Buttons can recognise 2 different lengths for "H" sealing.
- > Adjustable water feed and heater for optimum moistening of tape and adjustable weight on tape guide to suit all grades of GPT
- > One machine is able to serve two operators and the optional foot pedal operated version available to order, allows "hands-free" working.
- > Accessories available to order include adaptor for larger tape rolls up to 300mm, encoder and trolley stand. A wide-bodied version available for tape widths from 50mm to 200mm
- > Weighs approx. 12kg.

CODE	PK QTY	PK WGT
C-25	1	13



### Dispenser with photocell and electronic keypad for gummed paper tape up to 100mm wide

- > Bench mounted machine with 18 months warranty
- > Electronic dispenser suitable for printed gummed paper tape or labels, maximum 200mm roll diameter, wound gum in or out, plain or reinforced in pre-determined lengths from 10mm to 1150mm and widths from 20mm to 100mm
- > Integral photocell can read signals printed on tape to ensure the complete message or label is dispensed and bar codes are complete
- > Adjustable water feed and heater for optimum moistening of tape and adjustable weight on tape guide to suit all grades of GPT
- > One machine is able to serve two operators and the optional foot pedal version available to order, allows "hands-free" working.
- > Accessories available to order include adaptor for larger tape rolls up to 300mm and trolley stand.
- > Weight approx. 12kg.

CODE	PK QTY	PK WGT
C-25-F	1	13

# 15 Gunned paper tape & accessories



CODE	74002793
PK QTY	1
PK WGT	0.6

### Foot pedal for C-25 gummed paper tape machine

- > Accessory available to order
- > Overrides button operation leaving both hands free for taping carton
- > Requires machine side plate with pedal socket, available to order



CODE	74007187
PK QTY	1
PK WGT	2.15

### Large tape roll adaptor for C-25 gummed paper tape machine

- > Accessory available to order
- > Allows machine to accept tape rolls up to 300mm diameter



CODE	74007193
PK QTY	1
PK WGT	2.15

### Short message printer for C-25 gummed paper tape machine

- > Accessory available to order
- > Allows a short text to be printed on tape as it dispenses with letters and numbers (not included) fixed onto the ribbed roller



CODE	20012220
PK QTY	1
PK WGT	0.10

### Inking roller 38mm for C-25 gummed paper tape machine

- > Accessory available to order
- > Replacement for use with short message printer on C-25 dispensers



### Trolley for C-25 gummed paper tape machine

- > Accessory available to order
- > Allows dispenser to be easily moved, includes storage tray

CODE	PK QTY	PK WGT
74008718	1	8.35



### Budget "pull & tear" dispenser for GPT max 80mm wide

- > Low priced dispenser for gummed paper tape wound gum in or out, up to 80mm wide
- > Minimal maintenance required

CODE	PK QTY	PK WGT
EPS80	1	1.65

The eco-friendly way of case sealing that actually adds to the carton strength for maximum security. Unlike plastic tapes, paper tape maintains efficiency in extremes of temperature and is biodegradable. Use with gummed paper tape dispensers.

CODE	PK QTY	PK WGT	GUMMED PAPER TAPE
P60-48	24	21.45	GUMMED PAPER TAPE 48mm x 200m x 60gsm
P60-72	16	21.03	GUMMED PAPER TAPE 72mm x 200m x 60gsm
P70-48	24	21.6	GUMMED PAPER TAPE 48mm x 200m x 70gsm
P70-72	16	21.1	GUMMED PAPER TAPE 72mm x 200m x 70gsm
P140-48R	24	15.15	REINFORCED GUMMED PAPER TAPE 48mm x 100m x 140gsm
P140-70R	16	19.4	REINFORCED GUMMED PAPER TAPE 70mm x 100m x 140gsm



# Economy heat sealers

ECONOMY HEAT SEALERS for perfect sealing of PE/PP/PVC films up to 800 gauge in two layers with seal widths from 200mm up to 500mm. A heat sealer with a cutter can be used to trim or make bags from lay flat tubing when paired with a film unroller. A comprehensive range to suit every application and budget and produced to meet CE standard. Stainless steel bodied versions available to order on some models. Warranty is 12 months, excluding consumable parts.



Integrated cutter version available on all models



### Economy impulse heat sealer 200mm x 2mm seal

- > 350 watt power and adjustable timer for films up to 2 x 800 gauge layers
- > Spares included
- > Version with cutter available (product ref: PBS-200-C)

CODE	PK QTY	PK WGT
PBS-200	1	2.95
PBS-200-C	1	4.4

### Economy impulse heat sealer 300mm x 2mm seal

- > 500 watt power and adjustable timer for films up to 2 x 800 gauge layers
- > Spares included
- > Version with cutter available (product ref: PBS-300-C)

CODE	PK QTY	PK WGT
PBS-300	1	4.4
PBS-300-C	1	5



Stainless steel version available

### Economy impulse heat sealer 400mm x 2mm seal

- > 750 watt power and adjustable timer for films up to 2 x 800 gauge layers
- > Spares included
- > Version with cutter available (product ref: PBS-400-C)
- > Available in stainless steel with cutter (product ref: PBS-400-CSS)

CODE	PK QTY	PK WGT
PBS-400	1	5.65
PBS-400-C	1	6.25
PBS-400-CSS	1	6.25



### Economy impulse heat sealer 500mm x 2mm seal

- > 800 watt power and adjustable timer for films up to 2 x 800 gauge layers
- > Spares included
- > Version with cutter available (product ref: PBS-500-C)
- > Available in stainless steel with cutter (product ref: PBS-500-CSS)

CODE	PK QTY	PK WGT
PBS-500	1	6.1
PBS-500-C	1	9.1
PBS-500-CSS	1	9.1

CODE	PK QTY	PK WGT	MAINTENANCE KITS
PBS200-SK	1	0.009	PBS-200 KIT WITH 1 x ELEMENT/2 x UPPER PTFE/1 x LOWER PTFE
PBS300-SK	1	0.012	PBS-300 KIT WITH 1 x ELEMENT/2 x UPPER PTFE/1 x LOWER PTFE
PBS400-SK	1	0.016	PBS-400 KIT WITH 1 x ELEMENT/2 x UPPER PTFE/1 x LOWER PTFE
PBS500-SK	1	0.020	PBS-500 KIT WITH 1 x ELEMENT/2 x UPPER PTFE/1 x LOWER PTFE
PBS200C-SK	1	0.012	PBS-200-C KIT WITH 1 x ELEMENT/2 x UPPER PTFE/1 x LOWER PTFE/1 x CUTTER
PBS300C-SK	1	0.017	PBS-300-C KIT WITH 1 x ELEMENT/2 x UPPER PTFE/1 x LOWER PTFE/1 x CUTTER
PBS400C-SK	1	0.021	PBS-400-C KIT WITH 1 x ELEMENT/2 x UPPER PTFE/1 x LOWER PTFE/1 x CUTTER
PBS500C-SK	1	0.025	PBS-500-C KIT WITH 1 x ELEMENT/2 x UPPER PTFE/1 x LOWER PTFE/1 x CUTTER

# 17 Industrial heat sealers

ROBUST MACHINES for perfect sealing and trimming of PE/PP/PVC films up to 800 gauge in two layers with seal widths from 190mm up to 390mm. Make your own poly bags from LAY FLAT TUBING using a film unroller and PACKER sealers with INTEGRAL CUTTERS, all produced in Europe to meet CE standards. STAINLESS STEEL bodied machines available to order. Warranty is 12 months, excluding consumable parts.



### Easy sealer with cutter

- > 200 watt power and adjustable timer for films up to 2 x 800 gauge layers
- > Perfect for making poly bags from lay flat tubing with unroller accessory
- > Integral safety cutter

CODE	P200-C
PK QTY	1
PK WGT	5.5



### Easy sealer with cutter

- > 300 watt power and adjustable timer for films up to 2 x 800 gauge layers
- > Perfect for making poly bags from lay flat tubing with unroller accessory
- > Integral safety cutter

CODE	P300-C
PK QTY	1
PK WGT	6.2



### Easy sealer with cutter

- > 400 watt power and adjustable timer for films up to 2 x 800 gauge layers
- > Perfect for making poly bags from lay flat tubing with unroller accessory
- > Integral safety cutter

CODE	P400-C
PK QTY	1
PK WGT	6.8

CODE	PK QTY	PK WGT	MAINTENANCE KITS
P200-SK	1	0.009	P200-C KIT WITH 1 X ELEMENT/2 x UPPER PTFE/1 x LOWER PTFE
P300-SK	1	0.013	P300-C KIT WITH 1 X ELEMENT/2 x UPPER PTFE/1 x LOWER PTFE
P400-SK	1	0.016	P400-C KIT WITH 1 X ELEMENT/2 x UPPER PTFE/1 x LOWER PTFE






# Semi-auto heat sealers

SEMI-AUTO HEAT SEALERS for perfect sealing and cutting of PE/PP/PVC films. These timed MAGNETIC RELEASE heat sealers are available in seal widths of 330mm, 480mm, 680mm and 1000mm, complete with safety film cutter for bag making. The heat sealer has separate controls for sealing and cooling time, adjustable to allow the operator to produce a perfect 4mm seal every time. The seal can incorporate a code for product identification etc., in film up to 1000 gauge in two layers. Even more demanding applications can be met with options of double heating element and 8mm deep seal. Stainless steel bodied versions available. European made to CE standards with a twelve months warranty. Optional extras include film unrollers, work tables, stands and foot pedals, with electric foot pedal operation available to special order. Food quality and anti-static lay flat tubing is available from stock.



Code seals available upon request


CODE	PK QTY	PK WGT	SEMI-AUTO HEAT SEALERS
SMS350	1	11.3	MAGNET RELEASE IMPULSE HEAT SEALER 330mm x 4mm seal
SMS500	1	13.1	MAGNET RELEASE IMPULSE HEAT SEALER 480mm x 4mm seal
SMS700	1	15.4	MAGNET RELEASE IMPULSE HEAT SEALER 680mm x 4mm seal
SMS1000	1	27.2	MAGNET RELEASE IMPULSE HEAT SEALER 1000mm x 4mm seal



CODE	PK QTY	PK WGT	UNROLLING DEVICES
AR350	1	2.2	HEAVY DUTY UNROLLER 350mm wide
AR500	1	2.6	HEAVY DUTY UNROLLER 500mm wide
AR700	1	3.3	HEAVY DUTY UNROLLER 700mm wide
AR1000	1	5.8	HEAVY DUTY UNROLLER 1000mm wide



CODE	PK QTY	PK WGT	ADJUSTABLE TABLES
WT350	1	1.4	TABLE adjustable to 4 positions for SMS350
WT500	1	1.9	TABLE adjustable to 4 positions for SMS500
WT700	1	2.5	TABLE adjustable to 4 positions for SMS700
WT1000	1	3.8	TABLE adjustable to 4 positions for SMS1000



CODE	PK QTY	PK WGT	PEDAL
PD	1	2	PEDAL foot operation for all SMS models



CODE	PK QTY	PK WGT	MAINTENANCE KITS
SMS350-SK	1	0.13	SMS350 KIT WITH 2 x UPPER PTFE/1 x LOWER PTFE/1 X ELEMENT
SMS500-SK	1	0.141	SMS500 KIT WITH 2 x UPPER PTFE/1 x LOWER PTFE/1 X ELEMENT
SMS700-SK	1	0.03	SMS700 KIT WITH 2 x UPPER PTFE/1 x LOWER PTFE/1 X ELEMENT
SMS1000-SK	1	0.190	SMS1000 KIT WITH 2 x UPPER PTFE/1 x LOWER PTFE/1 X ELEMENT



# 19 Sealing tongs

Manual operation with separate impulse power supply, the welding starts automatically when the tongs are closed. Suitable for PE, PP, PVC and coated aluminium foil.

**NEW!**



## Impulse welding tongs 450mm including transformer

- > Effective on aluminium barrier foil and thermoplastics
- > Seal length 450mm, seal width 3mm
- > Adjustable welding time
- > Power 230v/50Hz
- > Total weight 6.3kg, tongs weight 1.8kg



CODE	PK QTY	PK WGT
IWT-450	1	8.5

# Constant heat sealers

Suitable for various plastics with a crimp sealer for cellophane and some foils.



## Hand held constant heat sealer for PE/PP/PVC 150mm x 2mm seal

- > Lightweight but robust with an adjustable temperature control for sealing most films up to 2 x 600 gauge
- > Seal 150mm x 2mm
- > Weighs 650g requires 230v producing 25 watts.

CODE	PK QTY	PK WGT
PCS-150	1	0.8



## Hand held constant crimp sealer for cellophane/foil 150mm x 15mm seal

- > Lightweight but robust with an adjustable temperature control for sealing cellophane and most foils
- > Applies a crimped seal 150mm x 15mm
- > Weighs 770g, requires 230v and produces 50 watts.

CODE	PK QTY	PK WGT
PCS-150-F	1	1

# Layflat tubing

Make your own polybags from FDA approved lay flat tubing, in a wide variety of sizes using the heat sealer and film unroller of your choice from the comprehensive range available.



**Layflat tubing (4 roll pack) 75mm wide x 150m long x 250 gauge**

CODE	PK QTY	PK WGT
DP75-4	4	5.55



**Layflat tubing (3 roll pack) 100mm wide x 150m long x 250 gauge**

CODE	PK QTY	PK WGT
DP100-3	3	5.3



**Layflat tubing (2 roll pack) 150mm wide x 150m long x 250 gauge**

CODE	PK QTY	PK WGT
DP150-2	2	5.5



**Layflat tubing (1 roll pack) 300mm wide x 150m long x 250 gauge**

CODE	PK QTY	PK WGT
DP300-1	1	5.15



**Layflat tubing (1 roll pack) 400mm wide x 150m long x 250 gauge**

CODE	PK QTY	PK WGT
DP400-1	1	7.3



**Layflat tubing anti-static (2 roll pack) 150mm wide x 150m long x 250 gauge**

CODE	PK QTY	PK WGT
DP150-2-AS	2	5.5



**Layflat tubing anti-static (1 roll pack) 300mm wide x 150m long x 250 gauge**

CODE	PK QTY	PK WGT
DP300-1-AS	1	5.15



CODE	PK QTY	PK WGT	UNROLLING DEVICES FOR FILM
AR-LD300	1	0.75	UNROLLER FOR FILM width up to 300mm
AR-LD450	1	1	UNROLLER FOR FILM width up to 450mm



# 21 12mm glue guns & glue

Expertise gathered over 30 years enables us to offer a totally comprehensive range of HOT MELT GLUE GUNS & GLUE STICKS for LOW MELT and HOT MELT adhesives suitable for almost any application. A solid adhesive stick that is non-toxic, clean and easy to handle is heated in a lightweight hand held glue gun and applied molten to one surface to create an instantly secure bond.



### Glue gun uses 12mm sticks operates from 100-230V

- > Ideal for home/hobby use, weighs only 230g
- > Dispenses up to 400g/hr
- > Blister packed with 4 glue sticks

CODE	P-150
PK QTY	1
PK WGT	0.47



### Glue gun light industrial uses 12mm glue sticks operates from 100-230V

- > Light duty industrial tool, weighs only 230g
- > Dispenses 12mm hot melt up to 750g/hr
- > With "power-on" LED display

CODE	P-312
PK QTY	1
PK WGT	0.47



Low melt



### Glue gun light industrial uses 12mm low-melt glue sticks operates from 100-230V

- > Light duty industrial tool, weighs only 230g
- > Dispenses up to 750g/hr low melt glue
- > Operates at lower temperature, safer to use
- > Suitable for heat sensitive materials

CODE	P-312-LM
PK QTY	1
PK WGT	0.47



Cordless



### Cordless glue gun uses 12mm sticks butane powered


- > Butane powered cordless tool dispenses 12mm hot melt up to 1.2kg/hr
- > Cigarette lighter refill gives one hours use anywhere
- > Weighs only 300g

CODE	P-300G
PK QTY	1
PK WGT	0.4

CODE	PK QTY	PK WGT	12MM GLUE STICKS
96-12-300-5	5	5.3	GLUE STICKS FAST SET FOR CARTONS/PAPER/BOARD ETC. 300mm x 12mm x 5kg
95-12-300-5	5	5.3	GLUE STICKS MEDIUM SET FOR GENERAL USE 300mm x 12mm x 5kg
97-12-300-5	5	5.3	GLUE STICKS MEDIUM SET CLEAR FOR GENERAL USE 300mm x 12mm x 5kg
98-12-300-5	5	5.3	GLUE STICKS MEDIUM SET CLEAR FOR PLASTIC/CERAMIC 300mm x 12mm x 5kg
88-12-300-5	5	5.3	GLUE STICKS LONG SET FOR GLASS/LIGHT METAL/ABS PLASTIC 300mm x 12mm x 5kg
94LM-12-200-5	5	5.3	LOW MELT GLUE STICKS FOR HEAT SENSITIVE SUBSTRATES 200mm x 12mm x 5kg



CODE	PK QTY	PK WGT	12MM COLOURED GLUE STICKS
CP-(COLOUR)	8 stk	0.165	BLACK, BLUE, BROWN, GOLD, DARK GREEN, RED, SILVER, WHITE, YELLOW ADHESIVE 12mm x 200mm x 8 sticks
CP-G-(COLOUR)	8 stk	0.165	GLITTER GOLD, GREEN, RED, SILVER, ASSORTED ADHESIVE 12mm x 200mm x 8 sticks



# 12mm & 15mm guns & glue



### Glue gun industrial uses 12mm glue sticks operates at 230V

- > Industrial tool dispenses 12mm hot melt up to 2kgs/Hr, weighs only 500g
- > Easy change thermostat values for low melt glues
- > Ergonomic design with "soft feel" handle and adjustable trigger stroke

CODE	P-912
PK QTY	1
PK WGT	1



Low melt

See page 21 for our full range of 12mm glue sticks

### Glue gun industrial uses 12mm low melt glue sticks operates at 230V

- > Industrial tool dispenses 12mm lowmelt up to 2kgs/hr
- > Ergonomic design with "soft feel" handle and adjustable trigger stroke
- > Weighs only 500g

CODE	P-912-LM
PK QTY	1
PK WGT	1



### Glue gun 230v industrial uses 15mm glue sticks operates at 230V

- > Industrial tool dispenses 15mm hot melt up to 2kgs/hr
- > Uses larger 15mm sticks giving up to 33% more throughput per trigger stroke and 70% more glue per load over 12mm dia sticks
- > Ergonomic design with "soft feel" handle and adjustable trigger stroke
- > Weighs only 500g

CODE	P-915
PK QTY	1
PK WGT	1



CODE	PK QTY	PK WGT	15MM GLUE STICKS
96-15-300-5	5	5.3	GLUE STICKS FAST SET FOR CARTONS/PAPER/BOARD ETC. 300mm x 15mm x 5kg
95-15-300-5	5	5.3	GLUE STICKS MEDIUM SET FOR GENERAL USE 300mm x 15mm x 5kg
97-15-300-5	5	5.3	GLUE STICKS MEDIUM SET CLEAR FOR GENERAL USE 300mm x 15mm x 5kg
98-15-300-5	5	5.3	GLUE STICKS MEDIUM SET CLEAR FOR PLASTIC/CERAMIC 300mm x 15mm x 5kg
88-15-300-5	5	5.3	GLUE STICKS LONG SET FOR METAL/ABS PLASTIC 300mm x 15mm x 5kg



## 23 43mm guns & glue



### High output glue gun variable operating temperature uses 43mm glue sticks operates at 230V

- > High output up to 3.5kgs/hr using 43mm hot melt or low melt sticks
- > Auto stand-by feature lowers tool operating temperature when at rest, preventing glue melt back but keeping tool ready for immediate use
- > Alternative plug in module available to change tool temperature setting to suit low melt glue
- > Weighs only 1.15kgs

CODE	P-543
PK QTY	1
PK WGT	1.8



### High output pneumatic glue gun uses 43mm glue sticks operates at 230V

- > Pneumatic powered, dispenses beads or dots of glue with no operator fatigue
- > High output using 43mm hot melt of up to 4.1kg/Hr with low melt version available
- > Fully enclosed cylinder for preventing melt back and consistent operation
- > Weighs only 1.4kgs

CODE	P-610
PK QTY	1
PK WGT	2.5



### High output pneumatic glue gun uses 43mm low melt glue sticks operates at 230V

- > Pneumatic powered, dispenses beads or dots of glue with no operator fatigue
- > High output using 43mm hot melt of up to 4.1kg/hr
- > Fully enclosed cylinder for preventing melt back and consistent operation
- > Weighs only 1.4kgs

CODE	P-610-LM
PK QTY	1
PK WGT	2.5



### Pneumatic spray glue gun uses 43mm sticks operates at 230V

- > Pneumatic powered, no operator fatigue
- > Output of up to 4.2kgs/Hr using SKU:92-43mm SPRAY-ABLE HOT MELT with long open time
- > Spray feature is ideal for area coverage and heat sensitive substrates
- > Weighs only 1.4kgs

CODE	P-630
PK QTY	1
PK WGT	2.5

CODE	PK QTY	PK WGT	43MM GLUE STICKS
25-43-10	10	10.6	GLUE STICKS LONG SET FOR UV BOARD 43mm x 43mm x 10kg
88-43-10	10	10.6	GLUE STICKS LONG SET FOR GLASS/LIGHT METAL/ABS PLASTIC 43mm x 43mm x 10kg
92-43-10	10	10.6	SPRAYABLE GLUE STICKS FOR HEAT SENSITIVE SUBSTRATES 43mm x 43mm x 10kg
95-43-10	10	10.6	GLUE STICKS MEDIUM SET FOR GENERAL USE 43mm x 43mm x 10kg
96-43-10	10	10.6	GLUE STICKS FAST SET FOR CARTONS/PAPER/BOARD ETC. 43mm x 43mm x 10kg
97-43-10	10	10.6	GLUE STICKS MEDIUM SET CLEAR FOR GENERAL USE 43mm x 43mm x 10kg
98-43-10	10	10.6	GLUE STICKS MEDIUM SET CLEAR FOR PLASTIC/CERAMIC 43mm x 43mm x 10kg
94LM-43-10	10	10.6	LOW MELT GLUE STICKS FOR HEAT SENSITIVE SUBSTRATES 43mm x 43mm x 10kg





### DOT-TEC 8200 bulk glue dot dispenser 230V

- > Bench mounted all electric for dispensing full pressure-sensitive, peelable hot melt adhesive in repeatable dot sizes between 7mm and 30mm diameter
- > Dispensing handle can be fitted either side to suit left or right-hand use and optional foot pedal operation is available
- > Simple screw adjustment to the internal piston pump accurately regulates adhesive output
- > The melt tank has over 0.5kg capacity and the powerful 600 watt heater enables a full tank to reach operating temperature of 160 centigrade in about 20 minutes and the accurate preset thermostat maintains the working temperature

CODE	T-8200-1
PK QTY	1
PK WGT	5

### Full pressure sensitive peelable hot melt adhesive 8 x 0.5kg blocks

- > Use in DOT-TEC 8200 to dispense peelable glue dots easily and cheaply
- > Ideal for fixing bank cards, samples and attaching giveaways to magazines etc.
- > Packed 4kg per carton

CODE	2169-BK-4KGS
PK QTY	4
PK WGT	4.2

## Accessories



FFS003



SK-800-MAGSTAND



MDC009



PA3096



SB1200



TM-1

CODE	PK QTY	PK WGT	ACCESSORIES
FFS003	1	0.17	METAL STAND FOR P-150 OR P-312 HOT MELT GLUE GUN
SK-800-MAGSTAND	1	0.50	MAGNETIC STAND FOR P-912 OR P-915 HOT MELT GLUE GUN
MDC009	1	0.66	METAL STAND FOR P-912 OR P-915 GLUE GUN
PA3096	1	0.60	METAL STAND FOR 43mm HOT MELT GLUE GUN
SB1200	1	0.47	SPRING BALANCE FOR TOOLS MAX.WEIGHT 1.5kg
TM-1	1	0.13	SILICONE NON-STICK MAT 200mm x 200mm

## 25 Bubble film

CLEAN and EFFECTIVE low cost protection for all products. Air-filled bubbles cushion fragile products to prevent breakage. Ideal for wrapping or interleaving as it conforms to the shape of contents and does not add to DELIVERY COSTS because it is very lightweight. See our PACKING STATION CUTTERS, page 29, for easy dispensing of this product.

### Quickpacker small bubble film 300mm x 35m

- > Proven transit protection suitable for wrapping or void-fill, in a handy pack complete with separate safety cutter
- > Bubble D10mm x H4mm



CODE	PK QTY	PK WGT
QP-3035	1	1

CODE	PK QTY	PK WGT	BUBBLE FILM
SB-600	2	2	LIGHT WEIGHT FILM SMALL BUBBLE 600mm x 75m
SB-750	2	3	LIGHT WEIGHT FILM SMALL BUBBLE 750mm x 75m
SB-900	1	3.5	LIGHT WEIGHT FILM SMALL BUBBLE 900mm x 75m
MB-500	3	2.2	MEDIUM WEIGHT FILM SMALL BUBBLE 500mm x 100m
MB-600	2	2.5	MEDIUM WEIGHT FILM SMALL BUBBLE 600mm x 100m
MB-750	2	4.4	MEDIUM WEIGHT FILM SMALL BUBBLE 750mm x 100m
MB-1200	1	5.8	MEDIUM WEIGHT FILM SMALL BUBBLE 1200mm x 100m
LMB-750	2	2.8	MEDIUM WEIGHT FILM LARGE BUBBLE 750mm x 50m
MB-750-AS	2	3.4	MEDIUM WEIGHT FILM SMALL BUBBLE ANTI-STATIC 750mm x 100m



## Corrugated paper

INEXPENSIVE, ECO-FRIENDLY product protection. Has excellent shock absorbing qualities and it's flexibility makes it excellent for interleaving and separating products or "scrunched up" for void filling. See our PACKING STATION CUTTERS, page 29, for easy dispensing of this product.

CODE	PK QTY	PK WGT	CORRUGATED PAPER
CP650	1	11.0	CORRUGATED PAPER 95 GSM SINGLE FLUTE 650mm x 75m
CP900	1	16.3	CORRUGATED PAPER 95 GSM SINGLE FLUTE 900mm x 75m



## Kraft paper rolls

For all general wrapping requirements. Manufactured from 100% pure natural kraft paper, strong and burst resistant. Enhances product presentation and is approved for mailed products. For easy dispensing see our COUNTER ROLL HOLDERS, page 10 and PACKING STATION CUTTERS on page 29.

CODE	PK QTY	PK WGT	KRAFT PAPER
MG500	1	10	PURE 70 GSM KRAFT ROLLS 500mm x 275m
MG750	1	14	PURE 70 GSM KRAFT ROLLS 750mm x 275m
MG900	1	19.1	PURE 70 GSM KRAFT ROLLS 900mm x 275m





## Padded postal envelopes

AROFOL gold coloured lightweight, self seal PADDED ENVELOPES lined with bubble film for maximum SECURITY and PROTECTION. All dimensions shown are internal.



CODE	PK QTY	PK WGT	AROFOL SELF-ADHESIVE PADDED ENVELOPES
APP-1-SA	200	2.0	AROFOL PADDED ENVELOPES 100mm x 165mm (200 per box)
APP-2-SA	200	2.5	AROFOL PADDED ENVELOPES 120mm x 215mm (200 per box)
APP-3-SA	100	1.7	AROFOL PADDED ENVELOPES 150mm x 215mm (100 per box)
APP-4-SA	100	2.5	AROFOL PADDED ENVELOPES 180mm x 265mm (100 per box)
APP-5-SA	100	3.0	AROFOL PADDED ENVELOPES 220mm x 265mm (100 per box)
APP-6-SA	100	3.5	AROFOL PADDED ENVELOPES 220mm x 340mm (100 per box)
APP-7-SA	100	3.7	AROFOL PADDED ENVELOPES 240mm x 340mm (100 per box)
APP-8-SA	100	3.9	AROFOL PADDED ENVELOPES 270mm x 360mm (100 per box)
APP-9-SA	50	2.9	AROFOL PADDED ENVELOPES 300mm x 445mm (50 per box)
APP-10-SA	50	3.7	AROFOL PADDED ENVELOPES 350mm x 470mm (50 per box)

## String & twine

Low cost, secure, re-usable and eco-friendly. No tools required, just get it knotted.



CODE	PK QTY	PK WGT	STRING & TWINE
CS-104	12	6	COTTON STRING 125g x 80m BREAK STRAIN 6kg approx
CS-5S	6	18	COTTON STRING 250g x 110m BREAK STRAIN 18kg approx
CS-3S	6	28	COTTON STRING 500g x 109m BREAK STRAIN 28kg approx
700BALL	8	16.5	PLIED POLYPROPYLENE TWINE 1575m BREAK STRAIN 50kg approx

## Tarpaulins

TARPAULINS ideal for industrial use, UV stable, washable, mildew resistant and fully eyeleted.



CODE	PK QTY	PK WGT	TARPAULINS
4102	1	0.755	TARPAULIN 3m x 2m approx
4103	1	3	TARPAULIN 5m x 4m approx
4104	1	5	TARPAULIN 8m x 5m approx
4105	1	8	TARPAULIN 10m x 6m approx
4106	1	14	TARPAULIN 12m x 8m approx

# 27 Economy packing stations & anti-fatigue matting

**NEW!**

Fully functional, high quality economy packing benches supplied flat packed with easy to follow assembly instructions included.

Constructed from 50mm x 20mm welded steel section framework and easily assembled using plated bolts. The frame has a durable grey finish and the table top is 22mm plain finish MDF, set into the frame. Both shelves are 10mm plain finish MDF, also set in for edge protection. The upper and lower mandrels can carry rolls of bubble, corrugated or Kraft paper. The shelves are handy for tools etc.



## Economy packing station W180cm x D78cm x H150cm

- > Saves space and time packing goods, with storage facility for cartons, wrappings and equipment
- > Sturdy welded steel section construction with table and shelf edges set into the frame to avoid damage
- > Attractive grey durable finish
- > Low price without compromising quality of construction
- > The packing bench is supplied flat-packed in one carton for convenient handling with easy to follow assembly instructions included
- > Dimensions: W180cm x D78cm x H150cm. Table Height: 92cm. Weight: 60kg.

CODE	PK QTY	PK WGT
EB-251	1	65

## Economy packing table W180cm x D78cm x H92cm

- > Saves space and time packing goods
- > Sturdy welded steel section construction with table edges set into the frame to avoid damage
- > Attractive grey durable finish
- > Low price without compromising quality of construction
- > The packing bench is supplied flat-packed in one carton for convenient handling with easy to follow assembly instructions included
- > Dimensions: W180cm x D78cm x H92cm. Table Height: 92cm. Weight: 43kg.

CODE	PK QTY	PK WGT
EB-250	1	46



## Anti fatigue mat

- > Patented foam construction for use in dry environments
- > Prompts natural flexing of muscles
- > Excellent resilience, long lasting wear
- > Mat size: PLD-FLEX-S - 60 x 91cms PLD-FLEX-L - 91 x 150cms

CODE	PK QTY	PK WGT
PLD-FLEX-S	1	1.5
PLD-FLEX-L	1	2.5



Additional anti-fatigue mat can be found on page 30

PACKING STATIONS & BENCHES assembled from modular units to maximise the efficiency of your packing operation and save working and storage area space. All packing stations & benches are high quality and robustly constructed from 27mm thick heavy-duty work tops with ABS edged grey laminate surfaces, supported on white coated steel frames that can carry up to 400kg evenly spread. The tables are height adjustable between 70cm to 92cm as standard. Supplied flat packed with assembly instructions.



**Complete packing station W160cm x D80cm x H162-184cm**

- > All that is needed for speedy and efficient packing for despatch, with storage for cartons, wrappings and equipment
- > Includes 1200cm cutter for kraft, corrugated or bubble film
- > Sturdy construction, tables can support up to 400kgs evenly spread
- > Ergonomic design with height adjustable table
- > Self assembly, supplied with easy to follow instructions

CODE	PK QTY	PK WGT
60-251	1	94



**Complete space saver packing station W80cm x D80cm x H162-184cm**

- > All that is needed for speedy and efficient packing for despatch where space is a premium, includes storage for cartons and equipment
- > Sturdy construction and ergonomic design with height adjustable table
- > Self assembly, supplied with easy to follow instructions

CODE	PK QTY	PK WGT
60-252	1	43



## 29 Modular packing benches & cutters



**Complete wrapping bench W160cm x D80cm x H70-92cm**

- > Sturdy, adjustable height, work table can hold up to 400kg evenly spread
- > 1200mm cutter and under table roller for Kraft, corrugated or bubble film


CODE	PK QTY	PK WGT
60-253	1	67



**Complete work station W160cm x D160cm x H70-92cm**

- > Sturdy, height adjustable tables can hold 400kgs evenly spread
- > Comprises of full size table with half table extension
- > Incorporates handy equipment drawer


CODE	PK QTY	PK WGT
60-254	1	91.5



**Complete mobile 120cm cutter station W154cm x D71cm x H117cm**

- > Locking castors on each leg for easy mobility
- > Separating bars to facilitate feeding and cutting of kraft, corrugated and bubble film
- > Replacement cutter blades available

CODE	PK QTY	PK WGT
60-256	1	28



**Complete mobile 150cm cutter station W184cm x D71cm x H117cm**

- > Locking castors on each leg for easy mobility
- > Separating bars to facilitate feeding and cutting of kraft, corrugated and bubble film
- > Replacement cutter blades available

CODE	PK QTY	PK WGT
60-257	1	32



**Complete loose fill dispenser station W80cm x D80cm x H313-395cm**

- > Hopper has 30cu.ft. capacity with scissor valve
- > Overspill grid and collector included
- > Scaffold height adjustable between 240-300cm from table level

CODE	PK QTY	PK WGT
60-255	1	50

Customise your packing operation to utilise working and storage space with high quality, robust inter-connecting PACKING STATION & BENCH MODULES. Supplied flat packed and easily assembled. Constructed from 27mm thick heavy-duty work tops, with ABS edged grey laminate surfaces supported on white coated steel frames that can carry up to 400kg evenly spread. Table heights are adjustable between 70 cm to 92 cm as standard. Modular design allows easy layout change and additions to allow your packing operation to develop alongside your business.



**Table W160cm x D80cm x H70-92cm**

> Packed 1 x 45kg carton - 1750mm x 850mm x 120mm

CODE	PK QTY	PK WGT
60-200	1	45



**Extension table with legs one end only W160cm x D80cm x H70-92cm**

- > Allows extension to table length or can be fitted at right angle to main table, all fixing brackets provided
- > Packed 1 x 40kg carton - 1750mm x 850mm x 120mm

CODE	PK QTY	PK WGT
60-202	1	40



**Extension table with legs one end only W80cm x D80cm x H70-92cm**

- > Allows extension to table length or can be fitted at right angle to main table, all fixing brackets provided
- > Packed 1 x 23kg carton - 900mm x 850mm x 120mm

CODE	PK QTY	PK WGT
60-102	1	23



**Add-on loose fill table and spill bag with hopper scaffold**

> Packed 1 x 30kg carton - 900mm x 850mm x 120mm

CODE	PK QTY	PK WGT
60-105	1	30



**NEW!**

**Anti fatigue mat**

- > Multi-purpose robust construction for use in dry environments
- > Chequer plate patterned wear surface
- > High density foam backing
- > Mat size: PCX-HD-S - 60 x 91cms PCX-HD-L - 91 x 150cms

CODE	PK QTY	PK WGT
PCX-HD-S	1	3.5
PCX-HD-L	1	5.5





FLOPACK-HOPPER



60-955



60-956



60-703

CODE	PK QTY	PK WGT	ACCESSORIES
FLOPACK-HOPPER	1	6	LOOSE FILL HOPPER 30 CU FT CAPACITY
60-955	1	21	LOWER SHELF FOR 60-200 TABLE W160cmxD60cm
60-956	1	10	LOWER SHELF FOR SPACE SAVER TABLE W80cmxD60cm
60-703	1	10	ROLLER KIT TABLE ACCESSORY for Kraft/bubble rolls



60-900



60-906



60-901



60-914

CODE	PK QTY	PK WGT	ACCESSORIES
60-900	1	27	ROLLER AND TOP SHELF ACCESSORY for Kraft cartons tape etc.
60-906	1	15	TOP SHELF ACCESSORY FOR SPACE SAVER TABLE
60-901	1	5	TABLE LEGS (PAIR)
60-914	1	2	LEG EXTENSIONS 10cm. WITH CASTORS (PAIR)



60-915



60-931



60-301



60-302

CODE	PK QTY	PK WGT	ACCESSORIES
60-915	1	2.2	LEG EXTENSIONS 10cm. WITH LOCKING CASTORS (PAIR)
60-931	1	2.5	STORAGE DRAWER WITH FITTINGS
60-301	1	16	MOBILE STAND FOR 120cm CUTTER
60-302	1	17	MOBILE STAND FOR 150cm CUTTER



60-940



60-941



60-932

CODE	PK QTY	PK WGT	ROTARY CUTTERS
60-940	1	12	TABLE TOP KRAFT/BUBBLE ROTARY CUTTER width 120cm
60-941	1	15	TABLE TOP KRAFT/BUBBLE ROTARY CUTTER width 150cm
60-932	1	0.2	REPLACEMENT BLADE FOR ROTARY CUTTER

Low cost shrink wrap manual systems to enable the low volume users to give their products a professional finish. Semi-automatic shrink wrappers that offer volume throughput. Replacement components available for all systems.



### Complete shrink wrap system with 400mm seal bar

- > Complete system at an economical price
- > Adjustable timer for different shrinkable films
- > Safety stand and 1500 watt hot air blower
- > Ideal for books, videos and CD's etc

CODE	PK QTY	PK WGT
P400-KIT	1	9.8



### Sealer with shrink cutting wire width 400mm

- > Sealer for P400-KIT

CODE	PK QTY	PK WGT
P400-SW	1	6.7



### Complete shrink wrap system with 800mm seal bar

- > Complete system at an economical price
- > Adjustable timer for different shrinkable films
- > Safety stand and 1500 watt hot air blower
- > Ideal for large books or pictures

CODE	PK QTY	PK WGT
P800-SSP	1	14.5



### Shrink sealer/unroller with cutting wire width 800mm

- > Sealer for P800-SSP

CODE	PK QTY	PK WGT
P800-SW	1	11.3

CODE	PK QTY	PK WGT	MAINTENANCE KITS
P400PSW-SK	1	0.014	P400-SW KIT WITH 2 x LOWER PTFE and 2 x SEAL/CUT WIRES
P800SW-SK	1	0.045	P800-SW KIT WITH 2 x UPPER PTFE 1 x LOWER PTFE 1 x ELEMENT 1 x FUSE

## 33 Shrink systems & film



**Hot air blower+nozzle+stand for shrink wrap film system**

> Kit for fast film shrinking with 1500 watt hot air blower

CODE	PK QTY	PK WGT
25-1500-KIT	1	1.39



**Hot air blower 1500w for shrink wrap film system**

> Powerful hot air blower for use with PACKER shrink systems

CODE	PK QTY	PK WGT
25-1500-P	1	1



**N75**



**25-1500-STAND**



**AR-LD450-SFS**

CODE	PK QTY	PK WGT	ACCESSORIES
N75	1	0.05	SPREADER NOZZLE for hot air blower
25-1500-STAND	1	0.39	STAND for hot air blower
AR-LD450-SFS	1	0.80	UNROLLER & SEPARATOR FOR SHRINK FILM width up to 450mm

CODE	PK QTY	PK WGT	SHRINK FILM
MEC250-19	1	6.15	CENTREFOLD SHRINK FILM 250mm x 600m x 19 micron
MEC300-19	1	7.7	CENTREFOLD SHRINK FILM 300mm x 600m x 19 micron
MEC350-19	1	9.15	CENTREFOLD SHRINK FILM 350mm x 600m x 19 micron
MEC400-19	1	9.75	CENTREFOLD SHRINK FILM 400mm x 600m x 19 micron
MEC450-19	1	11.6	CENTREFOLD SHRINK FILM 450mm x 600m x 19 micron
MEC500-19	1	13	CENTREFOLD SHRINK FILM 500mm x 600m x 19 micron
MEC600-19	1	15	CENTREFOLD SHRINK FILM 600mm x 600m x 19 micron
MEC800-19	1	19	CENTREFOLD SHRINK FILM 800mm x 600m x 19 micron





Shrink wrap systems to suit every budget for the best presentation of your products. Semi-automatic shrink wrappers that offer volume throughput and a professional finish. Replacement components available for all systems.



**Shrink/L-Seal system 550mm long x 420mm wide x 250mm high**

- > Illuminated display showing settings
- > Seals and shrinks simultaneously, with controllable solenoid to ensure perfect film finish every time
- > Mobile with lockable castors and easy to install, ready for immediate use with operator friendly controls
- > Dimensions: L1100 x W650 x H1180mm
- > Weight: 85kgs

CODE	PK QTY	PK WGT
AC-550	1	85



*Both machines use our centrefold shrink film. See the full range on page 33.*

**Combined sealer motorised shrink tunnel for max. package size 350 x 300 x 140mm**

- > Adjustable solenoid ensures perfect film seal
- > Temperature controlled tunnel with automatic conveyor
- > The automatic re-opening of seal frame and motorised tunnel conveyor allows operator to prepare each parcel in advance.
- > Perfect for wrapping books, DVDs, CD's etc.
- > Mobile with lockable castors
- > Dimensions L460mm x W700mm x H1350
- > Weight 112kg

CODE	PK QTY	PK WGT
HS35-KT20-ST	1	112

# 35 Pallet shrink system & film



PALLET SHRINK SYSTEM, that includes the leading RIPACK® tool with exclusive "cool nozzle" feature. Protection and security for pallets or awkwardly shaped loads. Extension pieces easily fitted to the standard tool for safe high reach. Robust trolley facilitates transportation of gas and tool. Film dispenser is useful for keeping film rolls clean and ready for immediate use.



### Ripack pallet shrink gun with regulator hose & carry case

- > From the leading manufacturer of propane gas shrink film tools
- > Operator friendly "cool nozzle" feature exclusive to this tool
- > Extension arms easily fitted for high reach film shrinking
- > Hand tool weighs 1.2kg



CODE	PK QTY	PK WGT
RIP-2200	1	5.5



RIP-2200 EXT A3-6



RIP-2200 EXT S3-9



RIP-2200 EXT 6-8

### Ripack gun extensions

- > Attaches to hand gun to extend reach, adding versatility to tool
- > Ideal for high or low reach wrapping, restricted access areas or wrapping large pieces of equipment



CODE	PK QTY	PK WGT	GUN EXTENSIONS
RIP-2200 EXT A3-6	1	1	RIPACK GUN EXTENSION 1.06m. REACH
RIP-2200 EXT S3-9	1	1	RIPACK GUN EXTENSION 1.15m. REACH
RIP-2200 EXT 6-8	1	1.5	RIPACK 6-8 GUN EXTENSION 2.03m. REACH



### Pallet shrink gun, complete with 8m hose, regulator and oil

- > Robust and reliable budget priced tool complete with 8m hose
- > Hand tool weight 1kg



CODE	PK QTY	PK WGT
PSG-1	1	3.5



### Trolley for tool and gas cylinder adjustable for 13 19 and 47kg

- > Designed to safely carry gas bottle and RIPACK or PSG-1
- > Sturdy construction of 32mm tubular steel, weighs 7.1kg
- > Heavy duty rubber wheels for easy mobility

CODE	PK QTY	PK WGT
GCT	1	7.3



### Shrink film dispenser mobile (with one roll holder)

- > Sturdy construction of 32mm tubular steel, weighs 15.7kg
- > Can hold up to 3 rolls of film, additional spindles available product reference: SB
- > Width adjustable from 1.2m to 2m
- > Heavy duty castors for easy mobility, 2 lockable for safety.

CODE	PK QTY	PK WGT
PSS-1	1	15.7



### Additional roll holder (PSS-1 holds maximum 3 holders)

- > Maximum 2 additional roll holders can be fitted to the PSS-1
- > Weighs 4.48kg

CODE	PK QTY	PK WGT
SB	1	5



### Pallet raiser for optimum load stability

- > Designed for use with Euro pallets
- > Raises pallet to allow wrapping to be tucked under all four corners for security
- > Ertalon castor for easy movement

CODE	PK QTY	PK WGT
RIP-CALPACK	1	12

CODE	PK QTY	PK WGT	PALLET SHRINK FILM
125-1-2M-25	1	25	CENTREFOLD SHRINK FILM 2.0m opened 108m long x 125 micron
125-1.5-3M-25	1	25	CENTREFOLD SHRINK FILM 3.0m opened 74m long x 125 micron
125-2-4M-25	1	25	CENTREFOLD SHRINK FILM 4.0m opened 55m long x 125 micron
GPC-1210-25	1	25	PALLET COVERS 25 PER ROLL 125 micron for euro pallet 1.2m high
GPC-1212-25	1	25	PALLET COVERS 25 PER ROLL 125 micron for standard pallet 1.2m high



# 37 Packer hand stapling machines & staples

Carton assembly and fastening of header cards or labels and insulation materials to timber, made easy using robust, reliable machines and staples. The RAPID range gives a five year warranty on pliers and a two year warranty on tackers.



P24-6

**Packer light plier stapler for type 24/26 staples  
12mm wide x 6-8mm leg**

> Light plier ideal for closing polybags and general use in the warehouse or office. Reversible anvil to fold or pin a light wire staple, weighs 375g

CODE	PK QTY	PK WGT
P-1-24	1	0.375



P73-8

**Packer HD plier stapler for type P73 staple  
10mm wide x 6-12mm leg**

> Robust hand plier, ideal for stapling paper, card or flexible plastic etc.  
> Attachments supplied for bag neck sealing and for piercing cartons

CODE	PK QTY	PK WGT
P-31-1	1	0.486



P140-8

**Packer hammer stapler for type P140 staple  
10mm wide x 6-10mm leg**

> Ideal for attaching waterproof lining or labels etc. to timber pallets and boxes and fixing flooring underlays  
> Weighs 960g

CODE	PK QTY	PK WGT
P-11	1	0.962



**NEW!**

P140-8

**Gun tacker for type 140 staples 10mm wide x 6-10mm leg**

> Robust tacker for case lining or labelling and display work  
> Recoilless for comfortable operation

CODE	PK QTY	PK WGT
P-14	1	0.7

CODE	PK QTY	PK WGT	P24 PLIER STAPLES TO SUIT P-1-24 PLIER
P24-6	20	2	P24 PLIER STAPLES 12mm wide x 6mm leg (5000 per box)
P24-8	20	2.5	P24 PLIER STAPLES 12mm wide x 8mm leg (5000 per box)

CODE	PK QTY	PK WGT	P73 PLIER STAPLES TO SUIT P-31 PLIER
P73-6	20	10.6	P73 PLIER STAPLES 10mm wide x 6mm leg (5000 per box)
P73-8	20	12.4	P73 PLIER STAPLES 10mm wide x 8mm leg (5000 per box)
P73-10	20	14.4	P73 PLIER STAPLES 10mm wide x 10mm leg (5000 per box)
P73-12	20	16.4	P73 PLIER STAPLES 10mm wide x 12mm leg (5000 per box)

CODE	PK QTY	PK WGT	P140 STAPLES TO SUIT P-11 TACKER
P140-6	20	10.6	P140 TACKER STAPLES 10mm wide x 6mm leg (5000 per box)
P140-8	20	12.6	P140 TACKER STAPLES 10mm wide x 8mm leg (5000 per box)
P140-10	20	14.4	P140 TACKER STAPLES 10mm wide x 10mm leg (5000 per box)

# Rapid hand staplers

The RAPID range gives a five year warranty on pliers and a two year warranty on tackers.



 R21-4

### Rapid Mini Plier type 21 staples 6mm wide x 4mm leg

- > Handy stapling pliers for home and office needing small staples
- > Grip friendly and manufactured in powder coated steel
- > Ideal for small header cards

CODE	PK QTY	PK WGT
R-51	1	0.190



 R24-6

### Rapid plier for type 24 staples 12mm wide x 6-8mm leg

- > The obvious choice for the post room, shops, warehouse, home, office and a favourite tool for florists
- > Reversible anvil allows pinning
- > General purpose stapler, ideal for collation, header cards or closing polybags

CODE	PK QTY	PK WGT
R-1-24	1	0.375



 R26-6

### Rapid plier for type 26 staples 12mm wide x 6-8mm leg

- > The obvious choice for the post room, shops, warehouse, home, office and a favourite tool for florists
- > Reversible anvil allows pinning
- > General purpose stapler, ideal for collation, header cards or closing polybags

CODE	PK QTY	PK WGT
R-1-26	1	0.375



 R73-6

### Rapid plier industrial for type 73 staples 10mm wide x 6-12mm leg

- > Robust plier with finger stop for stapling cardboard etc.

CODE	PK QTY	PK WGT
R-31	1	0.475



 R11-9

### Rapid hammer stapler for type 140 & 11 staples 10mm wide x 6-10mm leg

- > Professional, easy-to-use hammer tacker for stapling fitted carpets, insulation material, roof paper, labels etc.
- > Single-handed ergonomic grip for easy operation
- > Simple and durable construction from only four parts

CODE	PK QTY	PK WGT
R-11	1	0.960



 R140-6

### Rapid heavy duty hammer stapler for type 140 staples 10mm wide x 10-14mm leg

- > Suitable for fixing insulation sheeting, roof sheeting and heavy fitted carpets
- > Large shield prevents damage around impact area
- > Constructed from only five parts making the tool robust and reliable
- > Ergonomic design with rubber grip for comfort

CODE	PK QTY	PK WGT
R-54	1	1.14

## 39 Rapid hand staplers

**Rapid** 



**Rapid Tacker ABS Body for type 13 staples  
10mm wide x 4-10mm leg**

- > Economically priced plastic bodied stapler
- > Ergonomic, light tool with a low angle handle for a comfortable action
- > Fast and easy loading using fine wire staples for re-upholstering, decorative work and other simpler tasks around the home

CODE	PK QTY	PK WGT
R-13	1	0.310



**Rapid Light Tacker for type 13 staples 10mm wide x 4-8mm leg**

- > Ideal for light duty lining or labelling timber crates or pallets, uses fine wire staples
- > Recoilless for comfortable operation

CODE	PK QTY	PK WGT
R-23	1	0.550



**Rapid Tacker general purpose for type 13 staples  
10mm wide x 6-14mm leg**

- > A professional tool for fine wire staples, giving long service life and capable of over 100,000 actuations
- > Adjustable impact force for harder materials recommended for securing textiles, canvas, leather, posters, netting, label etc.
- > Recoilless for comfortable operation

CODE	PK QTY	PK WGT
R-33	1	0.820



**Rapid tacker industrial for type 140 staples  
10mm wide x 6-14mm leg**

- > Robust tacker for case lining or labelling and display work
- > Recoilless for comfortable operation

CODE	PK QTY	PK WGT
R-34	1	0.870




**Rapid staple remover**

- > Practical staple remover with a firm handle and plier grip, which can remove almost any staple

CODE	PK QTY	PK WGT
R-3	1	0.100



# Rapid hand staples



CODE	PK QTY	PK WGT	RAPID 21 STAPLES TO SUIT R-51 PLIER
R21-4	200	2	RAPID 21 MINI STAPLES 6mm wide x 4mm leg (5000 per box)

CODE	PK QTY	PK WGT	RAPID 24 STAPLES TO SUIT R-1-24 PLIER
R24-6	50	2.0	RAPID 24 PLIER STAPLES 12mm wide x 6mm leg (5000 per box)
R24-8	50	2.5	RAPID 24 PLIER STAPLES 12mm wide x 8mm leg (5000 per box)

CODE	PK QTY	PK WGT	RAPID 26 STAPLES TO SUIT R-1-26 PLIER
R26-6	50	3.4	RAPID 26 PLIER STAPLES 12mm wide x 6mm leg (5000 per box)
R26-8	50	4.2	RAPID 26 PLIER STAPLES 12mm wide x 8mm leg (5000 per box)

CODE	PK QTY	PK WGT	RAPID 73 STAPLES TO SUIT R-31 PLIER
R73-6	20	10.6	RAPID 73 PLIER STAPLES 10mm wide x 6mm leg (5000 per box)
R73-8	20	12.4	RAPID 73 PLIER STAPLES 10mm wide x 8mm leg (5000 per box)
R73-10	20	14.4	RAPID 73 PLIER STAPLES 10mm wide x 10mm leg (5000 per box)
R73-12	20	16.4	RAPID 73 PLIER STAPLES 10mm wide x 12mm leg (5000 per box)

CODE	PK QTY	PK WGT	RAPID 11 STAPLES TO SUIT R-11 TACKER
R11-9	5000	13.6	RAPID 11 TACKER STAPLES 10mm wide x 9mm leg (5000 per box)

CODE	PK QTY	PK WGT	RAPID 13 STAPLES TO SUIT R-13, R-23 and R-33 TACKER
R13-4	50	4.4	RAPID 13 TACKER STAPLES 10mm wide x 4mm leg (5000 per box)
R13-6	50	5.4	RAPID 13 TACKER STAPLES 10mm wide x 6mm leg (5000 per box)
R13-8	50	6.6	RAPID 13 TACKER STAPLES 10mm wide x 8mm leg (5000 per box)
R13-10	50	8.2	RAPID 13 TACKER STAPLES 10mm wide x 10mm leg (5000 per box)
R13-14	40	10.8	RAPID 13 TACKER STAPLES 10mm wide x 14mm leg (5000 per box)

CODE	PK QTY	PK WGT	RAPID 140 STAPLES TO SUIT R-11, R-34 AND R-54 TACKER
R140-6	20	10.6	RAPID 140 TACKER STAPLES 10mm wide x 6mm leg (5000 per box)
R140-8	20	12.6	RAPID 140 TACKER STAPLES 10mm wide x 8mm leg (5000 per box)
R140-10	20	14.4	RAPID 140 TACKER STAPLES 10mm wide x 10mm leg (5000 per box)
R140-12	20	15.6	RAPID 140 TACKER STAPLES 10mm wide x 12mm leg (5000 per box)
R140-14	20	18	RAPID 140 TACKER STAPLES 10mm wide x 14mm leg (5000 per box)

# 41 Carton staplers & staples

Carton assembly and fastening made easy using robust, reliable carton stapling machines and staples, in a variety of sizes to suit all applications.



**Hand operated carton top stapler**  
**Staple 32mm wide x 15-18mm leg**

- > Uses wide crown carton staples in 15mm and 18mm leg length for secure fastening
- > Four staple depth adjustments to avoid damage to packed goods
- > Weighs only 1.67kg

CODE	PK QTY	PK WGT
PTS-1	1	2.5



**Air operated carton top stapler**  
**Staple 32mm wide x 15-18mm leg**

- > Pneumatic operation avoids operator fatigue
- > Uses wide crown carton staples in 15mm and 18mm leg length for secure fastening
- > Staple depth adjustment to avoid damage to packed goods
- > Weighs only 1.95kg

CODE	PK QTY	PK WGT
PTS-A1	1	2.9



**Foot operated carton bottom stapler**  
**Staple 32mm wide x 15-22mm leg**

- > Uses wide crown carton staples in 15mm, 18mm and 22mm leg length for secure fastening
- > Foot pedal operation for hands-free working
- > Sturdy construction for durability, weighs 30kg

CODE	PK QTY	PK WGT
PBS	1	35

**Carton staples 32mm wide x 15mm leg**

- > Use with PACKER carton staplers
- > Packed 10 boxes of 2000 staples per carton



CODE	PK QTY	PK WGT
32-15	10	15

**Carton staples 32mm wide x 18mm leg**

- > Use with PACKER carton staplers
- > Packed 10 boxes of 2000 staples per carton



CODE	PK QTY	PK WGT
32-18	10	16

**Carton staples 32mm wide x 22mm leg**

- > Use with PACKER carton staplers
- > Packed 10 boxes of 2000 staples per carton



CODE	PK QTY	PK WGT
32-22	10	17



# Pallet strapping machines

Fast, efficient pallet strapping is offered by these ergonomically designed mobile strapping machines. The PVS-1 strapping frame can halve the time usually needed for pallet strapping and the semi-automatic action of the TP-601MV keeps operator fatigue to a minimum.



**NEW!**

*Safer, faster and more cost effective*

## Mobile pallet strapping frame for two vertical straps

- > Robust and simple to use, no mechanical or electrical components to fail, maintenance-free
- > Mobile, easy to position for strapping the pallet, no need to centralise the packing point
- > Convenient, keeps equipment for strapping in one place and machine gantry and probes fold flat for transportation and parking
- > Versatile, suitable for polypropylene or extruded polyester strapping on plastic spools or cardboard cores
- > Suitable for maximum pallet size 1200mm x 1000mm x 1800mm high
- > Customised versions available for unusual pallet sizes or strapping patterns
- > H1940mm x D2000mm x W700mm

CODE	PK QTY	PK WGT
PVS-1	1	120



## Semi-auto pallet strapper for 9mm to 15.5mm PP/PET strapping

- > Semi-automatic action reduces operator fatigue, speeds process and is more cost effective
- > Heavy duty swivel wheels and comfortable hand grip for easy movement to pallet
- > Fully retractable strapping probe reduces required working space, is safer and avoids damage
- > Suitable for PP or PET strap in widths from 9mm to 15.5mm on standard 406mm core with option for 200mm or 280mm core sizes. Specify strapping when ordering
- > Simple electronic dial up tensioning and fitted with auto strap ejector and short feed sensor
- > Adjustable friction weld ensures secure strap joint
- > Error message indicator gives user friendly trouble-shooting guide
- > Dimensions: W550mm x D1017mm x H973mm. Probe extends 1250mm
- > Weight: 175kgs. Power supply: 230V/50Hz

CODE	PK QTY	PK WGT
TP-601MV	1	210



## Mobile dispenser fitted with pallet probe for PP strap on plastic reel

- > Probe allows easy threading of strap under pallets with no need for bending or stretching by the operator
- > Sturdy 32mm tubular steel construction, weighs 14.5kg
- > Probe stored vertically by chain for ease of movement
- > Extra large tray for seals and tools
- > Heavy duty rubber wheels for durability and easy mobility

CODE	PK QTY	PK WGT
MPP	1	14.5

# 43 Automatic strapping machines & strapping

Automatic strapping machines allow hands free securing of parcels with automatically tensioned, sealed and cut polypropylene strapping. Operation is either by foot pedal or parcel sensor making these machines ideal for volume throughput. Alternative arch sizes available for most carton sizes.



**Automatic strapping machine 230v for PP strap 8mm to 15.5mm**

- > Machine is supplied suitable for 12mm wide strapping. A conversion kit is required for other strap widths
- > Easily operated machine with simple maintenance
- > Standard arch size is 850mm wide x 600mm high. Other arch sizes available factory fitted to special order
- > Mechanical tension control
- > Operates 27 cycles per minute with standard arch
- > Uses machine grade polypropylene strapping
- > Weighs 220kgs nett. Dimensions W1430mm x D620mm x H1540mm (with standard arch)
- > Twelve months warranty

CODE	PK QTY	PK WGT
TP-6000-CE	1	225



**Automatic strapping machine 230v for PP strap 5mm to 9mm**

- > Machine is supplied suitable for 5mm wide strapping. Machines available to order for other strap widths
- > High speed machine for narrow strap
- > Standard arch 550mm wide x 400mm high, other arch sizes available to order
- > Requires less maintenance, has 30% fewer parts, fewer adjustments and fewer components to wear than comparable machines
- > Simple dial adjustment of strap tension
- > Operates 50 cycles per minute with standard arch
- > Dimensions W826mm x D620mm x H1420mm. Weight 160kg
- > Twelve months warranty

CODE	PK QTY	PK WGT
TP-701	1	195

CODE	PK QTY	PK WGT	AUTOMATIC MACHINE STRAP
12-165-MC	1	12.7	12mm AUTOMATIC MACHINE STRAP WHITE 165 kg break strain 3000m long with 200mm core
5-65-MC	1	11	5mm AUTOMATIC MACHINE STRAP WHITE 65 kg break strain 6000m long with 200mm core



# Semi-automatic strapping machines & strapping 44

These semi-automatic strapping machines will allow one operator to automatically tension, seal and cut polypropylene strapping to give neat and secure fastening on any size box. Adjustable strap tensioning to suit each package prevents strap damage to softer boxes. Strapping 12mm wide is supplied fitted to each machine.



**NEW!**



## Semi-auto strap machine closed cabinet for 6mm to 15.5mm PP strapping 230v

- > Twelve months return to base warranty, parts and labour
- > Machine is supplied set for and fitted with 12mm strapping but is adjustable for strap width from 6mm to 15.5mm and can operate at up to 24 cycles per minute
- > Easily operated controls including manual tension adjustment
- > Cabinet door conceals loaded strap to give a neater appearance
- > Dimensions W902mm x D586mm x H760mm, weight 85kgs

CODE	PK QTY	PK WGT
TP-201CE	1	119

## Semi-auto strap machine for 6mm to 15.5mm PP strapping 230v

- > Twelve months return to base warranty, parts and labour
- > Machine is supplied set for and fitted with 12mm strapping but is adjustable for strap width from 6mm to 15.5mm and can operate at up to 24 cycles per minute
- > Easily operated controls including manual tension adjustment
- > On adjustable legs with braked castors that can give a table height from 760mm to 930mm
- > Dimensions W902mm x D586mm x H760mm, weight 85kgs

CODE	PK QTY	PK WGT
TP-202CE	1	90

CODE	PK QTY	PK WGT	SEMI-AUTOMATIC MACHINE STRAPPING
9-100-MC	1	12	9mm SEMI-AUTOMATIC MACHINE STRAP WHITE 115 kg break strain 4000m with 200mm core
12-145-MC	1	12.2	12mm SEMI-AUTOMATIC MACHINE STRAP WHITE 145 kg break strain 3000m with 200mm core



# 45 Polypropylene strapping

POLYPROPYLENE STRAPPING for efficient and economic security for parcels and pallets. Available with pre-printed standard texts and custom printed with your company name, logo etc. A light, flexible and non-rusting strapping tape that keeps products secure. Hand strapping is wound on plastic spools for ease of handling. See the PACKER range of tools, dispensers and seals for use with this product.



P12-130S



P12-200S



P12-245S



P12-300S



P12-120S



P12-150S



P12-270S



P12-320S



P15-350S



12-150-HANDLE-W-CARE

HANDLE WITH CARE

Custom printed POA



12-150-SECURITY-SLD

SECURITY SEALED



12-260-MC

CODE	PK QTY	PK WGT	POLYPROPYLENE STRAPPING
P12-130S	1	8.8	BLACK STRAPPING 130kg BREAK STRAIN 12mm x 2000m
P12-200S	1	8.8	BLACK STRAPPING 200kg BREAK STRAIN 12mm x 1500m
P12-245S	1	8.8	BLACK STRAPPING 245kg BREAK STRAIN 12mm x 1200m
P12-300S	1	8.8	BLACK STRAPPING 300kg BREAK STRAIN 12mm x 1000m
P12-120S	1	7.5	WHITE STRAPPING 120kg BREAK STRAIN 12mm x 2000m
P12-150S	1	8.6	WHITE STRAPPING 150kg BREAK STRAIN 12mm x 2000m
P12-270S	1	8.6	BLUE STRAPPING 270kg BREAK STRAIN 12mm x 1200m
P12-320S	1	9.6	YELLOW STRAPPING 320kg BREAK STRAIN 12mm x 1200m
P15-350S	1	7.6	WHITE STRAPPING 350kg BREAK STRAIN 15mm x 750m
12-150-HANDLE-W-CARE	1	8.6	WHITE STRAPPING PTD RED "HANDLE WITH CARE" 12mm x 2000m x 150kg BREAK STRAIN
12-150-SECURITY-SLD	1	8.6	WHITE STRAPPING PTD BLACK "SECURITY SEALED" 12mm x 2000m x 150kg BREAK STRAIN
12-260-MC	1	20	12mm SEMI-AUTOMATIC MACHINE STRAP BLUE 260kg BREAK STRAIN 2000m with 406mm core



**12-16mm tensioner/cutter for PP strapping (use with crimper)**

- > Robustly built economy tool, weighs 1.3kg
- > Non-slip ratchet tensioning with cutter for polypropylene strap

CODE	PK QTY	PK WGT
3215-BT	1	1.4



**12-19mm tensioner & cutter for PP/PET and woven strapping (use with crimper)**

- > Ergonomic design with non-slip ratchet tensioning, weighs 1.4kg
- > Suitable to tension and cut polypropylene, extruded polyester and woven polyester strapping

CODE	PK QTY	PK WGT
3219-BT	1	1.5



**12-19mm HD tensioner & cutter for PP/PET strapping (use with crimper)**

- > For high tension and cutting on polypropylene, extruded polyester and woven polyester strapping
- > Built for heavy duty use, weighs 1.8kg

CODE	PK QTY	PK WGT
HDT-1319	1	1.8



**12mm crimper (use PP12-25 PP12-28 or PP12-32 seals)**

- > Full length chromed steel handles for easy crimping on 12mm PP seals
- > Hardened steel jaws for durability
- > Weighs 1.7kg

CODE	PK QTY	PK WGT
3212-BS	1	1.7



**16mm crimper (use 16-32 seal)**

- > Full length chromed steel handles for easy crimping of 16mm PP seals
- > Hardened steel jaws for durability
- > Weighs 1.9kg

CODE	PK QTY	PK WGT
3216-BS	1	1.95

# 47 Polypropylene strapping tools & seals



**12mm tensioner/crimper set  
(use PP12-25 PP12-28 or PP12-32 seals)**

- > Comprises of budget tensioner and crimper for 12mm polypropylene strapping
- > Weight 3.10kg

CODE	PK QTY	PK WGT
1212	1	3.2



**12mm combined tensioner/crimper tool (use PP12-25 seal)**

- > Robust construction at an economical price for 12mm PP strap
- > Non-slip ratchet tensioning with plastic grip handles
- > Weighs 3.05kg

CODE	PK QTY	PK WGT
3010	1	3.5



**12mm combined tensioner/crimper tool  
(use PP12-25 & PP12-28 seals)**

- > Robust construction for use with 12mm PP strap with full length handles for easy tensioning, crimping and cutting
- > Non-slip ratchet tensioning with tough handle grips
- > Weighs 2.85g

CODE	PK QTY	PK WGT
3012C-P	1	2.85



**12mm combined tensioner/crimper tool HD (use PP12-25 seals)**

- > Ergonomic design for 12mm PP strap with extra long handles with shaped grips for easy tensioning, crimping and cutting
- > Windlass and ratchet for fast, non-slip tensioning
- > Built for heavy duty use, weighs 3.55kg

CODE	PK QTY	PK WGT
3045	1	3.55

CODE	PK QTY	PK WGT	SEALS
PP12-25	2000	6.8	STRAP SEALS GALVANISED 12mm x 25mm semi-open (2000 box)
PP12-25-DISP	1000	3.4	STRAP SEALS GALVANISED 12mm x 25mm semi-open (1000 box)
PP12-28	2000	7.9	STRAP SEALS GALVANISED 12mm x 28mm semi-open (2000 box)
PP12-32	2000	7.9	STRAP SEALS GALVANISED 12mm x 32mm semi-open (2000 box)
16-32	2000	10.5	STRAP SEALS GALVANISED 16mm x 32mm semi-open (2000 box)



# Strapping dispensers

Robust Strapping Dispensers constructed from 32mm tubular steel incorporating strap braking systems especially designed for use with polypropylene strapping.



**Mobile dispenser with tool & seals tray for PP strapping on plastic reel**

- > Sturdy 32mm tubular steel construction, weighs 5.7kg
- > Integral strap brake and large seal & tool tray
- > Heavy duty rubber wheels for durability and easy mobility

CODE	PK QTY	PK WGT
PMD	1	5.7



**Portable floor standing dispenser for PP strapping on plastic reel**

- > Sturdy 32mm tubular steel construction, weighs 2.6kg
- > Integral carry handle and strap brake

CODE	PK QTY	PK WGT
PSD	1	2.6



**Mobile dispenser with tool & seals tray for PP strapping on 200mm core**

- > Sturdy 32mm tubular steel construction, weighs 9.5kg
- > Steel flanges allow use of core wound strap, saving money
- > Integral strap brake and large seal & tool tray
- > Heavy duty rubber wheels for durability and easy mobility

CODE	PK QTY	PK WGT
PMD-F	1	9.5



**Portable floor standing dispenser for PP strapping on 200mm core**

- > Sturdy 32mm tubular steel construction, weighs 6.5kg
- > Steel flanges allow use of core wound strap saving money
- > Integral carry handle and strap brake

CODE	PK QTY	PK WGT
PSD-F	1	6.5

# 49 Polypropylene strapping kits



### Kit-1 tensioner/crimper with 12mm strap & seals

- > Ideal as starter kit
- > Contains 1212 tensioner/sealer set and 800m x 12mm strap with 300 x 12mm seals
- > Additional supplies of strapping and seals available

CODE	PK QTY	PK WGT
STRKIT-1	1	8.2



### Kit-2 combination tensioner/crimper with 12mm strap & seals

- > Ideal starter kit
- > Contains 3010 combination strapping tool, 800m x 12mm strapping with 300 x 12mm seals
- > Additional supplies of strapping and seals available

CODE	PK QTY	PK WGT
STRKIT-2	1	8.7



### Kit-3 combination tensioner/crimper & portable dispenser 12mm strap & seals

- > Contains 3010 combination tool and static dispenser with 1500m x 12mm strap and 1000 x 12mm seals
- > Additional supplies of strapping and seals available

CODE	PK QTY	PK WGT
STRKIT-3	1	20



### Kit-4 tensioner/crimper & mobile dispenser 12mm strap & seals

- > Contains 1212 tensioner/sealer set and mobile holder with 1500m x 12mm strap and 1000 x 12mm seals
- > Additional supplies of strapping and seals available

CODE	PK QTY	PK WGT
STRKIT-4	1	28.5



### Kit-5 tensioner/crimper & portable dispenser 12mm strap & seals

- > Contains 1212 tensioner/sealer set and static dispenser with 1500m x 12mm strap and 1000 x 12mm seals
- > Additional supplies of strapping and seals available

CODE	PK QTY	PK WGT
STRKIT-5	1	19.0



### Kit-6 combination tensioner/crimper & mobile dispenser 12mm strap & seals

- > Contains 3010 combination strapping tool and mobile holder with 1500m x 12mm strap and 1000 x 12mm seals
- > Additional supplies of strapping and seals available

CODE	PK QTY	PK WGT
STRKIT-6	1	24.1





**Strap & buckle kit contains 800m x 12mm strap with 200 plastic buckles**

- > Ideal starter kit in a dispenser box, weighs 3.5kg
- > Additional strapping and buckles available

CODE	PK QTY	PK WGT
12-SBK	1	3.5



**12mm plastic buckles (1000) for 12-SBK**

- > Additional plastic buckles for Strap and Buckle kit

CODE	PK QTY	PK WGT
PB12	1000	3



**Strap & seal kit contains 800m x 12mm strap with 300 x PP12-25 seals**

- > Ideal starter kit in a dispenser box, weighs 4.1kg
- > Additional strapping and seals available

CODE	PK QTY	PK WGT
12-SSK	1	4.1



**Strap seals galvanised 12mm x 25mm semi-open (1000 box)**


- > Use with PACKER polypropylene strapping
- > Additional seals for strap and seal kit
- > Packed 1000 per box, priced per box

CODE	PK QTY	PK WGT
PP12-25-DISP	1000	3.4


## Strapping edge protectors




CP-65-65-28



MP-3524



CCP-1822



P500-D

CODE	PK QTY	PK WGT	PROTECTORS
CP-65-65-28	1000	8.1	OPEN CORNER PROTECTORS (1000 per box) 65mm x 65mm x 28mm
MP-3524	2000	5.3	EDGE PROTECTORS (2000 per box) 35mm x 24mm
MP-5035	1000	4.4	EDGE PROTECTORS (1000 per box) 50mm x 35mm
P500-D	500	1	EDGE PROTECTORS (500 on reel) 66mm x 38mm
CCP-1822	1000	7.3	CLOSED CORNER PROTECTORS 18-22mm wide (1000 per box) 45 x 60 x 45mm
CCP-2830	1000	9.4	CLOSED CORNER PROTECTORS 28-30mm wide (1000 per box) 45 x 70 x 45mm
CCP-3840	1000	13.5	CLOSED CORNER PROTECTORS 38-40mm wide (1000 per box) 55 x 80 x 55mm

# 51 Extruded polyester strapping & seals


Polyester Strapping gives the breaking strain of steel without the handling and disposability problems. This strap can be friction welded or secured with metal serrated compression seals for maximum security. See the PACKER range of TOOLS, DISPENSERS and SEALS for use with this product.



## Extruded polyester strapping

- > User friendly strap with the strength of steel
- > Can be friction welded or secured with serrated metal seals, supplied on 406mm cardboard core
- > Use PACKER tools and dispenser holder for maximum efficiency
- > Price per roll

CODE	PK QTY	PK WGT	EXTRUDED POLYESTER STRAPPING
PET-13	1	22	EXTRUDED POLYESTER STRAPPING 340kg BREAK STRAIN 12.5mm x 0.68mm x 2000m
PET-16	1	22	EXTRUDED POLYESTER STRAPPING 580kg BREAK STRAIN 15.5mm x 0.90mm x 1150m



## Metal serrated compression seals (1000 per box)

- > Packed 1000 per box, price per box

CODE	PK QTY	PK WGT	METAL SERRATED SEALS
CS12-30	1000	6.15	METAL SERRATED COMPRESSION SEALS (1000 per box) 12mm x 30mm semi-open
CS16-30	1000	8.6	METAL SERRATED COMPRESSION SEALS (1000 per box) 16mm x 30mm semi-open

# Extruded polyester strapping tools

Heavier duty strapping tools for use with extruded polyester strapping



### 12-19mm tensioner/cutter for PP/PET strapping

- > Ergonomic design with non-slip ratchet tensioning
- > Suitable to tension and cut polypropylene, extruded polyester and woven polyester strapping

CODE	PK QTY	PK WGT
3219-BT	1	1.5



### 12-19mm HD tensioner/cutter for PP/PET and woven strapping

- > For high tension and cutting of polypropylene, extruded polyester and woven polyester strapping
- > Ratchet returns to home position at completion of cycle for easy strap threading
- > Built for heavy duty use, weighs 1.8kg

CODE	PK QTY	PK WGT
HDT-1319	1	1.8



### 12mm heavy duty crimper for strapping width 12mm (use CS12-30 seals)

- > Full length chromed steel handles and off-set hardened steel jaws for easy crimping of compression seals
- > Weighs 1.95kg

CODE	PK QTY	PK WGT
4601-12	1	1.95



### 16mm heavy duty crimper for strapping width 16mm (use CS16-30 seals)

- > Full length chromed steel handles and off-set hardened steel jaws for easy crimping of compression seals
- > Weighs 1.95kg

CODE	PK QTY	PK WGT
4602-16	1	1.95

### 12mm combination tensioner/crimper tool strapping width 13mm-16mm

- > Tensions, seals and cuts polypropylene and extruded polyester strap
- > Uses serrated seals for maximum security

CODE	PK QTY	PK WGT
P-1024	1	4.3
P-1025	1	4.3



**NEW!**

# 53 Extruded polyester strapping tools

## Fromm friction weld tool, battery & charger for PP/PET strap

- > The P326 tool meets European Safety Regulations EN 415-8 and has a new reinforced 18v motor
- > Li-Ion battery gives up to 600 cycles per charge
- > Tension speed, tension force and seal time are adjustable
- > Simple one-handed operation
- > Suitable for extruded polyester and polypropylene strapping, can achieve an average seal strength of 75% with friction welding, no metal seals needed...save money



CODE	PK QTY	PK WGT	FRICION WELD TOOLS
P326-13-105	1	4.4	FROMM FRICTION WELD TOOL BATTERY & CHARGER FOR PP/PET STRAP 13mm wide x 1.05mm thick
P326-13-65	1	4.4	FROMM FRICTION WELD TOOL, BATTERY & CHARGER FOR STRAP 13mm wide x 0.65mm thick
P326-16-105	1	4.4	FROMM FRICTION WELD TOOL BATTERY & CHARGER FOR PP/PET STRAP 16mm wide x 1.05mm thick
P326-16-65	1	4.4	FROMM FRICTION WELD TOOL BATTERY & CHARGER FOR PP/PET STRAP 16mm wide x 0.65mm thick



### Battery for P326 Fromm friction weld tools 18v

CODE	PK QTY	PK WGT
P326-N54330	1	0.77



### Charger for P326 Fromm friction weld tool battery

CODE	PK QTY	PK WGT
P326-N54443	1	0.75

# Extruded polyester strapping dispenser

Heavy duty mobile Strapping Dispenser, with a looped frame for extra strength, constructed from 32mm tubular steel incorporating a strap braking system especially designed for extruded polyester strapping



## Mobile dispenser for PET strapping with tool/seals tray

- > Sturdy 32mm tubular steel construction, weighs 12kg
- > Designed for extruded polyester strap on 406mm diameter core
- > Large integral tray for seals and tools with strap brake
- > Heavy duty rubber wheels for durability and easy mobility

CODE	PK QTY	PK WGT
OWM-PET-145	1	12



# Woven polyester strapping, buckles & tools

WOVEN POLYESTER STRAPPING equals the breaking strain of steel strapping but is only 16% of the weight for similar specification. Unaffected by extremes of temperature or humidity and easy to handle, with no sharp edges to injure operatives or product. It can be re-used when secured with heavy duty steel buckles or easily scrapped with normal waste. Because it is woven, the strapping tape has bi-directional strength and will not split lengthways. Available custom printed to order. See the PACKER range of tools, dispensers and buckles for use with this product.



CODE	PK QTY	PK WGT	POLYESTER WOVEN STRAP
PW-40	1	8	13mm POLYESTER WOVEN STRAP 410 kg break strain 13mm x 1000m with 75mm core
PW-50	1	8.5	16mm POLYESTER WOVEN STRAP 480 kg break strain 16mm x 850m with 75mm core
PW-60	1	6.9	19mm POLYESTER WOVEN STRAP 540 kg break strain 19mm x 600m with 75mm core



### 12-19mm tensioner & cutter for PP/PET/PW strapping

- > Ergonomic design with non-slip ratchet tensioning
- > Suitable to tension and cut polypropylene, extruded polyester and woven polyester strapping, weighs 1.5kg

CODE	PK QTY	PK WGT
3219-BT	1	1.5



### 12-19mm heavy duty tensioner & cutter for PP/PET/PW strapping

- > For high tension and cutting of polypropylene, extruded polyester and woven polyester strapping
- > Built for heavy duty use, weighs 1.8kg

CODE	PK QTY	PK WGT
HDT-1319	1	1.8



CODE	PK QTY	PK WGT	STEEL BUCKLES
PSB-13	1000	9.7	13mm STEEL BUCKLES (1000 per box) for WOVEN POLYESTER STRAP
PSB-16	1000	12.66	16mm STEEL BUCKLES (1000 per box) for WOVEN POLYESTER STRAP
PSB-19	1000	17	19mm STEEL BUCKLES (1000 per box) for WOVEN POLYESTER STRAP

# 55 Woven polyester dispensers & starter kits

Mobile heavy duty strapping dispensers constructed from 32mm tubular steel and incorporating a strap braking system especially designed for easy handling of woven polyester strapping.



### Mobile dispenser with seal tray for woven polyester strapping

- > Sturdy 32mm tubular steel construction, weighs 8.7kg
- > Integral tray for seals and tools with strap brake
- > Heavy duty rubber wheels for durability and easy mobility

CODE	PK QTY	PK WGT
WPM-F	1	9.0



### Portable dispenser for woven polyester strapping

- > Sturdy 32mm tubular steel construction, weighs 5kg
- > Integral carry handle and strap brake

CODE	PK QTY	PK WGT
WPS-F	1	5.2

Handy woven polyester strapping kit for start up or occasional use.

### Starter kit

(200m x 16mm woven polyester strap + 80 steel buckles)

- > Ideal starter kit in a dispenser box, weighs 3.2kg
- > Additional strapping and buckles available

CODE	PK QTY	PK WGT
16-PBK	1	3.2



The proven strength of steel strapping available ribbon wound either wrapped or unwrapped and oscillated wound unwrapped, all 0.5mm thick. Strapping tape edges are sheared and dressed for additional protection when handling. See the packer range of tools, dispensers and seals for safe use of this product.



RIB-13-W



RIB-13



OSC-13

CODE	PK QTY	PK WGT	STEEL STRAPPING
RIB-13-W	1	17	13mm RIBBON WOUND PAPER WRAPPED 600kg. break strain 341m. average length.
RIB-16-W	1	21	16mm RIBBON WOUND PAPER WRAPPED 750kg. break strain 337m. average length.
RIB-19-W	1	25	19mm RIBBON WOUND PAPER WRAPPED 900kg. break strain 335m. average length.
RIB-13	1	17	13mm RIBBON WOUND UNWRAPPED 600kg. break strain 341m. average length.
RIB-16	1	21	16mm RIBBON WOUND UNWRAPPED 750kg. break strain 337m. average length.
RIB-19	1	25	19mm RIBBON WOUND UNWRAPPED 900kg. break strain 335m. average length.
OSC-13	1	50	13mm OSCILLATED WOUND 600kg. break strain 965m. average length.
OSC-16	1	50	16mm OSCILLATED WOUND 750kg. break strain 763m. average length.
OSC-19	1	50	19mm OSCILLATED WOUND 900kg. break strain 643m. average length.

Strapping seals for use with steel strapping.

CODE	PK QTY	PK WGT	STEEL SNAP ON SEALS
13-25SS	1000	2.5	13mm STEEL STRAP SNAP ON SEALS FOR 4213-SS 25mm long (1000 per box)
16-25SS	1000	2.7	16mm STEEL STRAP SNAP ON SEALS FOR 4216-SS 25mm long (1000 per box)
19-25SS	1000	3.6	19mm STEEL STRAP SNAP ON SEALS FOR 4219-SS 25mm long (1000 per box)

CODE	PK QTY	PK WGT	STEEL STRAP SEALS
V-M13	2000	5.7	V-M13mm STEEL STRAP SEALS FOR 1316-SC-1 COMBINATION TOOL (2000 per box)
V-M16	2000	6	V-M16mm STEEL STRAP SEALS FOR 1316-SC-1 COMBINATION TOOL (2000 per box)

CODE	PK QTY	PK WGT	LAPOVER SEALS
1325-LAP	1000	2.5	13mm STEEL STRAP LAPOVER SEALS FOR A431-13 and C2-13 TOOLS (1000 per box)
1625-LAP	1000	3	16mm STEEL STRAP LAPOVER SEALS FOR A431-16 and C2-16 TOOLS (1000 per box)
1925-LAP	1000	3.5	19mm STEEL STRAP LAPOVER SEALS FOR A431-19 and C2-19 TOOLS (1000 per box)

## 57 Steel strapping tools



### 13-19mm tensioner tool for steel strapping (combine with crimper)

- > Robust construction, simple to use on steel strapping
- > Pair with appropriate size crimper for strap in use

CODE	PK QTY	PK WGT
4219-ST	1	2.1



**NEW!**

### 13-19mm tensioner for steel strapping for round or irregular packs use lapover seals

- > UK made, can achieve good strap tension, use lapover seals
- > Suitable for bundling or irregular shaped parcels as strap is tensioned against the seal without any tool part coming between the strap and parcel.

CODE	PK QTY	PK WGT
B2-19	1	1.4



### 13-19mm crimper for steel strapping use 13-25SS seals

- > Easy to use robust sealer for snap-on seals for 13mm steel strap
- > Easy grip handles

CODE	PK QTY	PK WGT
4213-SS	1	0.92
4216-SS	1	0.92
4219-SS	1	0.92



**NEW!**

### 13-19mm single notch crimper for steel strapping

- > UK made, robust front action sealer
- > Use 1325-LAP seals

CODE	PK QTY	PK WGT
C2-13	1	1
C2-16	1	1
C2-19	1	1



### 13-16mm combination tool for steel strapping use V-M seals

- > Tension and seal steel strapping with single tool
- > Uses V-M closed seals
- > Weighs 4kg

CODE	PK QTY	PK WGT
1316-SC-1	1	4.1





# Steel strapping tools



### Fromm combination tool for steel strapping use 1325-LAP seals

- > Suitable for all parcel sizes, including bundles with a limited strapping surface area
- > Use lap-over seals 1325-LAP with single notch joint. Width specific tool guarantees secure sealing
- > Tool incorporates strapping cutter, weighs 3.4kg

CODE	PK QTY	PK WGT
A431-13	1	3.4
A431-16	1	3.4
A431-19	1	3.4



### Seal-less combination tool for steel strapping 13-16mm width

- > Single tool tensions, seals and cuts steel strap
- > Lightweight but robust with low maintenance
- > Ergonomic design for comfort and simplicity of use
- > Easy clean tensioning device for reliable operation
- > Efficient 80% seal on steel strapping up to 0.63mm thick with no seals required, saving money
- > Weight 3.7kg

CODE	PK QTY	PK WGT
SSP-1316	1	5
SSP-19	1	5



### 13-19mm seal-less combination tool for steel strapping

- > Tension, seal and cut steel strapping with a single tool weighing 3.8kg
- > Reversible dies give double life and one tool can be used for three widths of steel strapping
- > Crimps strap to itself for maximum security
- > No seals required, saves money

CODE	PK QTY	PK WGT
SST-1319	1	4



### Fromm seal-less tool for steel strapping

- > All operations to secure steel strapping with a single tool
- > Crimps strap to itself, tool is width specific for maximum security
- > No seals required, saves money
- > Weight 3.9kg

CODE	PK QTY	PK WGT
A333-13	1	3.9
A333-16	1	3.9
A333-19	1	3.9



### Safety cutter for steel strap up to 30mm wide

- > Economy safety cutter, weighs 0.9kg
- > Rubber pads each side of cutter to prevent strap springing

CODE	PK QTY	PK WGT
SSC-30	1	1



### Safety cutter heavy duty for steel strap up to 38mm wide

- > Cutter removes tension from steel strap to prevent springing
- > Robust construction for durability, weighs 2.1kg

CODE	PK QTY	PK WGT
MSC-38	1	2.2

# 59 Strapping dispensers & kits

Strapping Dispensers constructed from 32mm tubular steel and incorporating an especially designed strap braking system for steel strapping.



### Mobile dispenser for ribbon wound steel strapping 13-19mm seals & tools

- > Sturdy 32mm tubular steel construction, weighs 10kg
- > Designed for ribbon wound steel strap with large tray for seals and tools
- > Heavy duty rubber wheels for durability and easy mobility

CODE	PK QTY	PK WGT
RWM-30	1	10


### Mobile dispenser for oscillated wound 13-19mm steel strapping seals & tools

- > Sturdy 32mm tubular steel construction, weighs 12kg
- > Designed for oscillated wound steel strap with large tray for seals and tools
- > Integral brake to prevent strap run on
- > Heavy duty rubber wheels for durability and easy mobility

CODE	PK QTY	PK WGT
OWM	1	12



CODE	PK QTY	PK WGT	STEEL STRAPPING KITS
RIB-13-KIT	1	33	13mm PAPER WRAPPED STEEL STRAP WITH MOBILE DISPENSER, TENSIONER, CRIMPER & SEALS
RIB-16-KIT	1	37	16mm PAPER WRAPPED STEEL STRAP WITH MOBILE DISPENSER, TENSIONER, CRIMPER & SEALS
RIB-19-KIT	1	42	19mm PAPER WRAPPED STEEL STRAP WITH MOBILE DISPENSER, TENSIONER, CRIMPER & SEALS



CODE	PK QTY	PK WGT	STEEL STRAPPING KITS
SLSKIT-13	1	31	13mm PAPER WRAPPED STEEL STRAP WITH MOBILE DISPENSER AND SEALLESS COMBINATION TOOL
SLSKIT-16	1	35	16mm PAPER WRAPPED STEEL STRAP WITH MOBILE DISPENSER AND SEALLESS COMBINATION TOOL
SLSKIT-19	1	39	19mm PAPER WRAPPED STEEL STRAP WITH MOBILE DISPENSER AND SEALLESS COMBINATION TOOL

# Pallet stretch film & dispensers

PACKER tensioning handles to wrap pallets or collate, bundle and secure almost anything with pallet stretch film. Blown film is easier to apply by hand tensioner as it requires less stretching to cling to the pallet tightly due to its "sticky" qualities. Cast film dispenses with less noise but does require more tension to wrap tightly.



**Economy dispenser for pallet stretch film**  
W400-500mm x38/50/78mm cores

- > Robust construction at a budget price
- > Twist grip handle for tension control



CODE	PK QTY	PK WGT
SR500	6	7.5



**Heavy duty dispenser for pallet stretch film**  
W400-500mm x 38/50/78mm cores

- > Robust tubular construction
- > Adjustable tension control



CODE	PK QTY	PK WGT
HSR-500-HD-1	6	11

CODE	PK QTY	PK WGT	STRETCH FILM
4030-17-6	6	11.4	4030-17 STRETCH FILM (6) CAST 400mm x 300m x 17micron
4030-20-6	6	12.4	4030-20 STRETCH FILM (6) CAST 400mm x 300m x 20micron
4030-20B-6	6	14.3	4030-20 STRETCH FILM (6) BLOWN 400mm x 300m x 20micron
4020-34B-6	6	15.6	4020-34 STRETCH FILM (6) BLOWN 400mm x 200m x 34micron



CODE	PK QTY	PK WGT	STRETCH FILM (EXTENDED CORE)
4030-17EC-6	6	13	4030-17 STRETCH FILM (6) CAST EXT. CORE 400mm x 300m x 17micron
4030-23BEC-6	6	14.8	4030-23 STRETCH FILM (6) BLOWN EXT. CORE 400mm x 300m x 23micron
4020-34BEC-6	6	16.9	4020-34 STRETCH FILM (6) BLOWN EXT. CORE 400mm x 200m x 34micron



CODE	PK QTY	PK WGT	STRETCH FILM (BLACK)
5025-25BLACK-6	6	18.8	5025-25 STRETCH FILM (6) BLACK BLOWN 500mm x 250m x 25micron
5030-20-6	6	17.3	5030-20 STRETCH FILM (6) CAST 500mm x 300m x 20micron



CODE	PK QTY	PK WGT	STRETCH FILM (MACHINE)
5060-12-HP	6	15.8	MACHINE STRETCH FILM 500mm x 600m x 12micron
2053-20	1	17.5	MACHINE STRETCH FILM 500mm x 1700m x 20micron
DXS-28	1	17.5	PRE-STRETCH MACHINE FILM 500mm x 1200m x 28micron

## Pallet top sheets

Protect your load from rain with these heavy duty pallet top sheets used in conjunction with pallet wrap.



CODE	ROLL QTY	ROLL WGT	PALLET TOP SHEETS
1525-1525	1	20	PALLET TOP SHEETS (250 perforated per roll) 1525mm x 1525mm x 37.5 micron

# 61 Stretch film mini rolls

HAND HELD tensioning dispensers for efficient application of mini stretch film rolls for COLLATING, BUNDLING and SECURING almost anything. The film only adheres to itself and presents a clean, low cost alternative to adhesive tapes. Refill FILM PACKS available from stock.



Registered design

### Stretchpacker tensioner + mini stretch film roll W100mm x L150m

- > Wound on PACKER registered design reusable scissor action handle that acts as a brake for adjustable tension control during wrapping
- > Additional mini stretchfilm rolls available to order

CODE	PK QTY	PK WGT
HSP-100	1	0.32



Registered design

### Stretchpacker tensioner + 12 mini stretch film rolls W100mm x L150m

- > Wound on PACKER registered design reusable scissor action handle that acts as a brake for adjustable tension control during wrapping
- > Additional mini stretchfilm rolls available to order

CODE	PK QTY	PK WGT
HSP-100-12	12	2.9

CODE	PK QTY	PK WGT	STRETCH FILM & HANDLE
MBS-1	1	0.32	TENSIONING HANDLE+MINI STRETCH FILM ROLL W100mmxL100m
MBS-5	5	0.96	TENSIONING HANDLE+ 5 MINI STRETCH FILM ROLLS W100mmxL100m
MBS-10	10	1.7	TENSIONING HANDLE+10 MINI STRETCH FILM ROLLS W100mmxL100m
MBS-20	20	4	TENSIONING HANDLE+20 MINI STRETCH FILM ROLLS W100mmxL100m



CODE	PK QTY	PK WGT	MINI STRETCH FILM
1015-6	6	1.5	MINI STRETCH FILM REFILL PACK 6 ROLLS W100mmxL150m for MBS & HSP
1015-36	36	7.8	MINI STRETCH FILM REFILL PACK 36 ROLLS W100mmxL150m for MBS & HSP



Registered design

### Handypacker film on disposable tensioners 5 rolls W125mm x L200m

- > Disposable, squeeze action handle allows film to be stretched and tensioned for security
- > Ideal for collating, bundling and securing everything from small boxes or parcels through to timber mouldings etc

CODE	PK QTY	PK WGT
HP-125	5	2.7



Sanstrap® pallet stabilising bands with enormous elastic strength that sit tight to the load without sticking. Made from PE film that can be disposed of with stretch and shrink films.

Sangrip® non-slip sheets provide the grip to stop your cartons slipping. Made from mixed polymer film and 100% recyclable

### Sanstrap® packer bands (100 roll) for pallet stabilisation 100mm x 1200mm

- > Economic and quick method of stabilising pallet loads
- > Priced per box



CODE	PK QTY	PK WGT
SPB-100-DISP	28	1



### Sangrip® non-slip 137mm wide x 140mm long perforated every 300mm

- > Prevents slippage of palletised or stacked cartons
- > Easy to dispense in strips from pre-perforated rolls
- > Gives outstanding grip even on smooth or uneven surfaces and is ideal when transporting goods on sloping areas of the warehouse
- > The mixed polymer material is food-safe, impervious to moisture and fully recyclable

CODE	PK QTY	PK WGT
NSRP-300	1	2



**NEW!**



### Sangrip® Dispenser

- > Robust dispenser for Sangrip, enables strips to be easily pulled of the roll
- > Weighted base can sit conveniently on goods being loaded



CODE	PK QTY	PK WGT
NSRP-DISP	1	1.1



**NEW!**

# 63 Mobile pallet stretch wrappers & film

Dramatically reduce operator fatigue by using these effective, economic mobile pallet stretch wrappers. The operator can wrap pallets up to two metres high, keeping consistent film tension, without any crouching or stretching. Mobile pallet wrappers remove the need to shift pallets to a central wrapping point and their controlled film tension saves material. The battery operated model, with push button controls, offers all the above plus film pre-stretch for maximum saving.



## Mobile manual pallet wrapper wraps to 2m adjustable film tension

- > Significant reduction in operator fatigue with no need to crouch or reach high to apply film
- > Controllable tension to give even wrap and save film
- > Machine can be easily moved to the pallet removing the need for a centralised packing area
- > Dimensions W560mm x D1150mm x H2100mm

CODE	PK QTY	PK WGT
MSW-M	1	85

## Mobile battery pallet wrapper wraps to 2m with adjustable pre-stretch film tension

- > Significant reduction in operator fatigue with no need to crouch or reach high to apply film
- > Push button control for movement, re-charge battery 230v mains. Each battery charge wraps about 70 pallets
- > Powered pre-stretch tension to give even wrap and save film
- > Machine can be easily moved to the pallet removing the need for a centralised packing area
- > Dimensions W560mm x D1150mm x H2100mm

CODE	PK QTY	PK WGT
MSW-MB	1	95



## Machine stretch film 500mm x 600m x 12 micron

- > High performance pallet stretch film with excellent puncture resistance, suitable for use on mobile pallet wrappers
- > Price per roll

CODE	ROLL QTY	ROLL WGT
5060-12-HP	1	15.8



## Pallet top sheets (250 perforated per roll) 1525mm x 1525mm x 37.5 micron

- > Use with pallet film for total protection
- > Price per roll


CODE	ROLL QTY	ROLL WGT
1525-1525	1	20

PRE-SET PROGRAMMING to maintain load integrity and film saving is one of the advantages of our keenly priced pallet stretch wrappers. The 1.65 diameter soft start/stop turntable spins at 12 rpm, can handle loads up to 1650kgs and is reached by the optional load ramp. Standard machines wrap to a height of 2.0m with adjustable film tension. Film is easily loaded and maximum saving is achieved with the pre-stretch model. The on-screen trouble shooting feature on the E2 and EP2 models aids reliability. Options to suit large or non-standard loads are available to order for all machines. All Packer pallet wrappers conform fully to the relevant UK health and safety regulations. Machine film illustrated is for use with our semi-automatic pallet stretch wrappers where cast film is usually preferred because the rolls dispense quietly without leaving residue and the machine is able to stretch the film to allow it to cling tightly to the pallet. Lease option available on this equipment.

### Pallet wrapper spring brake film tension wrap height 2.0m

- > Reliable build quality, supported by a 12 month warranty
- > Manually adjustable film tension
- > Two automatic wrapping programmes
- > Standard turntable handles up to 1650kg load and is 1.65m dia
- > Option of horse-shoe turntable and 2.5m high extended mast
- > Optional photocell for recognition of black film
- > Dimensions W1650mm x D2475mm x H2345mm

CODE	PK QTY	PK WGT
PSW-E1	1	401




### Pallet wrapper disc brake film tension wrap height 2.0m

- > Reliable build quality using inverter technology, supported by a 12 month warranty
- > Manually adjustable film tension
- > Automatic programming with on screen trouble-shooting
- > Standard turntable handles up to 1650kg load and is 1.65m dia with option of 1.8m dia and higher mast for larger loads
- > Option of horse-shoe turntable
- > Optional photocell for recognition of black film
- > Dimensions W1650mm x D2475mm x H2345mm



CODE	PK QTY	PK WGT
PSW-E2	1	445



# 65 Pallet stretch wrappers & film

## Pallet wrapper pre-stretch film tension wrap height 2.0m

- > Reliable build quality using inverter technology, supported by a 12 month warranty
- > Automatic programming with on screen trouble-shooting
- > Standard turntable handles up to 1650kg load and is 1.65m dia with option of 1.8m dia and higher mast for larger loads
- > Option of horse-shoe turntable
- > Power pre-stretch feature minimises film usage and reduces costs
- > Optional photocell for recognition of black film
- > Dimensions W1650mm x D2475mm x H2345mm

CODE	PK QTY	PK WGT
PSW-EP2	1	468



## Loading ramp for PSW models 1.65m turntable

- > Allows pallets to be placed onto turntable with a pallet truck.

CODE	PK QTY	PK WGT
PSW-ER	1	45



CODE	PK QTY	PK WGT	MACHINE STRETCH FILM & TOP SHEETS
2053-20	1	17.5	MACHINE STRETCH FILM 500mm x 1700m x 20micron
DXS-28	1	17.5	PRE-STRETCH MACHINE FILM 500mm x 1200m x 28micron
1525-1525	1	20	PALLET TOP SHEETS (250 perforated per roll) 1525mm x 1525mm x 37.5 micron



Don't spend money on compacting or dumping old cartons because our cardboard carton shredders recycle waste cardboard into usable void-fill or product protection. Models available to produce flexible matting or 4mm wide cut strips for negligible cost. Most cardboard shredders are available with dust reduction option and all are CE/EMC compliant. Buy a cardboard shredder with the lease option available on this equipment.



### Carton shredder single phase cuts 320mm wide x 10mm thick

- > Produces void-fill or product protection from your used cartons, on demand
- > Negates the need to pay for board removal
- > CP version produces flexible matting, CPS version produces 4mm cut strips
- > Run time of up to 1 hour, throughput app. 10 metres per minute
- > Dimensions W660mm x D660mm x H980mm,
- > Weighs 92kg with a footprint less than 0.5sq.m.
- > 12 months warranty

CODE	PK QTY	PK WGT
CP316S2	1	92
CPS316S2-4MM	1	92

### Carton shredder single phase cuts 320mm wide x 12mm thick

- > Produces void-fill or product protection from your used cartons, on demand
- > CP version produces flexible matting, CPS version produces 4mm cut strips
- > Negates the need to pay for board removal
- > Dust reduction optional
- > Run time of up to 3 hours, throughput app. 12 metres per minute
- > Dimensions W660mm x D660mm x H1060mm, weighs 110kg with a footprint less than 0.5sq.m.
- > 12 months warranty

CODE	PK QTY	PK WGT
CP320S2	1	110
CPS320S2-4MM	1	110

### Carton shredder single phase cuts 420mm wide x 15mm thick

- > Produces void-fill or product protection from your used cartons, on demand
- > CP version produces flexible matting, CPS version produces 4mm cut strips
- > Negates the need to pay for board removal
- > Fitted Dust reduction optional
- > Run time of up to 4 hours, throughput approx. 12 metres per minute
- > Dimensions W660mm x D660mm x H1060mm
- > Weighs 120kg with a footprint less than 0.5sq.m.
- > 12 months warranty

CODE	PK QTY	PK WGT
CP422S2i	1	120
CPS422S2-4MMi	1	120



**Cut strips**



## 67 Cardboard carton shredders



### Carton shredder three phase cuts 420mm wide x 15mm thick

- > Produces void-fill or product protection, from your used cartons, on demand
- > CP version produces flexible matting, CPS version produces 4mm cut strips
- > Negates the need to pay for board removal
- > Fitted with socket and hose outlet to accept optional 3ph dust reduction unit
- > Unlimited run time, throughput approx. 12 metres per minute
- > Dimensions W660mm x D660mm x H1060mm
- > Weighs 120kg with a footprint less than 0.5sq.m.
- > 12 months warranty

CODE	PK QTY	PK WGT
CP422S2-3PH	1	120
CPS422S2-4MM-3PH	1	120



### Carton shredder three phase cuts 420mm wide x 17mm thick

- > Produces void-fill or product protection, 4mm wide cut strips from your used cartons, on demand
- > CP version produces flexible matting, CPS version produces 4mm cut strips
- > Negates the need to pay for board removal
- > Fitted with socket and hose outlet to accept optional 3ph dust reduction unit.
- > Unlimited run time with a throughput of approx. 14 metres per minute
- > Dimensions W800mm x D750mm x H1100mm, weighs 260kg with a footprint of approx.0.6sq.m.
- > 12 months warranty

CODE	PK QTY	PK WGT
CP428S2	1	260
CPS428S2-4MM	1	260

## Dust reduction units



### Single phase dust reduction unit with 3 metre connecting hose

- > Reduces dust from board conversion when fitted to Carton Shredders
- > Supplied with hose and fittings
- > Weighs 36kgs with a footprint less than 0.25sq.m.

CODE	PK QTY	PK WGT
CPB70-13-KIT	1	36



### Three phase dust reduction unit with 3 metre connecting hose

- > Reduces dust from board conversion when fitted to Carton Shredders
- > Supplied with hose and fittings
- > Weighs 60kgs with a footprint less than 0.5sq.m

CODE	PK QTY	PK WGT
CPB200-1-KIT	1	60

**Matting**

Avoid the cost of transporting and storing traditional bubble film, the AirPouch Express 3™, manufactured by a world leader in automatic bag packaging machinery, has its own internal air source and offers all the benefits of AIRPOUCH CUSHIONS protection on demand! This compact machine, size L52cm x W30.5cm x H36cm, weighs only 13.7kg and can sit anywhere. The Airpouch cushions can be produced from reprocessed or standard film, and are 99% air giving considerable material savings against other void fill products and adding minimally to transport costs. Biodegradable film is available to special order.

The system is available for a modest monthly rental. Buy only the film you need, each box can inflate to over 8 cubic metres of void-fill and the cushions are easily separated thanks to the unique E-Z Tear perforations.



### Airpouch Express 3 air cushion machine

- > No capital outlay, the machine is available for a modest monthly rental without any film take up commitment
- > One month FREE trial with purchase of one box of film
- > Easy to use table top system to produce chains of protective air cushions on demand. Cushions are easily separated with their unique EZ tear perforations. The machine requires only 230v power, as it incorporates an internal air source
- > User friendly controls and simple film load direct from the box avoiding double handling. Each box inflates to over 8 cubic metres of void-fill, saving storage space required by conventional fillers
- > Air cushions are lightweight, clean, non-abrasive and add minimally to transport costs whilst providing excellent product protection or void-fill
- > Compact machine, dimensions 52cm x 30.5cm x 36cm weighing 13.7kg.
- > Rental shown is for 3 months, payable in advance

CODE	PK QTY	PK WGT
APE-3-QTRENTAL	1	13.7

Co-extruded film with excellent puncture resistance and burst strength for use with AIRPOUCH EXPRESS 3™. Cushions easily separated by the unique EZ tear perforations. Film is dispensed straight from the box, avoiding double handling. Each box inflates to give over 8 cubic metres of void-fill.



**APE-100-50-S**



**APE-200-50-S**



**APE-400-50-S**



CODE	PK QTY	PK WGT	AIRPOUCH FILM
APE-100-50-R	1	14	REPROCESSED AIRPOUCH FILM HEAVY GRADE 900m x 100mm x 200mm
APE-200-50-R	1	14	REPROCESSED AIRPOUCH FILM HEAVY GRADE 900m x 200mm x 200mm
APE-400-50-R	1	14	REPROCESSED AIRPOUCH FILM HEAVY GRADE 900m x 400mm x 200mm
APE-100-50-S	1	14	STANDARD AIRPOUCH FILM HEAVY GRADE 900m x 100mm x 200mm
APE-200-50-S	1	14	STANDARD AIRPOUCH FILM HEAVY GRADE 900m x 200mm x 200mm
APE-400-50-S	1	14	STANDARD AIRPOUCH FILM HEAVY GRADE 900m x 400mm x 200mm
APE-100-35-S	1	18	STANDARD AIRPOUCH FILM LIGHT GRADE 1200m x 100mm x 200mm
APE-200-35-S	1	18	STANDARD AIRPOUCH FILM LIGHT GRADE 1200m x 200mm x 200mm

# 69 Minipak R™ air cushions



AVOID the cost of transporting and storing traditional bubble film, the MINIPAKR, with it's own INTERNAL AIR source, offers all the benefits of cushion protection on demand! This compact machine, size L36cm x W33cm x H28cm, weighs only 6kg and can sit anywhere or even be wall-mounted. The cushions, produced from RECYCLABLE FILM, are 99% air giving considerable MATERIAL SAVINGS against other void fill products and adding MINIMALLY to TRANSPORT costs. RFID in each roll informs the MINIPAKR to automatically select machine settings for varieties of cushions to suit your particular need. Just plug in, load and go!



### Minipakr™ air cushion void fill system 230v

- > Void-fill and product protection on demand, saving space and money, using MINIPAKR cushions in your choice of configuration
- > The machine has an internal air source, no compressed air required
- > Machine can be bench or wall mounted, just plug in and go

CODE	PK QTY	PK WGT
MINIPAKR	1	6



MP-EZ130



MP-NDC



MP-NQL



MP-NQS

CODE	PK QTY	PK WGT	CUSHIONS
MP-EZ130	2	8	CUSHIONS 200mm x 130mm on a 325m roll
MP-NDC	1	6.1	DOUBLE CUSHIONS 400mm x 150mm on a 200m roll
MP-NQL	1	6.1	LARGE QUILT CUSHION 400mm x 150mm on a 200m roll
MP-NQS	1	6.1	SMALL QUILT CUSHION 400mm x 150mm on a 200m roll



### Replacement knife kit for Minipakr

- > Comprises 2 knives with allen key and instructions

CODE	MP-RKK
PK QTY	1
PK WGT	0.028



### Replacement belt kit for Minipakr

- > Set of 4 tapes and allen key with instructions

CODE	MP-RBK
PK QTY	1
PK WGT	0.038



### Wall mount kit for Minipakr

- > Save space by mounting the minipakr above work area

CODE	MP-WMK
PK QTY	1
PK WGT	3.1

# Greenfiller paper pads

ECO-FRIENDLY GREENFILLER PAPER PADS converted from special paper rolls by a unique system. Pads produced ON DEMAND, are 550mm wide in lengths as required. The pads can be used flat or crumpled as void fill and are suitable for cushioning almost anything. The absorbent quality of the paper makes them particularly useful for oily engineering products.



- Greenfiller void fill pad protection system 230v**
- > Produces void-fill and product protection by interfolding three GREENFILLER paper rolls (SKU:M-GFP) on demand, saving storage space
  - > The pads are reusable, recyclable and are biodegradable
  - > The pads can be used flat or crumpled and their absorbent quality makes them especially useful for oily engineering items
  - > Dimensions W850mm x D740mm x H1850mm, weighs 180kgs. with a footprint of 0.65sq.m.
  - > Machine rental option available, call our sales for information

- Greenfiller paper rolls 550mm wide x 650m long**
- > Paper rolls for use with the GREENFILLER system (SKU:M-GF). Machine is loaded with three rolls that are interfolded to produce pads

CODE	PK	PK
	QTY	WGT
M-GF	1	180

CODE	PK	PK
	QTY	WGT
M-GFP	1	25

ExpandOS™ triangles have 38 edges and holes that interlock to prevent them slipping, keeping your product securely enveloped and providing exceptional performance. The multiple contact points mean impact shocks are absorbed and products being transported are kept safe and secure by the blocking, bracing and cushioning effect provided. Each triangle resumes its original shape providing continuous protection and allowing ExpandOS™ to be reusable. This innovative 100% eco-friendly void fill is punched from SFI Certified paper. You can learn more about ExpandOS™ by viewing our micro-site [www.buyexpandos.co.uk](http://www.buyexpandos.co.uk)

**NEW!**



**ExpandOS™ void fill ready to use 5 cu.ft. box**

- > High performance product protection ready to use
- > Totally eco-friendly, re-usable and recyclable

CODE	PK QTY	PK WGT
P-EXP-5	1	3.5



**ExpandOS™ void fill ready to use 80 cu.ft box**

- > High performance product protection ready to use
- > Totally eco-friendly, re-usable and recyclable

CODE	PK QTY	PK WGT
P-EXP-80	1	56



## SHIPPING

### DELIVERY WITHIN MAINLAND UK

All orders will be despatched via a recorded delivery service, same day usually or latest within 48 hours, unless otherwise agreed with the customer. This date is calculated from the receipt of order from authorised accounts or from the receipt of full payment from non-account customers. Our prices exclude delivery charges and VAT.

### DELIVERY CHARGES WITHIN MAINLAND UK

Parcels up to 100 kilos maximum weight £10.00 each.

Pallets (standard UK or Euro) £45.00 each.

All weights stated are in kilos.

### DELIVERY OUTSIDE MAINLAND UK

Delivery arrangements and charges will be agreed with the customer before despatch of goods.

## COLLECTION

If preferred, orders may be collected from the trade counter from 08.00 -16.30 Mon-Fri by prior arrangement with sales.

NO MINIMUM ORDER VALUE. Payment terms net by end of month following date of invoice for agreed credit accounts. The company reserves the right to amend prices at anytime. Please check prices at time of ordering. Prices are £ Sterling.

## RETURNS

### RETURN OF UNWANTED ITEMS

If, for any reason, you are unhappy with your purchase, you may return it in its original unused condition within 30 days for a full refund, excluding carriage charges. If the returned item is found to be damaged or requires re-boxing then a rectification/re-boxing charge will be deducted from any refund. Please notify sales before returning the item.

### RETURN OF ITEMS FOUND TO BE DAMAGED OR LOST IN TRANSIT

If you take delivery of a package and you find that the contents have been damaged in transit or is short delivered, you must notify sales within 2 working days of receipt. Return damaged item(s) to us within 30 calendar days for a refund or exchange. Please notify sales of the damage before returning the item. Notification of non-delivery is required within 14 days of invoice date.

### RETURN OF ITEMS FOUND TO BE FAULTY

If an item is found to be faulty, either on receipt or within its warranty period, you may return it for rectification (or, at our discretion, replacement). Please notify sales before returning the item. IT IS YOUR RESPONSIBILITY TO ENSURE RETURNED GOODS ARE ADEQUATELY PACKED TO AVOID FURTHER DAMAGE OR LOSS.

## SERVICE AND REPAIR

We are able to provide a comprehensive and efficient service including the supply of spare parts and on site repair where appropriate. Contact sales to obtain details.

## WARRANTY


All products have a 12 month warranty against faulty manufacture unless otherwise stated on the product information.

## TERMS AND CONDITIONS

A full copy of our terms and conditions is available upon application.

**PACKER**<sup>®</sup>

distributed by:



Packaging Aids Ltd, Lords Way, Basildon, Essex  
SS13 1TN England

Tel: +44 (0) 1268 885858

Sales tel: +44 (0) 1268 885885

Sales fax: +44 (0) 1268 885860

Accounts fax: +44 (0) 1268 885850

E-mail: [sales@packer-products.co.uk](mailto:sales@packer-products.co.uk)

[www.packer-products.co.uk](http://www.packer-products.co.uk)

