





Practical Cleaning Solutions **2011**



Welcome to our 2011 catalogue which contains many new exciting products and services.

We would like to thank all of our customers who have shown such strong support in 2010 and wish you every success in 2011.

The range of products continues to evolve and expand as we invest more time and effort into Research & Development and the Marketing of our products.

We are very pleased with the response that we have received from customers who have opened online accounts. We continue to develop our website and in particular the login section for our Account Customers. This secure account area provides you with a number of online facilities where discounts are available for online purchasing with more information provided on pages 4 and 5. We are always looking to improve the website so all of your comments and feedback are greatly appreciated.

Our corporate DVD is now available. This tracks the developing success of the company over the past 89 years and demonstrates the innovative range of cleaning tools available today. Please ask for your copy today or alternatively go to our website where this can also be viewed. See page 74 for more details.

Please always remember that we have the capabilities of manufacturing products to customer ideas and designs if required.

From everyone at HBC, we wish you all the very best success in 2011.



Philip Coward Managing Director


















UK t+44 (0)17 4786 0494 f +44 (0)17 4786 0137

> e info@hillbrush.com www.hillbrush.com

USA t 410-325-7000

f 410-325-6477

e info@hillbrushinc.com www.hillbrushinc.com





Effective from January 1st 2011

see page 77

For carriage paid terms

CARRIAGE CHARGES

2011 (UK MAINLAND)

£1 - £50 = £20 carriage £51 - £274 = £15 carriage £275+ = FREE carriage

Contents

	Contonto	
@	Online Account Easy step by step guide to registering and login	4
	Brooms Boxed to Go! • Bass • Flat Tops • Platforms • Handles • Contract Range	6
	Woodlands Garden & Industrial Garden Range • Brooms • Pot Brushes • Bootwipers • Scrapers• Garden Tidying	20
	Household Brushes and cleaning equipment for the home • Kitchen Range	23
	Pro-Window Professional window cleaning systems	29
	Premier Valet Cleaning equipment for vehicles and commercial use	32
400	Hygiene and Food Safety Ultimate Hygiene • Professional Hygiene • Premier Catering	34
开杆	Janitorial Warning Signs • Buckets • Storage • Mops • Cloths	58
	DIY Paint Brushes • Decorating • Wire Brushes • Artists Brushes	67
U G	ZU Essential Gourmet Accessories	72
SAMON PRODUCTS TOCIAND	Technical Info Brush Care • Materials • Marketing Solutions • Terms & Conditions • Carriage Paid Information	73
•••••	Full Index Product Key	78



HBC SALES LINE

+44 (0) 17 4786 1766 +44 (0) 17 4786 1767 Woodlands Road, Mere Wiltshire BA12 6BS, England

sales@hillbrush.com www.hillbrush.com



Login to your online account today and

SAVE 2% on all online orders!

lt's easv...

Go to: www.hillbrush.com



Or Login

If you already have an online account set up, just enter your details in the boxes shown to access account information and place your orders.

4 User Homepage





Managing your account is simple and efficient...

Using our secure online account service our customers can place orders and manage their account at any time of the day or night.

2% Saver System... Saving your business 2% on everything when placing orders online!

Once logged in, account customers can place orders easily and efficiently. We have introduced a 2% Saver System for account customers ordering online with all discount pricing shown on your account. Make your choices online, place you order and it will show with a 2% saving at checkout and on your invoices. Save order baskets for future reference or use our quick ordering system. All Internet orders are automatically processed with an email acknowledgement by return.

View any **Outstanding Orders**, **Account Statements**, **Credit Notes** and your **Invoice History** all at the touch of a button.

Our Management Information System enables our customers to access real time data to help manage your purchasing and budgetary control, saving both time and money.

Let us help

If you are having problems setting up your account, accessing information or placing orders online, contact us. Your dedicated Customer Sales Adviser can help you over the phone. Alternatively send us an email and we will come back to you at your convenience.

We are always happy to talk to you and discuss orders over the phone and advise you on prior purchases.

Expert Product Knowledge


The level of product advice, technical training and supplier support available to help our customers make informed choices is second to none. Please let us know if you require one of our representatives to visit you and discuss the products, merchandising and further marketing assistance for your websites and your literature.

Our **e-brochures** are available online to help you with product choices or call if you wish to receive further printed copies. This provides you with page turning options and PDF downloads to make things easy.

Ordering made easy through our website, e-mail, fax and calling direct to our head office.

- t +44 (0)17 4786 1766
- **f** +44 (0)17 4786 1767
- e sales@hillbrush.com







- HBC has a FSC (Forest Stewardship Council) Chain of Custody certification (TT-COC-001562) for wooden brush backs and other wooden products. This means that the raw material to produce these wooden parts can be traced back to an FSC certified forest. The non-FSC timber used by the company comes from managed forests or suppliers with other sustainable timber schemes (such as the German PEFC™ scheme).
- We encourage our customers where possible to change from buying brushes with fitted handles to threaded handles. Packaging is much smaller, reducing transport costs and carbon emissions.
- HBC strives to use a minimal amount of packaging materials and complies with all EPA (Environmental Protection Agency) packaging waste regulations. The weight of packaging per product is available on request.
- All plastic products manufactured by HBC comply with EPA (Environmental Protection Agency) recycling regulations.
- Energy and water consumption is a prime concern and air from our main extraction system is recycled back into the production building to reduce the loss of heat.
- HBC is committed to a policy which is sympathetic to environmental issues and strives to minimise adverse environmental impact at all stages of production and, where possible, we use environmentally harmonious components.
- The Company requires that all packaging received must be recycled.
- Our lighting in the main warehouse has been replaced with an ultra-efficient lighting system.






Boxeo to Go!

A range of good quality British made brushes that are sold attractively boxed

- All items in this range are barcoded
- Easy to assemble with threaded handles
- More convenient to transport large quantities of brushes

Boxed to Go!


BOXED SELF ASSEMBLY







Code Key	Size mm	Description	Pack Size
344	457	Red PVC platform and threaded 1372mm x 29mm wooden handle	8
824	229	Union mixture deck scrub and threaded 1219mm x 24mm wooden handle	22
834	457	Grass mixture platform and threaded 1372mm x 29mm wooden handle	9
S104	267	Blue PVC soft sweeping broom, lacquered stock and threaded 1219mm x 24mm wooden handle	17
1044	305	Soft black coco broom and threaded 1219mm x 24mm wooden handle	16










P124		330	Red PVC flat top yard broom and threaded 1372mm x 29mm wooden handle	8
A424	ļ	305	Sherbro/Poly mixture broom and threaded 1219mm x 24mm wooden handle	9
M24	4	254	Cane/bassine yard broom and threaded 1219mm x 24mm wooden handle	15
174	4	254	Natural coco broom and threaded 1219mm x 24mm wooden handle	20
234	4	254	Bassine broom and threaded 1219mm x 24mm wooden handle	20
200	4	305	Bassine broom and threaded 1219mm x 24mm wooden handle	20
A444		267	Bass mixture yard broom and threaded 1219mm x 24mm wooden handle	16
PY24		254	Green poly yard broom and threaded 1219mm x 24mm wooden handle	15










PY24

Boxed to Go!





Bass, Yard and Scavenger Brooms

We use the most advanced brush-making machinery available to manufacture the products A54/2 TH54/2W you will see throughout this brochure, producing high quality brushes at reasonable prices. A42 SF3 B25/5 B25MFT Key Stock Description Handle Trim Pack Size mm Size mm Out mm Size **Bass Mixture** Α4 267 x 76 Cane/Bassine/Broom Grass mix 24 89 12 SF3 267 x 76 Domestic bass mixture, striped 24 89 12 A42G 305 x 89 Cane/Bassine 12 24 114 B4/SH 305 x 89 12 Cane/Bassine, striped 24 114 B21/10G 330 x 89 Cane/Bassine 29 114 12 Pure Sherbro B25 330 x 89 29 Double hole, waxed ends 140 6 Bass Brooms Pure Bahia C33 305 x 89 114 12 Single hole, waxed ends 29 **Bass Brooms** 507 330 x 89 Double hole, waxed ends 29 152 6 Sherbro A6 267 x 76 Sherbro/Cane/Bassine/Broom Grass mix. Mixture Brooms 102 Single hole, waxed ends 24 12 A42 305 x 89 Sherbro/green polypropylene 24 114 6 B25/5 330 x 89 Double hole, waxed ends, sherbro/poly B25M 330 x 89 Double hole, waxed ends, sherbro/poly/cane 29 140 6 29 **B25MFT** 330 x 89 Flat top, one staff hole and bolt holes, sherbro/poly/cane 140 6

Double hole, waxed ends, sherbro/poly

P12

29

PY10F

140

6



T+

BS4

330 x 89

P6

Flat Top and Socket Brooms





ACCESSORIES

Clamps, sockets & handles see pages 16 & 17

See WOODLANDS RANGE for more socketed brushes - page 21



Brooms with Threaded Stocks

All brooms on this page will take either a traditional 24mm wooden handle with nail or our threaded wooden or bamboo handles detailed on page 16.



YZ111	Key	Code	YZ511 YZ	7711 Trim	HANDLES see page 16
	Key	Code	Description	Out	Size
Round Back	T+ 💋	3P	305mm Striped round back stock, filled soft natural coco	89	6
Sweeping	T+ 🥠	E31	305mm Round back stock, filled very soft flagged black coco	70	6
Brooms	T+	E40	305mm Red painted round back stock, filled soft black coco	89	6
	T+ 🥠	E79	305mm Round back stock, filled Bassine centre/black coco outside	89	6
	T+ 🥠	EA3	305mm Round back stock, filled medium soft Gumati	83	6
279mm	T+	YZ111	Maroon polypropylene/red PVC, semi-stiff, waxed stock	83	12
Household	T+	YZ511	Green PVC, stiff, waxed stock	83	12
Brooms for	T+ 💋	YZ711	Bassine, semi-stiff, waxed stock	83	12
24mm Ø handle					

Industrial Brooms and Brushes


BEST NTHE TRAD es non rotti fibres		ВМ	D1I	
	-	MANAGE .	D8M D1N	D3
A CONTRACTOR OF THE PARTY OF TH	Key	Code	Description	Pack Size
General	2	D1	Natural Bassine, medium	12
urpose	1	D1BM	Bahia mixture, can be used in boiling water, superb hard wearing	
Brushes			and water holding qualities, stiff	12
Bent handled		D1N	Natural nylon, stiff	12
hurns)		D1P	Blue polypropylene, very stiff	12
	4	D8M	Long handled, Bahia mixture (as D1BM), stiff	6
		D3	Short handled, plastic stock, natural polypropylene, stiff	6
‡ See also		D4‡	Short handled, plastic stock, polyester, stiff • • • • • •	6
page 41		D5‡	Short handled, plastic stock, polyester, soft ● ● ○ ●	6
		D9‡	Long handled, plastic stock, polyester, stiff	6
		D10#	Long handled, plastic stock, polyester, soft	6




Pla	tfor	m Bi	rooms	Th	readed m broom page 22
H4/5	- THE STATE OF THE	MININE.		see	page 22
MARKAN	EM IN	H5/5			THE REAL PROPERTY.
	H1/5				H3/3
	Key	Code	Description	Trim Out mr	n Pack Size
Gumati I	Fibre Excell	ent wearing and	sweeping qualities, the very best brooms for sweepin	g dry concrete & similar s	urfaces.
	4	H1/3	457mm Medium Gumati fibre platform	89	6
	4	H1/5	610mm Medium Gumati fibre platform	89	6
-		H1/9	914mm Medium Gumati fibre platform	89	6
Bahia Ba			sweeping qualities, the best available brooms for con	crete and tarmacadam roa	ds and paths i
	wet o	r dry conditions.		400	
		H3/3	457mm Medium Bahia Bass platform	102	6
1	4	H3/5 H3/9	610mm Medium Bahia Bass platform 914mm Medium Bahia Bass platform	102 102	6
Bahia Miz	xture These	are similar broom	ns to pure Bahia Bass platform but are less hard wearir	າຕ	
Darna I II	Mese Mese	H3/3M	457mm Medium Bahia mixture platform	102	6
		H3/5M	610mm Medium Bahia mixture platform	102	6
Natural	Coco Econo	omy soft bro <u>oms</u>	suitable for smooth dry surfaces. All Salmon Produc	ts natural coco is u <u>nbleac</u>	hed.
	4	H4/3	457mm Soft natural coco platform	89	6
	4	H4/5	610mm Soft natural coco platform	89	6
	Add	H4/9	914mm Soft natural coco platform	89	6

H7/5			YZ118 H5/9	MAN	
National	Key	Code	Description	Trim Out mm	Pack Size
Natural	These are s		ny brooms for dry, rougher surfaces.		
Bassine	4	H5/3	457mm Medium natural Bassine platform	102	6
	4	H5/5	610mm Medium natural Bassine platform	102	6
	4	H5/9	914mm Medium natural Bassine platform	102	6
Red PVC	Stiffer synt		for wet or dry rough surfaces.		
(0.81mm)		H7/3	457mm Medium red PVC platform	89	6
	,	H7/5	610mm Medium red PVC platform	89	6
		H7/9	914mm Medium red PVC platform	89	6
	Semi-stiff	synthetic bro	oms, ideal for wet or dry rough surfaces.		
(0.64mm)/PVC		YZ118	457mm Maroon polypropylene/red PVC	83	6
(0.81mm)		YZ124	610mm Maroon polypropylene/red PVC	83	6

Platform Brooms






Handles and Accessories



	Safe y		Eco-friendly
BAM54/2	1		Bamboo hanc
TH54/2W			
TH48/1			
A48			
A60			
Key	Code	Description	Pack Size
ooden Broom	A48/1	1219mm x 24mm Wooden 'A' quality handle	25
indles Length	A48/1VN	1219mm x 24mm Lacquered wooden handle	25
asurements are	A60/1	1524mm x 24mm Wooden 'A' quality handle	25
proximate	A72/1	1829mm x 24mm Wooden 'A' quality handle	25
_	A48/2	1219mm x 29mm Wooden 'A' quality handle	25
	A54/2	1372mm x 29mm Wooden 'A' quality handle	25
	A60/2	1524mm x 29mm Wooden 'A' quality handle	25
	A60/2TAP	1524mm x 29mm Tapered (for platforms only)	25
	A72/2	1829mmx 29mm Wooden 'A' quality handle	25
	A72/3	1829mm x 32mm Wooden 'A' quality handle	20
	A96/2	2438mm x 29mm Wooden 'A' quality handle	25
Key	Code	Description andles are subject to a maximum discount of 50%	Pallet Qty
andles in	A48/1-PAL	1219mm x 24mm Wooden 'A' quality handle	1800 -2000
llet	A48/2-PAL	1219mm x 29mm Wooden 'A' quality handle	1225
iantities	A54/2-PAL	1372mm x 29mm Wooden 'A' quality handle	1225
differences	A60/2-PAL	1524mm x 29mm Wooden 'A' quality handle	1225
	AUU/L TAL	32 min x 25min wooden x quality number	ILLU
readed	TH48/1	1219mm x 24mm Threaded wooden handle	12
andles	TH54/2W	1372mm x 29mm Threaded wooden handle	25
C)	BAM54/2	1372mm x 29mm Threaded Bamboo handle	25



Handles and Accessories





Contract

In the Contract range you will find strong products at the most competitive prices available.



		-	The state of the s		<u> </u>		_
W11	15		B1408				
		116	HMMO S	SIGN1			
Milher	100	A VALLE	W113			-	
	-0	1000	W113		1	Lates 1	100
5			- Annual Control of the Control of t		delli		
JBC23	3	1		2	Mine		22
	-	AND SERVICE		The last			
Wo		MAR	IDS	1	100	-	B178
Wo	- Allen	No.		A	-		
	Key Coo	de D	Description			Trim mm	Pack Size
Sundries	STC	6 2	03mm x 56mm Scrub, natural Bassine			28	40
	IDS		29mm x 61mm Deck scrub, natural Bassine	24		45	12
			54mm x 60mm Deck scrub, plain stock, Union mixture	24	l	38	30
	≝ DF	1 2	67mm x 68mm Bassine Churn flat			68	12
	SIC	GN1/10P	K 630mm High warning sign, CAUTION WET FLOOR - slipping	man on both	n sides		10
			umbo dustpan and brush set 305mm Wide, 254mm Depth				6
Banisters	4.1		80mm Soft natural coco banister on lacquered stock			60	12
	4.		80mm Medium Bassine banister on lacquered stock			60	12
	4.4		80mm Soft natural coco banister			75	12
	JBC		A' Quality 305mm x 52mm Plain stock, dyed coco			68	24
	₹ WO	002 2	80mm Stiff natural Bassine banister			75	12
					A. Comment		
	42G		300P	250P			
MIM	7P		250M	250P			
						M	
	7P	Tode of the control o	250M	26P		Trim	Pack
	7P	Code		26P	Handle Size mm	Trim	Pack
Brooms	7P Key Co	iP .	250M	26P	Handle		
	7P Key C	P OP	250M Description B' Quality 254mm x 60mm Plain stock, natural coco 'B' Quality 254mm x 60mm Plain stock, natural Bassine	26P	Handle Size mm 24 24	mm 64 64	30 30
	7P Key C	P OP :5P	250M B' Quality 254mm x 60mm Plain stock, natural coco B' Quality 254mm x 60mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, natural coco	26P	Handle Size mm 24 24 24	64 64 75	30 30 30
	7P Key C	P OP 5P	250M B' Quality 254mm x 60mm Plain stock, natural coco B' Quality 254mm x 60mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, natural coco B' Quality 292mm x 55mm Plain stock, dyed coco	26P	Handle Size mm 24 24 24 24	64 64 75 75	30 30 30 30 30
	7P Key C	5P 0P 5P 6P	250M B' Quality 254mm × 60mm Plain stock, natural coco B' Quality 254mm × 60mm Plain stock, natural Bassine B' Quality 292mm × 55mm Plain stock, natural coco C'B' Quality 292mm × 55mm Plain stock, dyed coco C'B' Quality 292mm × 55mm Plain stock, natural Bassine	26P	Handle Size mm 24 24 24 24 24	mm 64 64 75 75	30 30 30 30 30 30
	7P Key C	6P 25P 26P 27P	250M B' Quality 254mm x 60mm Plain stock, natural coco B' Quality 254mm x 60mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, natural coco B' Quality 292mm x 55mm Plain stock, dyed coco B' Quality 292mm x 55mm Plain stock, natural Bassine A' Quality 305mm x 65mm Plain stock, natural coco	26P	Handle Size mm 24 24 24 24 24 24 24	mm 64 64 75 75 75	30 30 30 30 30 30 20
	7P	6P 0P 5P 66P 7P	250M B' Quality 254mm x 60mm Plain stock, natural coco B' Quality 254mm x 60mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, natural coco B' Quality 292mm x 55mm Plain stock, dyed coco B' Quality 292mm x 55mm Plain stock, natural Bassine A' Quality 305mm x 65mm Plain stock, natural coco A' Quality 305mm x 65mm Plain stock, dyed coco	26P	Handle Size mm 24 24 24 24 24 24 24 24 24	mm 64 64 75 75 75 75 75	30 30 30 30 30 30 20 20
	Key C 5 11 2 2 2 2 2 3 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6P 0P 25P 26P 27P 2P 4P	250M B' Quality 254mm x 60mm Plain stock, natural coco B' Quality 254mm x 60mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, natural coco B' Quality 292mm x 55mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, natural Bassine A' Quality 305mm x 65mm Plain stock, natural coco A' Quality 305mm x 65mm Plain stock, dyed coco A' Quality 305mm x 65mm Plain stock, natural Bassine	26P	Handle Size mm 24 24 24 24 24 24 24	mm 64 64 75 75 75 75 75 75	30 30 30 30 30 30 20 20
	Key C 5 11 2 2 2 2 2 3 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6P 0P 5P 66P 7P	250M B' Quality 254mm x 60mm Plain stock, natural coco B' Quality 254mm x 60mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, natural coco B' Quality 292mm x 55mm Plain stock, dyed coco B' Quality 292mm x 55mm Plain stock, natural Bassine A' Quality 305mm x 65mm Plain stock, natural coco A' Quality 305mm x 65mm Plain stock, dyed coco	26P	Handle Size mm 24 24 24 24 24 24 24 24 24	mm 64 64 75 75 75 75 75	30 30 30 30 30 30 20 20
Brooms	7P Key C 5 11 2 2 2 7 8 11 N	6P 0P 55P 66P 67P P P 4P V103	250M B' Quality 254mm x 60mm Plain stock, natural coco B' Quality 254mm x 60mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, natural coco B' Quality 292mm x 55mm Plain stock, dyed coco B' Quality 292mm x 55mm Plain stock, natural Bassine A' Quality 305mm x 65mm Plain stock, natural coco A' Quality 305mm x 65mm Plain stock, natural Bassine A' Quality 305mm x 65mm Plain stock, natural Bassine B' Quality 305mm x 65mm Plain stock, natural Bassine B' Quality 305mm x 65mm Plain stock, natural Bassine B' Quality 305mm x 65mm Plain stock, natural Bassine	26P	Handle Size mm 24 24 24 24 24 24 24 24 24	75 75 75 75 75 75 75 75	30 30 30 30 30 30 20 20 20
Brooms	7P Key C 5 1 2 2 7 8 1 N T+4 A	P OP 0P	250M B' Quality 254mm × 60mm Plain stock, natural coco B' Quality 254mm × 60mm Plain stock, natural Bassine B' Quality 292mm × 55mm Plain stock, natural Bassine B' Quality 292mm × 55mm Plain stock, dyed coco B' Quality 292mm × 55mm Plain stock, natural Bassine A' Quality 305mm × 65mm Plain stock, natural Coco A' Quality 305mm × 65mm Plain stock, dyed coco A' Quality 305mm × 65mm Plain stock, natural Bassine	26P	Handle Size mm 24 24 24 24 24 24 24 24 24 24	mm 64 64 75 75 75 75 75 75 75 114	Size 30 30 30 30 30 20 20 21 21
Brooms Bass Brooms	7P	P OP 0P	250M B' Quality 254mm x 60mm Plain stock, natural coco B' Quality 254mm x 60mm Plain stock, natural Bassine B' Quality 254mm x 55mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, dyed coco B' Quality 292mm x 55mm Plain stock, natural Bassine A' Quality 292mm x 55mm Plain stock, natural Coco B' Quality 292mm x 55mm Plain stock, natural Coco A' Quality 305mm x 65mm Plain stock, natural Coco A' Quality 305mm x 65mm Plain stock, natural Bassine 280mm Stiff green PVC sweeping broom on lacquered stock 305mm x 85mm Single hole round back, Cane/Bassine 330mm x 85mm Flat top, single hole, Cane/Bassine	26P	Handle Size mm 24 24 24 24 24 24 24 24 24 24 24 24 29	75 75 75 75 75 75 75 75 75 75 114	Size 30 30 30 30 30 20 20 12
Brooms Bass Brooms	7P	P OP 0P	250M B' Quality 254mm × 60mm Plain stock, natural coco B' Quality 254mm × 60mm Plain stock, natural Bassine B' Quality 292mm × 55mm Plain stock, natural Bassine B' Quality 292mm × 55mm Plain stock, dyed coco B' Quality 292mm × 55mm Plain stock, natural Bassine A' Quality 305mm × 65mm Plain stock, natural Coco A' Quality 305mm × 65mm Plain stock, dyed coco A' Quality 305mm × 65mm Plain stock, natural Bassine	26P	Handle Size mm 24 24 24 24 24 24 24 24 24 24	mm 64 64 75 75 75 75 75 75 75 114	Size 30 30 30 30 30 20 20 21 21
Brooms Bass Brooms	7P Key C 5 1 2 2 7 8 1 1 N T+4 A T+4 B	P OP 0P	250M B' Quality 254mm x 60mm Plain stock, natural coco B' Quality 254mm x 60mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, dyed coco B' Quality 292mm x 55mm Plain stock, natural Bassine A' Quality 305mm x 65mm Plain stock, natural Bassine A' Quality 305mm x 65mm Plain stock, dyed coco A' Quality 305mm x 65mm Plain stock, natural Bassine	26P	Handle Size mm 24 24 24 24 24 24 24 24 24 24 24 24 29	75 75 75 75 75 75 75 75 75 75 114	Size 30 30 30 30 30 20 20 12
Brooms Bass Brooms Natural/	7P Key C 5 11 2 2 2 2 7 8 11 W T+4 A T+4 B	P OP	250M Description 'B' Quality 254mm x 60mm Plain stock, natural coco 'B' Quality 254mm x 60mm Plain stock, natural Bassine 'B' Quality 292mm x 55mm Plain stock, natural Bassine 'B' Quality 292mm x 55mm Plain stock, dyed coco 'B' Quality 292mm x 55mm Plain stock, natural Bassine 'A' Quality 305mm x 65mm Plain stock, natural Bassine 'A' Quality 305mm x 65mm Plain stock, dyed coco 'A' Quality 305mm x 65mm Plain stock, natural Bassine 280mm Stiff green PVC sweeping broom on lacquered stock 305mm x 85mm Single hole round back, Cane/Bassine 330mm x 85mm Flat top, single hole, Cane/Bassine 330mm x 85mm Double hole, round back, Cane/Bassine 330mm x 85mm Double hole, round back, Cane/Bassine	26P	Handle Size mm 24 24 24 24 24 24 24 24 29 29 29	75 75 75 75 75 75 75 75 71 75 75 75 75	Size 30 30 30 30 30 20 20 21 21 22 12
Brooms Bass Brooms	Key C 5 5 11 2 2 2 2 2 3 1 4 1 4 1 4 A T+4 B	P OP 0P	250M B' Quality 254mm x 60mm Plain stock, natural coco B' Quality 254mm x 60mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, natural Bassine B' Quality 292mm x 55mm Plain stock, dyed coco B' Quality 292mm x 55mm Plain stock, natural Bassine A' Quality 305mm x 65mm Plain stock, natural Bassine A' Quality 305mm x 65mm Plain stock, dyed coco A' Quality 305mm x 65mm Plain stock, natural Bassine	26P	Handle Size mm 24 24 24 24 24 24 24 29 29 29	mm 64 64 75 75 75 75 75 75 75 71 114 114 114	Size 30 30 30 30 30 20 20 21 21 12 12 20 12

	No.		1110/2	FHUGS	
	1000		H19/3	FHUGS	
SQ18	-				
30.10			-		
	100	SQ24	Marie		
	- 1	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAM		Mar.	-
	- NETERIN	A STATE OF THE STA	-		
- PRINTER!	HALLIAN SE			- Andrew	
P. Carlotte	State of the last	1			- AND STREET
Children of the Control of the Contr			alexand .		
H17/5		STYS3	No.		
				P17	7
		فأعلق ليخارا فالمسيرين	A A	W .	
	Key Code	Description	Handle	Trim	Pack
			Size mm	mm	Size
Synthetic Yard	T+ P17	330mm x 89mm Brown PVC, double hole round back scavenger	29	114	12
Brooms	P21	330mm x 85mm Flat top, single hole, black poly scavenger	29	102	20
Handles Fitted	FA48/1	1219mm x 24mm Wooden broom handle fitted			
to any Broom	FA48/2	1219mm x 29mm Wooden broom handle fitted			
	FA54/2	1372mm x 29mm Wooden broom handle fitted			
Platform	#17/3	457mm x 64mm Plain stock, natural coco	29	75	18
Brooms	#17/5	610mm x 64mm Plain stock, natural coco	29	75	18
	H17/9	914mm x 70mm Plain stock, natural coco	29	80	6
	H19/3	457mm x 64mm Plain stock, natural Bassine	29	75	18
	## H19/5	610mm x 64mm Plain stock, natural Bassine 914mm x 70mm Plain stock, natural Bassine	29 29	75 80	18 6
	H33/3	457mm x 64mm Plain stock, medium red PVC	29	88	12
	H33/5	610mm x 64mm Plain stock, medium red PVC	29	88	12
	FHUGS	1524mm Wooden handle and stay fitted	-	-	-
	FHUGS48	1219mm Wooden handle and stay fitted	-		
		1372mm Wooden handle and stay fitted	-	-	-
c					
Stay for	STYS3	Broom stay			10
Platform Brooms					
Wooden	These are good f	or medium duty outside jobs, they fit 29mm wooden handles			
Squeegees	SQ18	457mm Blade wooden squeegee			12
	SQ24	610mm Blade wooden squeegee			12
	SQ36	914mm Blade wooden squeegee			12







STAND-GARD2 (stand only)

Woodlands Garden



	Key	Code	Description	Trim mm	Pack Size
Socketed	For u	se with a	ny handle listed below		
Brooms	T+	W103	280mm Stiff green PVC sweeping broom on lacquered stock	75	12
	T+	W104	280mm Medium green PVC sweeping broom on lacquered stock	65	12
	T+	W105	280mm Soft natural coco sweeping broom on lacquered stock	75	12
	T+	W106	280mm Medium Bassine sweeping broom on lacquered stock	75	12
	T+	W109	250mm Very stiff bass/cane mix yard broom on lacquered stock	80	12
	T+	W110	250mm Medium/stiff green PVC yard broom on lacquered stock	80	12
	T+	W111	300mm Very stiff bass/cane mix yard broom on lacquered stock	110	12
	T+	W112	300mm Medium/stiff green PVC yard broom on lacquered stock	110	12
Socketed	For u	se with a	ny handle listed below		
Platform	T+	W101	450mm Stiff green PVC platform on lacquered stock	75	12
Brooms	T+2	W102	450mm Soft natural coco platform on lacquered stock	75	12
Socketed	For u	se with a	ny handle listed below		
Deck Scrub	T+	W107	230mm Stiff union deck scrub on lacquered stock	45	12



	Key Code	Description Tri		Pack Size
Banister	W 113	280mm Soft natural coco banister on lacquered stock 60)	12
Brushes	₩114	280mm Medium Bassine banister on lacquered stock 60)	12
	W115	280mm Stiff green PVC banister on lacquered stock 60)	12
Hand Scrub	₩108	200mm Stiff union hand scrub on lacquered stock 39)	12
Handles	W116	1200mm x 21mm Green steel threaded handle		12
	SCTH48/1	1200mm x 23.5mm FSC threaded broom handle for above		25
	FSCTH54/2	1370mm x 28mm FSC threaded broom handle for above		25
	W118	1200mm x 23 5mm ESC threaded broom handle & hanging cap for about	OVE	12

W119

1370mm x 28mm FSC threaded broom handle & hanging cap for above

GF1





GREEN-WAVE CERTIFICATIONEnvironmental responsibility. Environmental commitment.

We are committed to a policy which is sympathetic to environmental issues and strives to minimise adverse environmental impact at all stages of production.

All brushes in this range are made from FSC certified timber.
















110PBV		157BV B12	239 SD
	Key Code	Description	Pack Size
Shoe Brushes	110PBV	179mm Lacquered stock, pure black hair, for polishing	12
	157BV	114mm Lacquered stock, pure black bristle, for application	12
	SD1	Suede brush, brass wire	12
Clothes Brushes	B1239	203mm Lacquered stock, pure white bristle, 25mm trim	6
	B1413	121mm Oval rubber hand brush for removing hairs	
		from clothes. Individually boxed	10
The state of the s			1 1
S SIL		B1413	
		SH2 KM	25
Mahilli,	NOW.		
III	1		
MIII Ban		326	
58	1	LA2M LA1P	SHD7 320S
	Key Code	Description	Colours Pack Size
earth	SH2	Hearth brush, black painted stock and 368mm handle, dyed coco	12
quipment	320 S	Hearth refill, 51mm diameter, dyed coco	12
	326	Scottish hearth, long handle, red	24
	SHD7	460mm x 230mm Wide hand shovel, painted steel blade in	
		black only, with wooden handle	• 10
arpet Care	LA1P	152mm Red plastic stock with extra wide face and integral grip,	
and Upholstery Brushes		for upholstery, filled stiff natural polypropylene	12
	LA2M	As LA1P, filled Mexican fibre	12
	SD1	152mm Spot treatment brush, medium brass wire	12
	∜ NA1	95mm Spot treatment brush, Mexican fibre	12
	JS8	152mm Blade, hand carpet brush, stiff PVC.	12
	D4 443	121mm Oval rubber hand brush for removing pet hairs from	
	B1413		
	KM25	car seats and furniture. Individually boxed 381mm x 179mm Bone shaped polythene kneeling mat	10

Hous	el	ho	ld		
NA8				NA10	
NA4	Mi		NA9 NA1		NA11
NA4	Key	Code	NA9 NA1	Colours	NA11 Pack Size
NA4 Nail Brushes	Key	Code NA1	NA9	Colours	
	Key		NA9 Description	Colours	Pack Size
	Key	NA1	NA9 Description 95mm Wooden stock, double sided, Mexican fibre		Pack Size
	Key	NA1 NA4	NA9 Description 95mm Wooden stock, double sided, Mexican fibre 121mm Plastic stock, polyester		Pack Size 12 12
	Key	NA1 NA4 NA8	NA9 Description 95mm Wooden stock, double sided, Mexican fibre 121mm Plastic stock, polyester 102mm Wooden stock, white pure bristle, row on back		Pack Size 12 12 12
	Key	NA1 NA4 NA8 NA9	NA9 Description 95mm Wooden stock, double sided, Mexican fibre 121mm Plastic stock, polyester 102mm Wooden stock, white pure bristle, row on back 89mm Plastic stock, assorted colours, double sided, nylon		Pack Size 12 12 12 12 12





PRO-WINDOW

PROFESSIONAL WINDOW CLEANING SYSTEMS

Our **PRO-WINDOW** line of products sets new standards in ergonomics and innovation and provides you with the latest generation of professional glass cleaning tools. The system consists of a T-bar scrubber with a microfibre sleeve, a handle with a selection of three different size squeegee blades, and telescopic poles that fit both the T-bar and the squeegee.

The handles on the squeegee and scraper T-Bar are created with a non-slip, bi-component ergonomic grip that fits perfectly into a user's hand. When it comes to understanding the needs of the user, HBC's new **PRO-WINDOW** Soft Rubber provides streak-free performance, better glide and superior results.

HBC telescopic poles allow you to work at heights up to 5 metres, while standing firmly on the ground. This avoids the use of ladders and increases the safety levels in and around your workplace.

- · New standards in ergonomics & innovation
- · Exceptional dirt pick up
- · Easy rinsing
- Glides smoothly across the glass without leaving streaks
- Smart-lock technology for lightweight telescopic handles
- · Safety-first approach
- Easy-Spring technology allows for practical replacement of the channel or rubber

The PRO-WINDOW cleaning system is the No.1 choice for the Professional Window Cleaners.



Waterflow Brush

- Ultra-Lightweight Brush
- Superb for high pole working

Pro-Window

- Market leading quality
- Only 295g but still maintains a ridged structure for industrial use

illustilat use

Waterflow B1791 305mm Pro-Window Lightweight waterflow brush 10







see page 65



PRO-WINDOW

PROFESSIONAL WINDOW CLEANING SYSTEMS

- · New standards in ergonomics and innovation
- Smart-loc technology for lightweight telescopic handles

Premier Valet

Ideal range of cleaning equipment designed for washing homes, caravans, cars, boats and conservatories.



Vehicles & Commercial leaning

Durable and well designed equipment designed especially for vehicles, commercial cleaning and homes. Soft feathered bristle tips ensure safe cleaning.



Waterflow item



Water flows through each tuft of the brush giving an even and thorough clean

For long handled waterflow brushes see page 47, buckets - page 53.









Salmon Products® offers a comprehensive range of cleaning equipment manufactured specifically to clean hygienically sensitive areas in food factories, dairies, schools, dental practices, veterinary surgeries, catering establishments and hospitals.

Peace of Mind

The products in this range have been constructed not only to comply with all existing EU regulations and the U.S. Public Health Service Food Code 1993, but they have also been designed to give cleaning managers peace of mind because they are reliable, effective, extremely robust and easily cleaned. They are strong enough to repeatedly endure testing in industrial conditions.

Total Colour Coding

Salmon Hygiene Products® are produced in eight colours. Colour coding greatly assists managers of interdepartmental food- type segregation or HACCP systems, which significantly reduces the chance of cross contamination.

The Ultimate Hygiene Range

See our Anti-Microbial products available in Purple only on page 36.

Resin Set Brushes - Superior Technology

See **page 39** for full details on Resin-Set Technology

Salmon Products® are registered to the European Brushware Federation Hygiene Charter. For details of those products within the hygiene range

complying with the Charter, please see our separate hygiene equipment brochure.

Demonstration Equipment

See **page 75** for more information



For chemical resistance data & properties of mono filaments see our HYGIENE BROCHURE

Options for **every** level of **Food Safety**

Manufacturing the most comprehensive and innovative line of manual cleaning tools for the food industry.



Food safety innovation

SEE PAGE 36



Large scale food production

SEE PAGE 40

**** PREMIER

Catering & restaurant kitchens
SEE PAGE 56















The Technology... The Range uses Irgaguard silver based anti-microbial additive built into all plastic parts. Used together with standard cleaning procedures, it effectively inhibits the growth of a broad range of moulds, mildews and bacteria on the surface of the products themselves.

All brushes are resin set as standard. The combination of low migration rates and a high melting point makes it especially suitable for intensive use and high temperature environments.

Tested & Proven... The silver based anti-microbial additive has successfully been tested by the Department of Public Health at the University of Helsinki in Finland and received the U.S. EPA (environmental protection agency) registration (EPA Reg 40810-18). All products in the range comply with the FEIBP PHB Charter.

Keeping the World's Surfaces Safe



Contamination of Food or Pharmaceutical Products can cost you money and your reputation... The metal detectable range has been specifically designed for the food and pharmaceutical industries to give you solutions to these challenges.

- Detectable products show use of "All Due Diligence"
- Detectable products can be detected by conventional metal detection systems
- Detectable products mean broken components can be detected & rejected (dependant upon the sensitivity of metal detection used)
- Detectable products are cost effective


All products listed in the Salmon Products® Metal Detectable Range have been independently tested by Mettler-Toledo Ltd, the leading manufacturer of metal detecting equipment. All products proved to be effective in both wet and dry conditions. The metal detectable additive used is FDA approved and complies with the FEIBP PHB Charter. The coloured plastic parts of the items in this range are detectable by metal detection machines and are food contact approved.

Dissipative qualities

These products have been independently tested, and the results showed that they are slow dissipative, and the ESD (electrostatic discharge) was zero. Therefore the products are safe for use in flammable atmospheres with ignition energies down to 0.25 millijoules.



★★★★★ Plus ← Salmon Hygiene Technology



Resin-Set Technology Explained

Salmon Hygiene Technology has developed a revolutionary improvement in brush filament retention, whereby each tuft is stapled into the brush back with food grade stainless steel staples and then epoxy resin is floated in. The resin permeates the bottom of the tuft hole, covering the filaments and staples as it goes. The resin seals the face of the brush, secures the filaments, and prevents the accumulation of dirt or moisture in the tuft holes. No other manufacturer in the world employs both resin set technology along with food grade stainless steel staples.

Leaders in Food Safety Innovation

- · Designed for areas with high safety requirements such as Food Production Facilities
- · Prevention of dirt, moisture and bacteria in the tuft holes
- Prevention of filaments being removed
- · Supreme quality and durability
- · Products are easier to clean
- Total Colour Coding in 8 colours for segregation and HACCP
- · Autoclaved at 134°C
- · Superior technology to ALL other methods
- · The Ultimate safety solution

Upgrade to 5★Plus Safety Option




Items marked within the Professional Hygiene section are available with the Resin-Set option.
Simply add 'RES' to the code when ordering







- Supreme quality and durability
- Innovative tools for problem areas
- · Withstands high temperatures 134°C
- Total colour coding with a choice of eight colours for prevention of cross-contamination, segregation and HACCP


		Million Street	Imm			B8	61			
milli	Contribution	71PRES			Y					-
B147	BRES B862				DP13		DP	3		
Hand B	rushes & Dustpans	STEEL VILLE		3976		190				
Code	Description	Texture	Trim (mm)	Material (mm)	Colour Option	Col Back	Heat Tol.	Resin Option	Pack Size	Rating
B861	317mm Hand brush	Soft crimped	57	0.30 Polyester		1	Α		6	⊕ ★
B862	317mm Hand brush	Stiff	57	0.60 Polyester		/	Α		6	⊕★
B1478RES	279mm Bench brush	Soft crimped	60	0.30 Polyester		1	Α	•	2	⊕ ★⁺
B976	275mm Stainless steel strip brush	Soft crimped	57	0.30 Polyester	•		Α	X	6	⊕★
DP3	305mm x 200mm Enclosed plastic	dustpan		Polypropylene			В	Х	6	6 *
DP13	300mm x 310mm Open plastic dus	tpan		Polypropylene			В	Х	6	⊕★
D71PRES	205mm Groove cleaning brush	Very soft crimped	57	0.30 Polyester			Α		6	⊕ ★⁺
										/






All items in this range may be boiled (heat tolerance 'B'), and most may be autoclaved at 134°C (heat tolerance 'A'). They may be used safely with any normal cleaning agent and there is a guide available in our Hygiene Brochure to help those wishing to use brushes with specific chemicals.








GL31		GL11						10	1	
Glazing	PA2 Brushes	GETT		GL30	ST11	NAME OF TAXABLE PARTY.		1	ST12	
Code	Description	Texture	Trim (mm)	Material (mm)	Colour Option	Col Back	Heat Tol.	Resin Option	Pack Size	Rating
GL30	25mm Glazing brush	Soft	50	0.20 Polyester	••••		Α		12	6 *
GL11	50mm Glazing brush	Soft	50	0.20 Polyester			Α		12	⊕★
GL31	75mm Glazing brush	Soft	50	0.20 Polyester			Α		12	6★
PA2	241mm Pastry brush, 15mm Ø	Soft	50	0.20 Polyester			Α		12	6★
Tile Car	re Brushes									
ST11	240mm x 35mm Grout scrub	Very stiff	25	0.60 Polyester	••••		Α	Х	12	⊕★
ST12	200mm x 80mm Tile scrub	Very stiff	28	0.43 Polyester			Α	X	12	6 *













9933	# 0 0 E F 10	are available			B1323/4/13		-	R1	529/75
T833	B1659BLK T91	- Contraction			T972	B800	1		4
	34 T9:	/3			T974	2000			4
T835	T832 T97	75			antile C	350			
_	T831	****	_		T976	4	100		4
10	T832H T974	н				- 1		B15	29/95
Tube Bru	shes 75mm - 130mmØ (to fit	ALH7 type handl		ne following brushes ease add the suffix		ith white	polyprop	ylene l	nandles.
Code	Description	Texture	Trim	Material	Colour	Heat	Resin	Pack	*
	·		(mm)	(mm)	Option	Tol.	Option	Size	Rating
B1529/75	175mm Plastic core tube brush	Med crimped	75Ø	0.46 Polyester		Α		2	⊕★
B1529/95	175mm Plastic core tube brush	Medium	95Ø	0.60 Polyester		Α		2	⊕★
B1529/115	175mm Plastic core tube brush	Medium	115Ø	0.60 Polyester		Α		2	⊕★
B800	160mm Plastic core tube brush	Medium	130Ø	0.60 Polyester		Α		2	⊕★
B1659BLK	510mm Drain brush & handle	Medium	95Ø	0.60 Polyester	•	Α		1	⊕★
	ushes 13mm - 75mmØ (Bagged								
T831	305mm Twisted in stainless steel wire	Med crimped	13Ø	0.30 Polyester		Α	Х	5	6
T832	305mm Twisted in stainless steel wire	Medium stiff	25Ø	0.40 Polyester		Α	Х	5	⊕*
T833	390mm Twisted in stainless steel wire	Medium stiff	38Ø	0.40 Polyester		Α	Х	5	6
T834	390mm Twisted in stainless steel wire	Medium stiff	50Ø	0.60 Polyester		Α	Х	5	⊕★
T835	390mm Twisted in stainless steel wire	Medium stiff	64Ø	0.60 Polyester		Α	Х	5	6
T836	390mm Twisted in stainless steel wire	Medium stiff	75Ø	0.60 Polyester		Α	X	5	⊕★
T971	762mm Twisted in stainless steel wire	Med crimped	13Ø	0.30 Polyester	•••	Α	Х	1	⊕★
T972	762mm Twisted in stainless steel wire	Medium stiff	25Ø	0.40 Polyester		Α	X	1	⊕★
T973	762mm Twisted in stainless steel wire	Medium stiff	38Ø	0.40 Polyester	•••	Α	X	1	⊕*
T974	762mm Twisted in stainless steel wire	Medium stiff	50Ø	0.60 Polyester	•••	Α	X	1	⊕★
T975	762mm Twisted in stainless steel wire	Medium stiff	64Ø	0.60 Polyester	•••	Α	X	1	⊕★






Metal Squeegees & Sponge Mops







Waterflow System

This waterflow system uses either screw fit tubing or extending handles to allow brushing and washing up to 2.6M away. There are three types of brushes: scrubs for floors, angled brushes for walls and vehicles, and bulk tank brushes for vessels. All items in this range may be boiled (heat tolerance 'B'), and most may be autoclaved at 134°C (heat tolerance 'A'). PVC will only tolerate 65°C (heat tolerance 'C').





Handles



Hangers & Accessories







ULTRA-TOUGH - Safety Shovels

Salmon Hygiene Technology offers the world's most comprehensive range of quality hygienic cleaning tools manufactured specifically to clean the hygienically sensitive areas covered by UK and European food hygiene laws.

Their new range of shovels pushes the boundaries on strength, quality and lightweight handling. Manufactured in the UK, these shovels provide cleaning managers with complete peace of mind enabling workers to use them for long periods of time without tiring. Their innovative design creating added internal strength and made using high impact polypropylene means they also last longer than ordinary shovels. Built to be autoclaved at 134°C and available in up to seven colours, these are the next generation of shovels.

- ULTRA-TOUGH design
- Impact modified plastic
- Available in 7 Colours for HACCP
- Autoclaved at 134°C


Please ask for further information on this innovation in shovel manufacturing.

Leaders in Food Safety Innovation

Shovels

The plastic shovels and scoops in this range are very light (the PSH2, for example, weighs just over 1KG) and easy to handle. They are made using a high impact polypropylene that gives smooth, hard and impermeable surfaces allowing quick and effective cleaning and resistance to shock and cracking. They may be used in temperatures from -15°C to 80°C. Shovels may be autoclaved.





		PADL3	_1	PAI	DL4
	PADL11	PADL10	1		
	Code	Description	Colour Option	Pack Size	Rating
Paddles	PADL3	1620mm Paddle, polyester blade, stainless steel handle and coloured hand grip	•••	1	⊕ ★⁺
	PADL4	450mm Paddle, polyester blade, stainless steel handle and coloured hand grip	••••	1	⊕★+
	PADL10	1200mm One piece polypropylene paddle	0	1	⊕ ★⁺
	PADL11	1200mm One piece polypropylene paddle with holes	0	1	6 ★†







★★★★★ Professional Hygiene Automatic Shoe Cover Dispenser





Ideal for the catering trade, smaller commercial



proved i	PLSQ55 rubber	PLSQ45			A	PLSQ3
Premie ^{Code}	r Squeegees Description	Colour Option	Col Back	Heat Tol.	Pack Size	Rating
LSQ35	350mm Surgical green hygienic rubber squeegee	••••	1	Α	10	4
	450mm Surgical green hygienic rubber squeegee	•••	1	Α	10	⊕ ★
PLSQ45	isomini sargical green in girine rasser squeegee					⊘ ★

63

41

38

0.60 Polyester

0.60 Polyester

0.60 Polyester

•••• ✓

•••O•• <

4

4 4

Stiff

Stiff

Medium

B1786


B1796


B1605

500mm Broom with coloured back

250mm Hi/low brush

500mm Deck scrub with coloured back







Manufacturing the complete range of practical cleaning solutions









Warning Signs



Code	Description	Pack Size
8613	670mm High sign only, no wording or picture	5
8614GB	670mm High sign, CAUTION WET FLOOR - slipping man on both sides	5
8614WEL	670mm High sign, as 8614GB, in Welsh and English	5
8615GB	670mm High sign, CAUTION WET FLOOR - slipping man on one side, CLEANING IN PROGRESS	
	'!' on the other	5
8617GB	670mm High sign, CAUTION TRIP HAZARD - tripping man on both sides	5
8619GB	670mm High sign, CAUTION WET FLOOR - TRAILING CABLES	
	Tripping man on one side & slipping man on the other	5
8620GB	670mm High sign, CLEANING IN PROGRESS - '!' on both sides	5
8621GB	670mm High sign, CAUTION SLIPPERY SURFACE - slipping man on both sides	5
8623GB	670mm High sign, DANGER OVERHEAD WORKING - '!' on both sides	5
8624GB	670mm High sign, SORRY OUT OF ORDER - '!' on both sides	5
8625GB	670mm High sign, CAUTION WINDOW CLEANING IN PROGRESS - '!' on both sides	5
8630GB	670mm High sign, NO SMOKING - NO NAKED LIGHT - on both sides	5

'A' frame warning signs

Made from Impact Resistant Polypropylene

Custom design

- Add your own wording and design
- Signs can be printed to order ask for more details
- All languages available

All signs are in English unless otherwise stated




Dry Mops and Floor Pads

Flat mopping equipment gathers and traps fine dust quickly and gently leaving a dust free surface ready for mopping or polishing.

Synthetic heads generate a static charge which attracts and holds dust, wear well and have a good resistance to washing; the cotton heads are cheaper and have good absorption characteristics, but do not wear as well.


Both types may be laundered at 50°C.



Will Company	=		1		
5229		5228 5222BK 5222		5222G	*
Abrasive	Code	Description	Colour Option	Pack Size	Rating
Floor Pads	5229	230mm x 95mm Pad gripper, with all-round threaded swivel socket for ALH3 or ALH7 handles		6	
	5228	230mm x 95mm Hand held pad gripper	•	6	
	5222BK	Very abrasive floor pad.	•	25	
	5222G	Medium/high abrasive floor pad.	•	25	
	5222B	Medium abrasive floor pad.	•	25	
	5222W	Low abrasive floor pad.	0	25	
Handles	All sockets	s on this page fit the threaded handles featured on page 48 includir	g the following:		
	ALH7	1360mm Handle, coloured hand grip.		12	⊕ ★⁺
	ALH8	1550mm Handle, coloured sleeve.		12	⊕ ★⁺



Mops, Accessories and Handles



Streamline Buckets - MBK7 COOO

Effective: Smart-Rose for easy rinsing Functional: Streamline ergonomics Quality: Robust strength

Microfibre Cloths - MFC210 0000


Effective: First-class dirt absorption

Functional: Two surfaces: coarse – for cleaning, smooth – for polishing

Quality: Fine microfibre


The Ultimate Microfibre Cloth - MFC-MAXI •

Effective: Finest quality for professionals





Cloths, Abrasive Pads & Sponges





Twisted-In-Wire Brushes Brush range for cleaning those hard to reach areas.

D42 D43	T548	BB1 T664	FULBN	AL\$1/2	AL5N3/8 AL5L
	Code	Description	Head Ø (mm)	Head Length (mm)	Overall Length (mm)
Small Tube	(Bagged in		()	,	
Brushes	TPS1	Bristle - teapot spout brush	22-3.2	76	216
brusiles	D43	Bristle - teapot spout brush	4.8	64	356
	SIM3	Bristle	6.4	64	229
	D36	Bristle or Nylon	7.9	76	318
	AL5N3/8	Nylon	9.5	95	305
	AL51/2	Bristle or Nylon	9.3	95	305
	ALS 1/2 ALSL	Bristle or Nylon	13	95	432
	FUL8N	Nylon	22	114	356
	D38	Bristle or Nylon, with tuft	31	127	369
	D36	Bristle or Nylon, tapered	38-13	83	330
	D42				
	TEAO				
	T548	Nylon, tapered	38-19	114	254
	T547	Nylon, tapered Nylon	38-19 38	114 76	254 216
		Nylon, tapered	38-19 38	114	254
Stainless stee	T547 T294 T664 Brushes (P.	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre whit e brushes see page 43	38-19 38 54 64 ee plastic rod are	114 76 152 127 available on request.	254 216 686 381
Stainless stee Bottle	T547 T294 T664 Brushes (Pel wire tube	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre white brushes see page 43 ¼ Pint nylon	38-19 38 54 64 ee plastic rod are	114 76 152 127 available on request	254 216 686 381
Stainless stee	T547 T294 T664 Brushes (P.el wire tubers)	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre white brushes see page 43 ¼ Pint nylon ½ Pint nylon	38-19 38 54 64 se plastic rod are 45 50	114 76 152 127 available on request.	254 216 686 381 305 380
Stainless stee Bottle	T547 T294 T664 Brushes (Pel wire tubers) BB1 BB2 BB3	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre white brushes see page 43 ¼ Pint nylon ½ Pint nylon 1 Pint nylon	38-19 38 54 64 te plastic rod are 45 50 60	114 76 152 127 available on request. 135 120 160	254 216 686 381 305 380 430
Stainless stee Bottle	T547 T294 T664 Brushes (P.el wire tubers)	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre white brushes see page 43 ¼ Pint nylon ½ Pint nylon	38-19 38 54 64 se plastic rod are 45 50	114 76 152 127 available on request.	254 216 686 381 305 380
Stainless stee Bottle	T547 T294 T664 Brushes (Pel wire tubers) BB1 BB2 BB3	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre whit e brushes see page 43 ¼ Pint nylon ½ Pint nylon 1 Pint nylon 2 Pint nylon	38-19 38 54 64 te plastic rod are 45 50 60	114 76 152 127 available on request. 135 120 160 200	254 216 686 381 305 380 430
Stainless stee Bottle	T547 T294 T664 Brushes (Pel wire tubel BB1 BB2 BB3 BB4	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre white e brushes see page 43 ¼ Pint nylon ½ Pint nylon 1 Pint nylon 2 Pint nylon FILL T447	38-19 38 54 64 e plastic rod are 45 50 60 75	114 76 152 127 available on request. 135 120 160 200	254 216 686 381 305 380 430 480
Stainless stee Bottle	T547 T294 T664 Brushes (Pel wire tubers) BB1 BB2 BB3	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre whit e brushes see page 43 ¼ Pint nylon ½ Pint nylon 1 Pint nylon 2 Pint nylon	38-19 38 54 64 e plastic rod are 45 50 60 75	114 76 152 127 available on request. 135 120 160 200	254 216 686 381 305 380 430 480
Stainless stee Bottle Brushes	T547 T294 T664 Brushes (Pel wire tube) BB1 BB2 BB3 BB4 Code	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre white brushes see page 43 ¼ Pint nylon ½ Pint nylon 1 Pint nylon 2 Pint nylon FILL T447 Description	38-19 38 54 64 e plastic rod are 45 50 60 75	114 76 152 127 available on request. 135 120 160 200	254 216 686 381 305 380 430 480
Stainless stee Bottle	T547 T294 T664 Brushes (Pel wire tubel BB1 BB2 BB3 BB4	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre white brushes see page 43 ¼ Pint nylon ½ Pint nylon 1 Pint nylon 2 Pint nylon FILL T447 Description	38-19 38 54 64 e plastic rod are 45 50 60 75	114 76 152 127 available on request. 135 120 160 200	254 216 686 381 305 380 430 480
Stainless stee Bottle Brushes	T547 T294 T664 Brushes (Pel wire tub) BB1 BB2 BB3 BB4 Code (Bagged in T477	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre white brushes see page 43 ½ Pint nylon ½ Pint nylon 1 Pint nylon 2 Pint nylon T447 Description 1 5's) Bristle	38-19 38 54 64 re plastic rod are 45 50 60 75 FE1/2 FLUE Head Ø (mm)	114 76 152 127 available on request 135 120 160 200 3 FLUE4 FLU Head Length (mm)	254 216 686 381 305 380 430 480 JE5 FLUE6
Bottle Brushes Radiator Brush	T547 T294 T664 Brushes (Pel wire tube) BB1 BB2 BB3 BB4 Code (Bagged in	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre white brushes see page 43 ¼ Pint nylon ½ Pint nylon 1 Pint nylon 2 Pint nylon FLU T447 Description 1 5's) Bristle 6)	38-19 38 54 64 re plastic rod are 45 50 60 75 FE1/2 FLUE Head Ø (mm)	114 76 152 127 available on request 135 120 160 200 3 FLUE4 FLU Head Length (mm)	254 216 686 381 305 380 430 480 JE5 FLUE6
Bottle Brushes Radiator Brush	T547 T294 T664 Brushes (Pel wire tube) BB1 BB2 BB3 BB4 Code (Bagged in T477 (Pack size	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre white brushes see page 43 ¼ Pint nylon ½ Pint nylon 1 Pint nylon 2 Pint nylon FILL T447 Description 1 5's) Bristle 6) Interoven type, Gumati	38-19 38 54 64 64 e plastic rod are 45 50 60 75 Head Ø (mm)	114 76 152 127 available on request. 135 120 160 200 3 FLUE4 FLUE4 Head Length (mm)	254 216 686 381 305 380 430 480 UE5 FLUE6
Bottle Brushes Radiator Brush	T547 T294 T664 Brushes (Pel wire tub) BB1 BB2 BB3 BB4 Code (Bagged in T477 (Pack size FLUE1/2	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre white brushes see page 43 ¼ Pint nylon ½ Pint nylon 1 Pint nylon 2 Pint nylon FLU T447 Description 1 5's) Bristle 6)	38-19 38 54 64 64 e plastic rod are 45 50 60 75 FLUE Head Ø (mm)	114 76 152 127 available on request. 135 120 160 200 3 FLUE4 FLU Head Length (mm)	254 216 686 381 305 380 430 480 UE5 FLUE6
Bottle Brushes Radiator Brush	T547 T294 T664 Brushes (Pel wire tube) BB1 BB2 BB3 BB4 Code (Bagged in T477 (Pack size FLUE1/2 FLUE3	Nylon, tapered Nylon Nylon outlet brush, individually bagged Nylon, with tuft ack size 1) Tube brushes with 3 metre white brushes see page 43 ¼ Pint nylon ½ Pint nylon 1 Pint nylon 2 Pint nylon FLU T447 Description 1 5's) Bristle 6) Interoven type, Gumati Interoven type, Gumati Interoven type, Gumati	38-19 38 54 64 re plastic rod are 45 50 60 75 Head Ø (mm)	114 76 152 127 available on request 135 120 160 200 3 FLUE4 FLU Head Length (mm) 305	254 216 686 381 305 380 430 480 JE5 FLUE6 Overall Length (mm)



Inspiration for Decoration since 1922

- · A range of quality decorating equipment for the Professional and DIY use
- · Using the finest natural bristles and high performance synthetic filaments
- · Reliable brushes and tools for a smooth finish
- · Whatever the project you'll find we have the perfect tools for the job

Paint Brush Section



DIY

128P/12		128/14	1550/16			9/3
	Code	Description		Size		Pack Size
Sash Tools	128/10	Pure grey bristle, wooden handle - 16mm	n (5/8")	10		12
Wooden Handle	128/12	Pure grey bristle, wooden handle - 19mr	n (¾")	12		12
	128/14	Pure grey bristle, wooden handle - 22mi	m (⁷ /8")	14		12
	128/16	Pure grey bristle, wooden handle - 25m	m (1")	16		12
Sash Tools	128P/6	Pure white bristle, plastic handle - 9mm	(3/8")	6		12
Plastic Handle	128P/8	Pure white bristle, plastic handle - 13mm	n (½")	8		12
	128P/10	Pure white bristle, plastic handle - 16mn	n (5/8")	10		12
	128P/12	Pure white bristle, plastic handle - 19mn	n (¾")	12		12
	128P/16	Pure white bristle, plastic handle - 25mn	n (1")	16		12
Glue Brushes	1550/8	Pure grey bristle, plain handle, copper bri	idled	8		12
	1550/16	Pure grey bristle, plain handle, copper bri	idled	16		12
	9/2	Dowel handle, flat paste or glue brush		6mm	(1/4")	10
	9/3	Dowel handle, flat paste or glue brush		13mm	(1/2")	10
	9/4	Dowel handle, flat paste or glue brush		16mm	(5/8")	10



DIY				
44B/35	/1 55/2		0/12	WS6S B1342
	Code	Description	Size mm	Pack Size
Angle/	55/1	Pure white bristle, plastic handle 45° to head	25	12
Radiator Paint Brushes	55/2	Pure white bristle, plastic handle 45° to head	51	12
Bristle Striker	44B/25	Pure grey bristle head striker brush	25	12
Brushes	44B/35	Pure grey bristle head striker brush	35	12
	44B/45	Pure grey bristle head striker brush	45	12
	HAN7/1	Angled handle for striker brushes above	610	12
Standard	1020/3	3 Row wire scratch brush, hardened & tempered steel		12
Wire Scratch	1020/4	4 Row wire scratch brush, hardened & tempered steel		12
Brushes	1020/45	4 Row wire scratch brush, hardened & tempered steel & scra	per	12
Stainless Steel Scratch Brush	WS6S	4 Row, plastic stock •••• , 30mm stainless steel wire tri	m	6
Heavy Duty	WS2	2 Row heavy duty wire scratch brush		10
Wire Scratch	WS3	3 Row heavy duty wire scratch brush		10
Brushes	WS4	4 Row heavy duty wire scratch brush		10
	WS5	4 Row heavy duty wire scratch brush & scraper		10
Wire Brooms	B1342	229mm Plastic scrub, white only, 0.30mm stainless steel wir 25mm trim, to fit ALH7 type aluminium handle (see page 48		6
	1130/12	305mm 0.5mm Round steel wire broom head, for 29mm hai	•	1
	1130/12	South thead, for 29mm hall	nute	ı



Artists Brushes

1040R/2	1040R/12	1040F/8 1040F/12	1050/3/4	1050/1
	Code	Description	Size	Pack Size
Round Fitches	1040R/2	White hog hair, plain wood handle	2	12
	1040R/4	White hog hair, plain wood handle	4	12
	1040R/6	White hog hair, plain wood handle	6	12
	1040R/10	White hog hair, plain wood handle	10	12
	1040R/12	White hog hair, plain wood handle	12	12
Flat Fitches	1040F/8	White hog hair, plain wood handle	8	12
	1040F/12	White hog hair, plain wood handle	12	12
Slant Cut	1050/1/4	White hog hair, wood handle	6mm (¼")	12
		White hog hair, wood handle	13mm (½")	12
Lining Fitches	1050/1/2	White nog hair, wood handle	,	
Lining Fitches	1050/1/2 1050/3/4 1050/1	White hog hair, wood handle White hog hair, wood handle White hog hair, wood handle	19mm (¾") 25mm (1")	12





The safe and easy way to open oysters... A traditional French design made from selected beechwood, it is exceptionally strong and well finished. This clamp wedges the oyster securely allowing complete control during opening. The clamp is supplied with a high quality Sabatier oyster knife, detailed instructions and attractively boxed.

OYSTER1

Crustacean Kit

All the tools you'll need to eat shellfish... The Crustacean Kit contains essential equipment required to break and enter a large range of shellfish including Lobster, Crab and Prawns. Presented in an attractive, custom made, beechwood box the contents include: 1 claw cracker, 4 lobster picks, 4 seafood forks and 4 shellfish pins.

CRUST1



Brush Care and Maintenance

It is essential to maintain your hygienic tools to prolong their use and also to recognise when they need replacing. Hygiene is essential.

Proceedures for cleaning hygienic tools

- 1. Remove all visible dirt and any foreign objects. Use a Salmon Hygiene Technology brush with stiff filaments to do so.
- 2. Clean the tool in a cleaning solution with a pH of approximately 9 or above. Alternatively clean in a dishwasher. Salmon Hygiene Technology products will tolerate approved alkaline cleaning agents (pH above 7)
- 3. Rinse with clean water.
- 4. If lime residues are formed on the tool after washing and use, these can be removed by washing in a cleaning solution with a pH of approximately 5 or less. Use a Salmon Hygiene Technology brush with stiff filaments to do so or clean in a dishwasher. Salmon Hygiene Products tolerate all approved acidic cleaning agents (pH below 7).
- 5. Rinse with clean water.
- 6. If required tools can be disinfected after washing with an approved disinfectant. Salmon Hygiene Technology products tolerate all approved disinfectants.
- 7. Rinse with clean water to ensure the removal of any disinfectant residues on the tool before using it again for cleaning.
- 8. Please note. If required, Salmon Hygiene Technology products can be sterilised by autoclaving. Many products can be autoclaved at temperatures up to 134°C. Please check product details in our Hygiene & Food Safety catalogue or online:

www.hillbrush.com

Place the tool to dry on a Salmon Hygiene Technology wall bracket system (shown on page 49).

Recognising when tools need replacing

1. When filaments are so entangled that particles can adhere to them.

- 2. When filaments are so discoloured that after cleaning they do not regain their original colour and it is difficult to see where dirt is lying.
- 3. When the base is so damaged that bacteria can easily adhere to it.
- 4. When the handle is broken or cracked.
- 5. When the filaments are worn or have been caught in something, increasing the risk of loose filaments.
- 6. When the law specifies that the tool must be replaced after a suitable period or if there may be a risk to food hygiene.



Helping our Distributors

HBC are very pleased to announce the release of our corporate DVD and an overview of our Hygiene and Food Safety range.

The 10 minute film follows the growth of The Hill Brush Company over the past 89 years. There is vintage film demonstrating the traditional brush making craft mixed with today's innovative hygiene brushware. The DVD shows how the company have developed and responded to today's hygiene and food safety requirements; with innovation, expertise producing quality products that are durable and easy to use.

The High Definition DVD demonstrates the 3 levels of choice available within Salmon Hygiene Technology product line:

ULTIMATE 5 Star PLUS: For use in high safety areas of food production.

Anti-microbial Cleaning Tools

• Metal Detectable & Dissipative

· Resin Set

PROFESSIONAL 5 Star: For use in large scale food production and factory environments.

PREMIER CATERING 4 Star: For use in smaller scale catering and restaurant kitchens.

The DVD can also be viewed online at the following link **www.hillbrush.com** or please call for your copy today

NEW CORPORATE DVD

History and Intro

- Ultimate Product Line

Premier Product Line

Professional Product Lin

Demonstration Equipment

For those wishing to show samples of the Salmon Hygiene Technology products with maximum impact, an aluminium demonstration case is available. This contains a selection of items including seven brooms and hand brushes, a squeegee, a short handle and a hanger.

There are seven major colours represented but we do offer a range of eight on colour coded brush stocks so we can adapt it to customer requirements.

Marketing Solutions

Design & Merchandising

From product development to innovative display solutions, our experienced in-house design team offers a comprehensive service for all our customer's requirements. By using the most advanced technology and design programmes we are able to quickly and efficiently bring ideas to life.

Catalogues

There are many different versions of sales literature produced for individual product groups or for the complete HBC range. We are happy to provide our customers with sales literature which are available with distributor details for sales requirements.

Our Hygiene Catalogue is available in 18 languages:-

- Version 1 English, German, French, Dutch
- Version 2 English, Norwegian, Swedish, Finnish
- Version 3 Polish, Russian, Ukrainian, Czech
- Version 4 English, Japanese, Spanish, Chinese

Version 5 - US-English, Brazilian-Portuguese, Canadian-French, Mexican-Spanish

Posters and Zone Stickers

There are many variations of posters available for customers to display a product range or just enhance the look of your show area!

Display Stands & Packaging

We have a range of display stands available to our customers, giving the products more presence and assisting in increased sales for your shop or showroom. We also have the capabilities to produce bespoke display options including pallet bins, counter top, floor standing, boxes and general packaging.

Roller-Banners

We also have the option of Roller-Banners for loaning to distributors exhibiting at shows around the world. We can send you the images of banners available at the time and once you've decided on the banner of your choice, we will send it out to you free of charge. Please note that these are loan items and come complete with a spotlight above for added impact.

Product images on DVD

We can also provide our customers with current product images (cut out and in high resolution) on DVD for your website and marketing literature. The DVD also includes 'action shots' from our catalogue and standard price lists.





Printing, Branding & Labelling

Type of marking	Plate/ Set up charge	Minimum order quantity	Marked during production Code
Hot brand wood (with available type)	NO	300	
Hot brand wood (with customer's brand)	YES	300	
Pad printing wood (up to 4 colours)	YES	300	PRINT/WSK
Pad printing plastic (up to 4 colours)	YES	300	PRINT/PSK
Label 76mm x 64mm	NO	300	LABEL76/64
Label 48mm x 24mm (bar code)	NO	300	LABEL48/24

ZONE

WHITE

ZONE

Many of the items produced can be marked by hot branding, printing or labelling. There is a one-off charge for the production of special branding and printing plates, but hot branded names and numbers made up from available type blocks do not attract a set up charge.

The maximum brand area is 90mm x 65mm, and the maximum print area is 70mm x 70mm. Four colour printing is available.

The minimum order quantities shown above refer to the number of a particular shaped product base to be marked. This number could be made up of different products manufactured with the same shaped base, but with a minimum quantity per product of 60.

Most products are manufactured in large batches on a three month cycle, therefore customers requiring products to be marked during manufacture should ensure that orders are placed well in advance.

Most wooden stocks are made with hardwoods from professionally managed estates, where timber is felled under Licence and replanted.

Salmon Products® has an FSC chain of custody accreditation (TT/COC/1562) and is able to make FSC timber products and brushes to order.

Brush Filling Materials

THE COMPANY IS ABLE TO SUPPLY THE FIBRES DESCRIBED BELOW AND ALSO MAKES SPECIAL MIXTURES IF REQUIRED

VEGETABLE FIBRES

BAHIA PIASSAVA (BASS) from Brazil has unique wearing and sweeping qualities, is very resilient, holds water well, does not rot when damp and is very resistant to distortion. It is used in top quality dairy, industrial and platform brooms, and stiffer hand brushes.

NATURAL BASSINE (PALMYRA) from India has fair sweeping qualities, but is not resilient and may distort in use, especially when wet. It is mainly used in cheaper warehouse brooms, in mixtures for scrubbing brushes and in cheaper household brushes and brooms.

DYED BASSINE (PALMYRA) from India has exactly the same properties as natural Bassine but is dved.

CANE (PALMYRA STALKS) from India has average wearing and poor sweeping qualities, losing much of its stiffness when wet. It is largely used in Sherbro or Polypropylene mixtures for road and yard brooms.

CANE AND BASSINE MIXTURE from India is generally used where price is the main consideration, as it sweeps rather poorly, wears quickly and is unsatisfactory in wet conditions. It is sometimes referred to as "GRAPE" or "APPLE" mixture. This mixture is cheap, and is in no way comparable with Piassava Bass which is superior in every way. BROOM GRASS from Lesotho has average wearing and sweeping qualities, and is satisfactory in wet conditions. Used in mixtures, it is suitable for lighter domestic and yard brooms.

GUMATI (ARENGA) from Indonesia is softer and finer than Bahia Bass, but has similar excellent wearing and sweeping qualities. It does not crush easily or rot, and is very hard wearing and resilient. Excellent for sweeping dry concrete and smoother floors, it is ideal in brushes for warehouses.

SHERBRO PIASSAVA (BASS) from Sierra Leone has average wearing and sweeping qualities and does not crush or distort easily. It is mainly used in farm, road sweeping and factory brooms, and is often mixed with other materials to improve its wearing properties.

NATURAL COCO FIBRE (COIR) from Sri Lanka is a low cost material with average wearing and sweeping qualities. It is liable to crush and distort and tends to flatten. It is largely used in cheaper household and platform brooms. Sometimes it is mixed with Gumati or plastic fibres to improve its resilience. All Salmon Products natural coco is unbleached. From an environmental point of view we disapprove of the sulphur bleaching process which is only used to give the fibre a more golden

BLACK COCO FIBRE (DYED COCO) from Sri Lanka has exactly the same properties as natural coco, but is dyed.

FLAGGED BLACK COCO is specially treated dyed Coco fibre where the ends have been flagged or split. It sweeps better than plain Coco fibre, especially in drier dusty conditions, looks much more attractive and has a softer feel. The fibre is flagged at our factory.

MEXICAN TAMPICO COCO has good wearing and reasonable sweeping qualities, but is liable to crush. It holds water very well and is used in better quality vehicle cleaning and wall brushes and equestrian brushes.

MEXICAN WHISK (RICE ROOT) is a stiff naturally crimped fibre with good wearing qualities used in grooming brushes. This fibre tends to become brittle, and therefore it is advisable to soak the fibres before use.

VEGETABLE/SYNTHETIC MIXTURE

UNION MIXTURE is a Polypropylene-Bassine mixture, which has the water retaining properties of the Bassine and the wear and resilience of the Polypropylene. It is used in sink, deck, and scrubbing brushes.

ANIMAL FIBRES

BRISTLE from various areas of China has excellent durability and water resistance. The softer fibre is used for shoe polishing brushes, grooming brushes and paint brushes, and the stiffer fibre for clothes, hair and toothbrushes.

HORSE HAIR from Uruguay and China is durable and resilient, and is ideal for use in brushes for cleaning smooth floors and windows, and in cobweb brushes

GOAT HAIR from China is durable, resilient and very soft. It is almost exclusively used in high quality equestrian brushes for bringing the final gloss to horses' coats.

SYNTHETIC MONOFILAMENTS

POLYPROPYLENE is very light and has good wearing properties. However, it is a little "dead" in use and has poor recovery from crushing. It is used in many bass and platform brooms and household brushes. Polypropylene can be used in hot water, but it must not be left in boiling water for more than a few seconds.

PVC has excellent wearing and sweeping properties, but has a tendency to "flick" in use. It can be used in a similar manner to Polypropylene, but should never be used in temperatures greater than 65°C.

NYLON has excellent sweeping and wearing qualities and is used in a considerable number of household brushes, platform brooms, and dairy brushes. Type 6 and type 66 can be used in boiling water and type 612 can be autoclaved at 130°C. Nylon tends to feel softer when used in wet conditions.

POLYESTER has excellent wearing and sweeping qualities and is now used in many of our hygiene brooms and brushes, particularly where they have to be autoclaved. Brushes filled in polyester are used in hospitals, food factories, dairies and all areas where hygiene is of primary concern. It can be autoclaved at 134°C.



Suppliers of **dressed raw materials** to the brush industry **worldwide**



Terms and Conditions of Sale

All orders are accepted on the terms, conditions and exclusions herein contained. These terms, conditions and exclusions (either taken as a whole or in any part or individually) shall not be varied, nor shall their application to any order be excluded or limited in any way whatsoever, except as agreed by us in writing; all special requirements with regard to marking, labelling, packing etc.,must be agreed in writing. Any additional work will be charged at our standard rates unless such work is included in a Contract.

Prices quoted are those ruling at the date of the quotation or as shown in our list, and shall be subject to revision if increases in cost or other circumstances arise. Prices quoted exclude Value Added Tax, Sales Taxes or any similar Taxes which will be charged additionally to the Buyer.

3. TERMS OF DELIVERY

3.1 EKMO OF DELIVEM.

3.1 Dates for delivery are given in good faith and as accurately as possible, but are not guaranteed. We shall be under on liability whatsoever for any delay in performance of any order by reason or in consequence of force majeure or of any matter or thing outside our control including but not limited to labour troubles, civil commotion, natural catastrophe, government extriction, shortage of supplies or customer's instructions or lack of instructions. We shall have the right to despatch any portion of the goods or other down we shall be entitled to invoice the customer for such despatched portion so that for the purposes of payment each portion shall be deemed to be a separate contract and may be invoiced separately. Should the customer notify us of inability to receive or store goods ordered or should the customer fail to give us adequate delivery instructions when goods of defed or and called the consoline and organ was adequate develop instructions when required or fail to collect goods sold ex-works, the goods will be stored at the customer's risk and expense. We shall be entitled to manufacture the goods immediately upon receipt of these customer's written order or as soon thereafter as we think fit, irrespective of any date which may be specified for delivery thereof.

b) Where the Buyer orders goods for delivery by installments each delivery shall constitute a separate contract and the Buyer shall not be entitled to refuse to take deli very of or refuse to pay for any installments on the grounds that a previous installment was defective or otherwise.

c) Unless we otherwise agree in writing our carriage paid terms are as set out below. The cost of delivery of goods below the minimum value will be charged to the Buyer at

d) We may deliver against any order an excess or deficiency of up to 10% of the quantity ordered, provided that where there is an excess or deficiency on delivery the amount charged for the goods delivered will be adjusted proportionately.

Until the H.B.C. has been paid in full by the Buyer for goods supplied by the H.B.C., such goods remain the property of the H.B.C. although the risk therein passes to the Buyer at the time of delivery (subject to the provisions in Clause 3/a) herein relating to storage of goods at the customer's expense), and the Buyer shall indemnify the H.B.C. against any loss or deterioration thereof or damage thereto, and without prejudice to any other remedies, the H.B.C. may repossess those goods at any time from the Buyer, and for that purpose the H.B.C., its agents and servants may enter any premises upon which the goods are situated. In the event of the Buyer reselling any goods delivered to it by H.B.C. before H.B.C. have the proceeds of such resale as are equivalent to the price at which the goods were invoiced to the Buyer by H.B.C. shall be held by the Buyer on trust for H.B.C. and shall be placed by the Buyer in a separate account so as to be identifiable as being in the beneficial ownership of H.B.C. Further, the fact that property in the goods remains H.B.C.'s until the price has been paid in full shall not prevent H.B.C. from maintaining an action against the Buyer for the price of the goods.

5. RETURNABLE CONTAINERS AND PALLETS

Returnable Containers and pallets remain our property at all times and may be charged on invoice. If so charged the Buyer will be given larged to such returnable containers or pallets are promptly returned (consigned carriage paid) to us at the point from which they were originally despatched in good condition to our satisfaction

6. NOTIFICATION OF LOSS OF, OR DAMAGE TO, OR NON DELIVERY OF GOODS

Claims for damage to or loss of goods in transit must be submitted in writing both to us and to the carrier (if appropriate) as follows:

a) In the case of non-delivery of the whole of any consignment or of any separate packing forming part of consignment - within 3 days of the date of despatch shown on the

invoice or advice note (whichever is the earlier).
b) In the case of damage to or partial loss of the goods or shortages from packages within three days of delivery. The goods received must have been signed for as damaged

Failing which we shall not be liable in respect of any such claim and the goods shall be deemed to have been delivered in accordance with the contract complete and in a satisfactory condition. In no case shall H.B.C.'s liability in respect of claims for damage to or loss of goods in transit extend beyond an obligation either to repair or replace free of charge any such goods or (the election to be H.B.C.'s alone) to pay to the Buyer up to the invoice price of the goods in respect of which a claim is made, and in neither event shall H.B.C. be liable for consequential loss, damage or expense howsoever arising

7. BAK CODING While every care will be taken to Bar Code goods as requested, no responsibility whatsoever is accepted for faulty coding. Customers are particularly warned against the use of self-peeler labels which can easily be swapped while goods are on display. We will not be held liable for any problems arising from Bar Coding when labels of this type are used.

Unless otherwise agreed in writing, payment shall be made at the net invoice value, without any deductions, by the last day of the month following the month in which delivery was made, or in which (if ex-works), the goods were ready for collection. Failure by the Buyer to make punctual payment shall entitle us to suspend any outstanding deliveries, or to cancel the contract so far as it remains unperformed at our option, and without prejudice to our rights to claim for the price of goods already delivered or manufactured at the date of cancellation, and for loss or injury occasioned thereby.

9. WARRANTY AND EXCLUSIONS a) We undertake that the goods delivered to the Buyer will be of normal industrial quality and H.B.C.'s duty to the Buyer relating to the quality of the goods delivered shall be limited wholly and exclusively to the duty to deliver goods of the aforesaid quality Save as aforesaid any warranty or conditions, statutory or otherwise express or implied, whether oral or written as to quality of the goods or their fitness for a particular purpose are excluded and negatived.

b) The application and use of the goods is the absolute responsibility of the Buyer. Any technical and other advice, information and data provided by us, whether verbally, in writing or by way of trials or tests, is given without warranty and the Buyer shall be deemed to have carried out his own tests to ensure the suitability of the goods for his intended purposes and applications and the Buyer shall be deemed to have placed no reliance on any advice, information or data provided by us.

c) The Buyer must give us immediate written notice containing full particulars of any claim that the goods are not of the proper quality to enable us to investigate the complaint before the remainder of the consignment of goods is used or returned to us. We shall not be liable for any defects in quality in the absence of such immediate notification and, in any event, our liability hereunder or in the case of any other breach of contract or misrepresentation shall be strictly limited to the invoice price of the goods proved by the Buyer to be of defective quality or to be such as to cause us to have been in breach of contract or guilty of misrepresentation and shall not extend to consequential loss of any kind howsoever arising

10. CONTRACTS NOT ASSIGNABLE

This Contract is between us and the Buyer as principals, and is not assignable without our written consent

11. INDEMNITY AGAINST INFRINGEMENT OF PATENTS AND RIGHTS

The Buyer shall indemnify us against all damages, penalties, costs and expenses to which we may be liable as a result of work done in accordance with the Buyer's specification which involves the infringement of any letters patent, registered design, intellectual property rights, proprietary process or otherwise.

12. GOVERNING LAW

This contract shall be governed by and constructed in accordance with the laws of England and the Buyer agrees to submit to the jurisdiction of the English Courts.

We do not accept any liability for consequential loss.

14. TELEPHONE CONTACT

From time to time customers may be telephoned by our sales office. If you would prefer not to be contacted by telephone we would request that you notify us of this in writing.

The following additional points should be noted:

- The totawing adultioner points a should be littled:

 Carriage paid orders comprise any items listed as standard in this catalogue. Orders containing both standard and non-standard items may result in a split delivery and either portion, if under the carriage-paid terms, may be liable to an extra carriage charge.
- Customers requiring deliveries to be booked in at specific times will be invoiced the carrier's booking-in fee.
- Uninspected consignments should be signed for as not examined. In the event of goods being damaged or there being shortages, the carrier should be notified immediately,
- and our office informed within 3 days, or any claims may be disallowed.

 Ownership of goods shall not pass to the customer until full payment has been made. In the case of non-payment we shall be entitled to repossess the goods, or any other
- goods supplied by ourselves totalling an equivalent value, or proceeds of sale.

 Because of a number of sole agencies abroad, customers are advised to contact the Company prior to exporting any of the items listed.
- The Company does not contribute towards catalogues or other publicity material belonging to third parties. This brochure plus equestrian and hygiene brochures are freely available in reasonable quantities. Most photographs in these publications are available on CD (Mac or PC format) for use in customer sales and publicity material, provided the pictures so used relate to products sold by the HBC Ltd.

CARRIAGE PAID 2011

NETT MONTHLY ACCOUNT - Orders for standard catalogue items are sent carriage paid to mainland UK on minimum value of £275 NETT, Northern Ireland on minimum value of £700 NETT and to Southern Ireland £800/€950

- UK mainland orders under £50 will have a charge of £20 carriage added
- UK mainland orders between £50 and £274 will have a charge of £15 carriage added
- Orders over £275 = FREE carriage
- All prices shown are exclusive of VAT All products with pack sizes noted in BLACK CANNOT BE SPLIT. Products with pack sizes noted in GREEN are available as split packs

 • Please use FULL Product Code when ordering

- Goods cannot be returned, except by prior arrangement We reserve the right to change prices and specifications
- without notice
- Please note that the Company will not be sending out any goods during the following holidays: Easter Monday: 25th April Spring Bank Holiday: 30th May

Good Friday: 22nd April May Day: 2nd May August Bank Holiday: 29th August Christmas 2011: 20th - 31st December New Year 2012: 1st January

Index

Abrasive Floor Pads	61	Handles - One Piece Plastic 48
Abrasive Pads & Sponge	65	Handles - Stainless Steel 48
Anti-Microbial	36-37	Handles - Telescopic 16 & 48
Artists Brushes	71	Handles – Wooden Threaded 9
Bag Hoop	59	Handles - Waterflow 47
Banister Brushes	18 & 22	Handles - Wooden 16
Bass Brooms	8-15	Handles & Accessories 16-17
Boot Removers	20	Handles & Stay Fitted 17
Bootwipers	20	Handy Bag Hoop 59
Bottle Brushes	28 & 66	Hangers & Accessories 49
Boxed to Go!	7-9	Hearth Equipment 26
Branding Information	75	Household 23-28
Brooms with Handle Sockets	9 & 11	Hygiene - Anti-Microbial 36-37
Brooms with Threaded Stocks	12-13	Hygiene - Brooms 42-43
Brush Hangers	49	Hygiene - General Purpose 41
Bucket Brushes	13, 25 & 41	Hygiene - Glazing Brushes 41
Buckets	53	Hygiene - Hand Brushes 40
Bulk Tank Brushes	42	Hygiene - Premier Catering 56-57
Carpet Care	24	Hygiene - Machine Brushes 41
Chemical Resistance Data	Please enquire	Hygiene – Hand Scrubs 40
Clothes Brushes	. 26	Hygiene - Sink Brushes 40
Cloths	65	Hygiene Demonstration Equipment 74
Cobweb Brushes	26	Hygiene Information 34
Contract	18-19	Index - Quick Guide 3
Corn Broom	25	Index - Full 78
Crustacean Kit	72	Industrial Brooms & Brushes 13
Curb & Gutter Brush	10	Janitorial Mop Bucket 53 & 64
Deck Scrubs	12 & 42	Jug 28 & 52
Decorating Equipment	67-70	Kentucky Mops 62
Display Stand - Garden	20	Kitchen 28
Display Stand - Hygiene	75	Kneeling Mat 20
Dustbins	54	Labelling 75
Dust Mops, Dry Mops & Floo	r Pads 61	Lavatory Brushes 27
Dusters - Feather, Poly & Wo	ol 26	Litter Pickers 59
Dusters – Jamb	69	Lobby Dustpans & Brushes 59
Dustpan & Brush Sets	23	Metal Sockets & Clamps 17
Dustpans	23, 36 & 40	Metal Detectable Items 38
Environmental Policy	6	Monofilament Properties Please enquire
Filling Material Information	76	Mops 61-63
Fitches	71	Nail Brushes 25, 27-28, 36, 40 & 57
Flat Mops	61	Oyster Clamp 72
Flat Top Brooms	9-11 & 22	Paddles 52
Floor Pads	61	Paint Brushes 68
Floor Scrapers	52	Paper Hanger Brushes 69
Flue Brushes	66	Pastry Brushes 28 & 41
FSC Certification	6	Pencil Brushes 71
Glazing Brushes	41 & 57	Plastic Sockets 11 & 15
Glue Brushes	69	Platform Brooms 14, 15, 19 & 22
Grout Scrub	41	Premier Catering 56-57
Handle Fitting	11 & 15	Premier Valet 32-33
Handles - Aluminium	48 & 57	Printing, Branding & Labelling 75
Handles - Connectors & Sock	ets 17	Pro-Window Cleaning 29-31
Handles - Fibreglass	48	Professional Hygiene 40-45 & 55
Handles - Metal	48	Pure Bristle Brushes 15 & 70

Radiator Brush	70
Radiator Paint Brushes	70
Rio	9
Resin Set Information	39
Salmon Hygiene Technology	34-35
Sash Tools	69
Scavenger Brooms	10
Scissor Mop	61
Scoops	52
Scrapers	52
Scrubbing Brushes	25 & 36
Shoe Brushes	25 & 30
Shoe Covers	55
	55
Shoe Cover Dispenser	
Shovels	50-51 27
Shower Squeegee	
Sink Plungers	27
Snow Scoops	51
Sponge Mops	46
Sponges	46
Squeegees	44-46
Standard Mops	62
Stays	15 & 17
Striker Brushes	70
Stripping Knives	69
Storage & Containers	54
Tar Spreading Brushes	13
Tarmac Scraper	13
Tea Towels	65
Tidy Tray	54
Tile Brushes	41
Toilet Brushes	27
Tube Brushes	43 & 66
Twisted-in-Wire Brushes	66
Ultimate Hygiene - Anti-Microbial	36-37
Upholstery Brushes	24
Venetian Blind Duster	26
Wall Brushes	69
Warning Signs	60
Waterflow System	47
Wetting Brush	69
Wheel Brush	33
Window Brushes	13 & 30
Window Squeegees	29-30
Wire Brooms & Brushes	70
Woodlands	20-22
Yard Brooms	8 & 10
Z U Products	72
2 0 1 1000003	12

Product Key



Environmentally friendly.

Broom socket drilled for BOTH traditional wooden handle with nail or threaded handle.

TO Broom socket drilled for threaded handles only

Resin option available (add suffix 'RES' to code) Waterflow item

Water flows through every tuft of brush

٠ Revolutionary surgical green hygienic rubber

Colour Options

Add to product code: B = Blue

G = Green



T = Orange

R = Red



W = White Y = Yellow

M = Mauve P = Pink



Leaders in Food Safety INNOVATION

ULTIMATE ***** Plus

Resin-Set Brushware

- Prevention of dirt, moisture and bacteria in the tuft holes
- Prevention of the removal of filaments

The Ultimate food safety solution



Squeegee Cassette System

- Easier cleaning with detachable cassette system
- Increased food safety with fully moulded construction
- Produced with all FDA approved materials Autoclaving at 134°C
- Supports HACCP 6 colours available

The Ultimate Squeegee in design, function and materials











